

for importation. The agency then publishes this decision in the **Federal Register**.

US SPECS of Havre de Grace, Maryland (Registered Importer 03-321) has petitioned NHTSA to decide whether nonconforming 2006-2010 BMW M3 passenger cars are eligible for importation into the United States. The vehicles which US SPECS believes are substantially similar are 2006-2010 BMW M3 passenger cars that were manufactured for sale in the United States and certified by their manufacturer as conforming to all applicable FMVSS.

The petitioner claims that it compared non-U.S. certified 2006-2010 BMW M3 passenger cars to their U.S.-certified counterparts, and found the vehicles to be substantially similar with respect to compliance with most FMVSS.

US SPECS submitted information with its petition intended to demonstrate that non-U.S. certified 2006-2010 BMW M3 passenger cars as originally manufactured, conform to many FMVSS in the same manner as their U.S. certified counterparts, or are capable of being readily altered to conform to those standards. Specifically, the petitioner claims that non-U.S. certified 2006-2010 BMW M3 passenger cars are identical to their U.S. certified counterparts with respect to compliance with Standard Nos. 102 *Transmission Shift Lever Sequence, Starter Interlock, and Transmission Braking Effect*, 103 *Windshield Defrosting and Defogging Systems*, 104 *Windshield Wiping and Washing Systems*, 106 *Brake Hoses*, 113 *Hood Latch System*, 116 *Motor Vehicle Brake Fluids*, 124 *Accelerator Control Systems*, 135 *Light Vehicle Brake Systems*, 202 *Head Restraints*, 204 *Steering Control Rearward Displacement*, 205 *Glazing Materials*, 207 *Seating Systems*, 210 *Seat Belt Assembly Anchorages*, 212 *Windshield Mounting*, 214 *Side Impact Protection*, 216 *Roof Crush Resistance*, 219 *Windshield Zone Intrusion*, and 302 *Flammability of Interior Materials*.

The petitioner also contends that the vehicles are capable of being readily altered to meet the following standards, in the manner indicated:

Standard No. 101 *Controls and Displays*: (a) inscription of the word "brake" on the brake failure indicator lamp in place of the international ECE warning symbol; and (b) replacement of the speedometer with a unit reading in miles per hour, or modification of the existing speedometer so that it reads in miles per hour.

Standard No. 108 *Lamps, Reflective Devices and Associated Equipment*: installation of the following U.S.-model

components on vehicles not already so equipped: (a) front side marker lamps; (b) headlamps; (c) tail lamps that incorporate rear side marker lights; (d) high-mounted stop lamp; and (e) front and rear side reflex reflectors.

Standard No. 110 *Tire Selection and Rims for Motor Vehicles with a GVWR of 4,536 kilograms (10,000 pounds) or Less*: installation of a tire information placard.

Standard No. 111 *Rearview Mirrors*: installation of a U.S.-model passenger side rearview mirror, or inscription of the required warning statement on the face of the existing mirror.

Standard No. 114 *Theft Protection*: installation of a supplemental key warning buzzer, or reprogramming of the control system to meet the requirements of this standard.

Standard No. 118 *Power-Operated Window, Partition, and Roof Panel Systems*: reprogramming or rewiring of the power operated window system to meet the requirements of this standard on vehicles not already so equipped.

Standard No. 138 *Tire Pressure Monitoring Systems*: installation of U.S.-model components and software, or of a conforming aftermarket system, on all vehicles not already so equipped.

Standard No. 201 *Occupant Protection in Interior Impact*: inspection of each vehicle and replacement of non U.S.-model upper interior components with U.S.-model components to meet the requirements of this standard on vehicles not already so equipped.

Standard No. 206 *Door Locks and Door Retention Components*: inspection of each vehicle and replacement of non U.S.-model door lock components with U.S.-model components on vehicles that are not already so equipped.

Standard No. 208 *Occupant Crash Protection*: inspection of each vehicle and (a) installation of a seat belt warning lamp and buzzer on vehicles that are not already so equipped; and (b) replacement of any non U.S.-model air bags, air bag control units, sensors, seat belts, software and knee bolsters on vehicles that are not already so equipped.

In a supplement to the original petition the petitioner included descriptions and part numbers for both the non-U.S. model components and the U.S.-model components they will be replaced with. The petitioner also included a listing of the required software changes. These listings have been included along with the copy of the petition in the docket referred to in the title of this notice.

The petitioner states that the vehicles are equipped with an automatic restraint system that consists of dual

front air bags and knee bolsters. In addition, the vehicles have combination lap and shoulder belts at the outboard front and rear seating positions that are self-tensioning and capable of being released by means of a single red push button.

Standard No. 209 *Seat Belt Assemblies*: inspection of each vehicle and replacement of any non U.S.-certified model seat belts with U.S.-model components

Standard No. 225 *Child Restraint Anchorage Systems*: inspection of each vehicle and installation of U.S.-model child restraint anchorage system components on vehicles not already so equipped.

Standard No. 301 *Fuel System Integrity*: inspection of each vehicle and replacement of any non U.S.-model fuel system components with U.S.-model components on vehicles not already so equipped.

Standard No. 401 *Interior Trunk Release*: installation of U.S.-model interior trunk release components on vehicles not already so equipped.

The petitioner additionally states that a vehicle identification plate must be affixed to the vehicles near the left windshield post to meet the requirements of 49 CFR Part 565.

All comments received before the close of business on the closing date indicated above will be considered, and will be available for examination in the docket at the above addresses both before and after that date. To the extent possible, comments filed after the closing date will also be considered. Notice of final action on the petition will be published in the **Federal Register** pursuant to the authority indicated below.

Authority: 49 U.S.C. 30141(a)(1)(A), (a)(1)(B), and (b)(1); 49 CFR 593.7; delegation of authority at 49 CFR 1.95 and 501.8.

Issued on: December 19, 2012.

Claude H. Harris,

Director, Office of Vehicle Safety Compliance.

[FR Doc. 2012-31211 Filed 12-27-12; 8:45 am]

BILLING CODE 4910-59-P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

[Docket No. NHTSA-2012-0163, Notice 1]

Notice of Receipt of Petition for Decision That Nonconforming 2005 Ferrari 612 Scaglietti Passenger Cars Are Eligible for Importation

AGENCY: National Highway Traffic Safety Administration, DOT.

ACTION: Notice of receipt of petition.

SUMMARY: This document announces receipt by the National Highway Traffic Safety Administration (NHTSA) of a petition for a decision that nonconforming 2005 Ferrari 612 Scaglietti passenger cars that were not originally manufactured to comply with all applicable Federal Motor Vehicle Safety Standards (FMVSS), are eligible for importation into the United States because they are substantially similar to vehicles that were originally manufactured for sale in the United States and that were certified by their manufacturer as complying with the safety standards (the U.S.-certified version of the 2005 Ferrari 612 Scaglietti passenger cars) and they are capable of being readily altered to conform to the standards.

DATES: The closing date for comments on the petition is January 28, 2013.

ADDRESSES: Comments should refer to the docket and notice numbers above and be submitted by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the online instructions for submitting comments.
- *Mail:* Docket Management Facility: U.S. Department of Transportation, 1200 New Jersey Avenue SE., West Building Ground Floor, Room W12-140, Washington, DC 20590-0001.
- *Hand Delivery or Courier:* West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., between 9 a.m. and 5 p.m. ET, Monday through Friday, except Federal holidays.
- *Fax:* 202-493-2251.

Instructions: Comments must be written in the English language, and be no greater than 15 pages in length, although there is no limit to the length of necessary attachments to the comments. If comments are submitted in hard copy form, please ensure that two copies are provided. If you wish to receive confirmation that your comments were received, please enclose a stamped, self-addressed postcard with the comments. Note that all comments received will be posted without change to <http://www.regulations.gov>, including any personal information provided. Please see the Privacy Act heading below.

Privacy Act: Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register**

published on April 11, 2000 (65 FR 19477-78).

How to Read Comments submitted to the Docket: You may read the comments received by Docket Management at the address and times given above. You may also view the documents from the Internet at <http://www.regulations.gov>. Follow the online instructions for accessing the dockets. The docket ID number and title of this notice are shown at the heading of this document notice. Please note that even after the comment closing date, we will continue to file relevant information in the Docket as it becomes available. Further, some people may submit late comments. Accordingly, we recommend that you periodically search the Docket for new material.

FOR FURTHER INFORMATION CONTACT: George Stevens, Office of Vehicle Safety Compliance, NHTSA (202-366-5308).

SUPPLEMENTARY INFORMATION:

Background

Under 49 U.S.C. 30141(a)(1)(A), a motor vehicle that was not originally manufactured to conform to all applicable FMVSS shall be refused admission into the United States unless NHTSA has decided that the motor vehicle is substantially similar to a motor vehicle originally manufactured for importation into and sale in the United States, certified under 49 U.S.C. 30115, and of the same model year as the model of the motor vehicle to be compared, and is capable of being readily altered to conform to all applicable FMVSS.

Petitions for eligibility decisions may be submitted by either manufacturers or importers who have registered with NHTSA pursuant to 49 CFR part 592. As specified in 49 CFR 593.7, NHTSA publishes notice in the **Federal Register** of each petition that it receives, and affords interested persons an opportunity to comment on the petition. At the close of the comment period, NHTSA decides, on the basis of the petition and any comments that it has received, whether the vehicle is eligible for importation. The agency then publishes this decision in the **Federal Register**.

G&K Automotive Conversions, Inc., of Santa Ana, California (G&K) (Registered Importer 90-007) has petitioned NHTSA to decide whether nonconforming 2005 Ferrari 612 Scaglietti passenger cars are eligible for importation into the United States. The vehicles which G&K believes are substantially similar are 2005 Ferrari 612 Scaglietti passenger cars that were manufactured for sale in the United States and certified by their

manufacturer as conforming to all applicable FMVSS.

The petitioner claims that it compared non-U.S. certified 2005 Ferrari 612 Scaglietti passenger cars to their U.S.-certified counterparts, and found the vehicles to be substantially similar with respect to compliance with most FMVSS.

G&K submitted information with its petition intended to demonstrate that non-U.S. certified 2005 Ferrari 612 Scaglietti passenger cars as originally manufactured, conform to many FMVSS in the same manner as their U.S. certified counterparts, or are capable of being readily altered to conform to those standards. Specifically, the petitioner claims that non-U.S. certified 2005 Ferrari 612 Scaglietti passenger cars are identical to their U.S. certified counterparts with respect to compliance with Standard Nos. 102 *Transmission Shift Lever Sequence, Starter Interlock, and Transmission Braking Effect*, 103 *Windshield Defrosting and Defogging Systems*, 104 *Windshield Wiping and Washing Systems*, 106 *Brake Hoses*, 109 *New Pneumatic Tires*, 113 *Hood Latch System*, 116 *Motor Vehicle Brake Fluids*, 118 *Power-Operated Window, Partition, and Roof Panel Systems*, 124 *Accelerator Control Systems*, 135 *Light Vehicle Brake Systems*, 201 *Occupant Protection in Interior Impact*, 202 *Head Restraints*, 204 *Steering Control Rearward Displacement*, 205 *Glazing Materials*, 206 *Door Locks and Door Retention Components*, 207 *Seating Systems*, 208 *Occupant Crash Protection*, 209 *Seat Belt Assemblies*, 210 *Seat Belt Assembly Anchorages*, 212 *Windshield Mounting*, 214 *Side Impact Protection*, 216 *Roof Crush Resistance*, 219 *Windshield Zone Intrusion*, and 302 *Flammability of Interior Materials*.

The petitioner also contends that the vehicles are capable of being readily altered to meet the following standards, in the manner indicated:

Standard No. 101 *Controls and Displays*: Replacement of the instrument cluster and associated software with U.S.-model components, or modification of the existing cluster and software.

Standard No. 108 *Lamps, Reflective Devices and Associated Equipment*: Replacement of the front and rear side marker lamps with U.S.-model components.

Standard No. 110 *Tire Selection and Rims for Motor Vehicles with a GVWR of 4,536 kilograms (10,000 pounds) or Less*: Installation of a tire information placard.

Standard No. 111 *Rearview Mirrors*: Installation of a U.S.-model passenger side rearview mirror, or inscription of

the required warning statement on the face of the existing mirror.

Standard No. 114 *Theft Protection*: Reprogram the starting system to meet the requirements of this standard.

Standard No. 225 *Child Restraint Anchorage Systems*: Installation of U.S.-model child restraint anchorage system components.

Standard No. 301 *Fuel System Integrity*: Installation of U.S.-model fuel system components if not already installed.

Standard No. 401 *Interior Trunk Release*: Installation of U.S.-model interior trunk release components.

The petitioner additionally states that a vehicle identification plate must be affixed to the vehicles near the left windshield post to meet the requirements of 49 CFR part 565.

All comments received before the close of business on the closing date indicated above will be considered, and will be available for examination in the docket at the above addresses both before and after that date. To the extent possible, comments filed after the closing date will also be considered. Notice of final action on the petition will be published in the **Federal Register** pursuant to the authority indicated below.

Authority: 49 U.S.C. 30141(a)(1)(A), (a)(1)(B), and (b)(1); 49 CFR 593.7; delegation of authority at 49 CFR 1.95 and 501.8.

Issued on: December 19, 2012.

Claude H. Harris,

Director, Office of Vehicle Safety Compliance.

[FR Doc. 2012-31209 Filed 12-27-12; 8:45 am]

BILLING CODE 4910-59-P

DEPARTMENT OF TRANSPORTATION

Pipeline and Hazardous Materials Safety Administration

Office of Hazardous Materials Safety; Notice of Application for Special Permits

AGENCY: Pipeline and Hazardous Materials Safety Administration (PHMSA), DOT.

ACTION: List of applications for special permits.

SUMMARY: In accordance with the procedures governing the application for, and the processing of, special permits from the Department of Transportation's Hazardous Material Regulations (49 CFR part 107, subpart B), notice is hereby given that the Office of Hazardous Materials Safety has received the application described herein. Each mode of transportation for which a particular special permit is

requested is indicated by a number in the "Nature of Application" portion of the table below as follows: 1—Motor vehicle, 2—Rail freight, 3—Cargo vessel, 4—Cargo aircraft only, 5—Passenger-carrying aircraft.

DATES: Comments must be received on or before January 28, 2013.

Address Comments To: Record Center, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington, DC 20590.

Comments should refer to the application number and be submitted in triplicate. If confirmation of receipt of comments is desired, include a self-addressed stamped postcard showing the special permit number.

FOR FURTHER INFORMATION CONTACT:

Copies of the applications are available for inspection in the Records Center, East Building, PHH-30, 1200 New Jersey Avenue Southeast, Washington DC or at <http://regulations.gov>.

This notice of receipt of applications for special permit is published in accordance with Part 107 of the Federal hazardous materials transportation law (49 U.S.C. 5117(b); 49 CFR 1.53(b)).

Issued in Washington, DC, on December 17, 2012.

Donald Burger,

Chief, General Approvals and Permits.

Application No.	Docket No.	Applicant	Regulation(s) affected	Nature of special permits thereof
New Special Permits				
15755-N	Micronesia Aviation Corporation dba Americopters, Saipan, MP.	49 CFR § 172.101 Column (9B), § 172.204(c)(3), § 173.27(b)(2), § 175.30(a)(1), §§ 172.200, 172.300, 172.400, 173.302(f)(3) and § 175.75.	To authorize the transportation in commerce of certain hazardous materials by Part 133 Rotorcraft External Load Operations, attached to or suspended from an aircraft, in remote areas of the U.S. without meeting certain hazard communication and stowage requirements. (mode 4)
15758-N	K&S Helicopters, Inc., Kailua Kona, HI (9B).	49 CFR Column, § 172.101, § 172.204(c)(3), § 173.27(b)(2), § 175.30(a)(1), §§ 172.200, 172.300, 172.400, 173.302(f)(3) and § 175.75.	To authorize the transportation in commerce of certain hazardous materials by Part 133 Rotorcraft External Load Operations, attached to or suspended from an aircraft, in remote areas of the U.S. without meeting certain hazard communication and stowage requirements. (mode 4)
15764-N	Matheson Tri-Gas Basking, Ridge, NJ.	49 CFR 172.203; 172.301; 172.302; 180.205; 180.209; 180.213; 180.215.	To authorize the transportation in commerce of certain cylinders that have been ultrasonically retested for use in transporting Division 2.1, 2.2, and 2.3 materials. (modes 1, 2, 4)
15765-N	Delphi Automotive Systems, LLC, Warren, OH.	49 CFR 49 CFR 173.185(a), 49 CFR 107.105, IMDG Code 7.9.2.	To authorize the transportation in commerce of damaged/defective lithium ion batteries in accordance with CAA2012070015. (modes 1, 3)
15767-N	Union Pacific Railroad Company, Omaha, NE.	49 CFR 174.85	To authorize the positioning of placarded cars without NE a buffer car. (mode 2)
15768-N	E.I. DuPont de Nemours & Company, Inc., Mt. Clemens, MI.	49 CFR 172.302(a); 172.302(c); 172.326(a); 172.331(b); 172.504(a).	To authorize the transportation in commerce of bulk packagings and unmarked IBCs and DOT-57 portable tanks containing residue of high flash point combustible liquid. (mode 1)
15769-N	KMG Chemicals, Houston, TX.	49 CFR 172.102, Table 2 IP2	To authorize the transportation of solid pentachlorophenol on flatbed trailers. (mode 1)