

- Discussion: Upcoming Meetings and Activities,
- Public Comment Period,
- Adjournment.

**Public Participation:** The NNM CAB's EMS&R and WM Committees welcome the attendance of the public at their combined committee meeting and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Menice Santistevan at least seven days in advance of the meeting at the telephone number listed above. Written statements may be filed with the Committees either before or after the meeting. Individuals who wish to make oral statements pertaining to agenda items should contact Menice Santistevan at the address or telephone number listed above. Requests must be received five days prior to the meeting and reasonable provision will be made to include the presentation in the agenda. The Deputy Designated Federal Officer is empowered to conduct the meeting in a fashion that will facilitate the orderly conduct of business. Individuals wishing to make public comments will be provided a maximum of five minutes to present their comments.

Minutes: Minutes will be available by writing or calling Menice Santistevan at the address or phone number listed above. Minutes and other Board documents are on the Internet at: <http://www.nnmcab.energy.gov/2-meetings/meetings.htm>.

Issued at Washington, DC on September 20, 2011.

**LaTanya R. Butler,**

*Acting Deputy Committee Management Officer.*

[FR Doc. 2011-24629 Filed 9-23-11; 8:45 am]

**BILLING CODE 6405-01-P**

## DEPARTMENT OF ENERGY

### Environmental Management Site-Specific Advisory Board, Nevada

**AGENCY:** Department of Energy.

**ACTION:** Notice of open meeting.

**SUMMARY:** This notice announces a meeting of the Environmental Management Site-Specific Advisory Board (EM SSAB), Nevada. The Federal Advisory Committee Act (Pub. L. 92-463, 86 Stat. 770) requires that public notice of this meeting be announced in the **Federal Register**.

**DATES:** Wednesday, October 12, 2011, 5 p.m.

**ADDRESSES:** Las Vegas Country Club, 3000 Joe W. Brown Boulevard, Las Vegas, Nevada 89109.

**FOR FURTHER INFORMATION CONTACT:** Denise Rupp, Board Administrator, 232 Energy Way, M/S 505, North Las Vegas, Nevada 89030. Phone: (702) 657-9088; Fax (702) 295-5300 or E-mail: [nssab@nv.doe.gov](mailto:nssab@nv.doe.gov).

#### SUPPLEMENTARY INFORMATION:

**Purpose of the Board:** The purpose of the Board is to make recommendations to DOE-EM and site management in the areas of environmental restoration, waste management, and related activities.

#### *Tentative Agenda:*

1. Comment Development—Nevada National Security Site Site-Wide Environmental Impact Statement

**Public Participation:** The EM SSAB, Nevada, welcomes the attendance of the public at its advisory committee meetings and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Denise Rupp at least seven days in advance of the meeting at the phone number listed above. Written statements may be filed with the Board either before or after the meeting. Individuals who wish to make oral presentations pertaining to agenda items should contact Denise Rupp at the telephone number listed above. The request must be received five days prior to the meeting and reasonable provision will be made to include the presentation in the agenda. The Deputy Designated Federal Officer is empowered to conduct the meeting in a fashion that will facilitate the orderly conduct of business. Individuals wishing to make public comments will be provided a maximum of five minutes to present their comments.

Minutes: Minutes will be available by writing to Denise Rupp at the address listed above or at the following Web site: <http://nv.energy.gov/nssab/MeetingMinutes.aspx>.

Issued at Washington, DC on September 20, 2011.

**LaTanya R. Butler,**

*Acting Deputy Committee Management Officer.*

[FR Doc. 2011-24616 Filed 9-23-11; 8:45 am]

**BILLING CODE 6450-01-P**

## DEPARTMENT OF ENERGY

### Environmental Management Site-Specific Advisory Board, Oak Ridge Reservation

**AGENCY:** Department of Energy.

**ACTION:** Notice of open meeting.

**SUMMARY:** This notice announces a meeting of the Environmental Management Site-Specific Advisory Board (EM SSAB), Oak Ridge Reservation. The Federal Advisory Committee Act (Pub. L. 92-463, 86 Stat. 770) requires that public notice of this meeting be announced in the **Federal Register**.

**DATES:** Wednesday, October 12, 2011; 6 p.m.

**ADDRESSES:** DOE Information Center, 475 Oak Ridge Turnpike, Oak Ridge, Tennessee 37830.

#### FOR FURTHER INFORMATION CONTACT:

Patricia J. Halsey, Federal Coordinator, Department of Energy Oak Ridge Operations Office, P.O. Box 2001, EM-90, Oak Ridge, TN 37831. Phone (865) 576-4025; Fax (865) 241-1984 or e-mail: [halseypj@oro.doe.gov](mailto:halseypj@oro.doe.gov) or check the Web site at [www.oakridge.doe.gov/em/ssab](http://www.oakridge.doe.gov/em/ssab).

#### SUPPLEMENTARY INFORMATION:

**Purpose of the Board:** The purpose of the Board is to make recommendations to DOE-EM and site management in the areas of environmental restoration, waste management, and related activities.

**Tentative Agenda:** The main meeting presentation will be an update on Bear Creek Valley on the Oak Ridge Reservation.

**Public Participation:** The EM SSAB, Oak Ridge, welcomes the attendance of the public at its advisory committee meetings and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Patricia J. Halsey at least seven days in advance of the meeting at the phone number listed above. Written statements may be filed with the Board either before or after the meeting. Individuals who wish to make oral statements pertaining to the agenda item should contact Patricia J. Halsey at the address or telephone number listed above. Requests must be received five days prior to the meeting and reasonable provision will be made to include the presentation in the agenda. The Deputy Designated Federal Officer is empowered to conduct the meeting in a fashion that will facilitate the orderly conduct of business. Individuals wishing to make public comments will be provided a maximum of five minutes to present their comments.

Minutes: Minutes will be available by writing or calling Patricia J. Halsey at the address and phone number listed above. Minutes will also be available at the following Web site: <http://>

[www.oakridge.doe.gov/em/ssab/minutes.htm](http://www.oakridge.doe.gov/em/ssab/minutes.htm).

Issued at Washington, DC on September 21, 2011.

**LaTanya R. Butler,**

*Acting Deputy Committee Management Officer.*

[FR Doc. 2011-24614 Filed 9-23-11; 8:45 am]

BILLING CODE 6450-01-P

## DEPARTMENT OF ENERGY

### Bonneville Power Administration

#### Big Eddy-Knight Transmission Project

**AGENCY:** Bonneville Power Administration (BPA), Department of Energy (DOE).

**ACTION:** Notice of Availability of Record of Decision (ROD).

**SUMMARY:** This notice announces the availability of the ROD to implement the Big Eddy-Knight Transmission Project in Wasco County, Oregon and Klickitat County, Washington. Construction of the Big Eddy-Knight Transmission Project will accommodate long-term firm transmission requests that BPA has received by increasing BPA's 500-kV transmission capability to move power from the east side of the Cascade Mountains (along the Oregon/Washington border) to load centers (such as Portland, Oregon) on the west side of the Cascades and to major transmission lines serving California.

As described in the Big Eddy-Knight Transmission Project Final Environmental Impact Statement (EIS) (DOE/EIS-0421, July 2011), this project consists primarily of constructing a new, approximately 28-mile-long, 500-kilovolt (kV) transmission line and ancillary facilities between BPA's existing Big Eddy Substation in The Dalles, Oregon, to a proposed new Knight Substation that would be connected to an existing BPA line about 4 miles northwest of Goldendale, Washington. For the transmission line, BPA has decided to build East Alternative Option 3. For the first 14 miles, the line will use double-circuit towers (combining the new line and an existing line on one set of towers) mostly on existing right-of-way. The remaining 14 miles of the new line will be built with single-circuit towers in a newly-established 150-foot wide transmission line right-of-way. BPA has also decided to build the small (about 1 mile) realignment of the East Alternative on the Oregon side of the Columbia River, as described in the final EIS. For the proposed new Knight Substation, BPA has decided to build Knight

Substation on Site 1, which is on private property about 0.5 mile west of Knight Road. For the fiber optic cable necessary for system communications, BPA has decided to build the Loop Back Option, which will string fiber optic cable on the new transmission towers from BPA's Big Eddy Substation to the new Knight Substation and back again. The project also includes new equipment at BPA's existing Big Eddy and Wautoma substations. BPA will install about 134 new lattice-steel transmission towers that will have an average span length between towers of about 1,200 feet. The double-circuit towers that will be used for the first 14 miles will range in height from about 170–250 feet tall; the single-circuit towers that will be used for the last 14 miles will be about 108–200 feet tall. The towers on either side of the Columbia River will be about 407 feet tall on the Oregon side and 232 feet tall on the Washington side.

The conductor, fiber optic cable, and overhead ground wire for the new transmission line will be placed on these towers, and counterpoise (which takes any lightning charge from the overhead ground wire and dissipates it into the earth) will be buried in the ground at select towers. Marker balls will be placed on the overhead ground wire across the Columbia River and bird diverters will be installed on overhead ground wire at select locations. The towers on either side of the Columbia River will have lighting for aircraft safety. Road construction will include about 16 miles of new road, 9 miles of temporary road, 13 miles of existing road improvements, and 62 culverts in intermittent streams (many stream crossings will have more than 1 culvert). In addition, portions of county roads that will be used to access the line route will be improved as necessary.

All mitigation measures identified in the EIS that are applicable to the selected alternative are adopted.

**ADDRESSES:** Copies of the ROD and EIS may be obtained by calling BPA's toll-free document request line, 1-800-622-4520. The ROD and EIS are also available on our Web site, <http://www.bpa.gov/go/BEK>.

#### FOR FURTHER INFORMATION CONTACT:

Stacy Mason, Bonneville Power Administration—KEC-4, P.O. Box 3621, Portland, Oregon 97208-3621; toll-free telephone number 1-800-622-4519; fax number 503-230-5455; or e-mail [slmason@bpa.gov](mailto:slmason@bpa.gov).

Issued in Portland, Oregon, on September 16, 2011.

**Stephen J. Wright,**

*Administrator and Chief Executive Officer.*

[FR Doc. 2011-24610 Filed 9-23-11; 8:45 am]

BILLING CODE 6450-01-P

## DEPARTMENT OF ENERGY

### Office of Energy Efficiency and Renewable Energy

[Case No. RF-018]

#### Energy Conservation Program for Consumer Products: Publication of the Extension of Interim Waiver Granted to Samsung Electronics America, Inc. From the Department of Energy Residential Refrigerator and Refrigerator-Freezer Test Procedure

**AGENCY:** Office of Energy Efficiency and Renewable Energy, Department of Energy.

**ACTION:** Notice of extension of interim waiver.

**SUMMARY:** On March 25, 2011, the Department of Energy (DOE) published in the **Federal Register** a petition for waiver and notice granting an application for interim waiver to Samsung Electronics America, Inc. (Samsung) from energy efficiency test procedure requirements that are applicable to residential refrigerators and refrigerator-freezers. In today's action, DOE is extending the interim waiver for 180 days.

#### FOR FURTHER INFORMATION CONTACT:

Dr. Michael G. Raymond, U.S.

Department of Energy, Building Technologies Program, Mailstop EE-2J, 1000 Independence Avenue, SW., Washington, DC 20585-0121.

Telephone: (202) 586-9611. E-mail: [Michael.Raymond@ee.doe.gov](mailto:Michael.Raymond@ee.doe.gov).

Ms. Elizabeth Kohl, U.S. Department of Energy, Office of the General Counsel, Mail Stop GC-71, 1000 Independence Avenue, SW., Washington, DC 20585-0103, (202) 586-7796; E-mail: [Elizabeth.Kohl@hq.doe.gov](mailto:Elizabeth.Kohl@hq.doe.gov).

**SUPPLEMENTARY INFORMATION:** On March 18, 2011, DOE granted to Samsung an interim waiver from the energy efficiency test procedure requirements in 10 CFR part 430 that are applicable to Samsung's electric refrigerators and refrigerator-freezers that incorporate multiple defrost cycles, and requested comments on Samsung's petition. 76 FR 16760 (March 25, 2011). Pursuant to 10 CFR 430.27(h), an interim waiver will terminate 180 days after issuance or upon the determination on the petition for waiver, whichever occurs first. An