imperfection in the sealing surface that may cause one or more of the following conditions: engine running hot, engine overheating, loss of coolant, and low coolant message. The TSB applies to all MY 1999–2000 passenger cars and trucks with a composite radiator end tank.

A review of ODI's database shows that there are nine consumer complaints related to the engine cooling system in the subject vehicles. Five complaints allege that coolant leaked from the engine's intake manifold gasket; two complaints allege that the engine overheated due to an unspecified coolant leak; one complaint alleges that there was a smell of engine coolant; and one complaint alleges an unspecified coolant problem. None of the complaints reported any coolant-related fire or injury. Furthermore, a similar review of consumer complaints about the other vehicles covered by the aforementioned TSBs also shows no reports of coolant-related fire or injury.

Based on our evaluation of the petition, the ODI complaints, and the TSBs, the cooling system defect alleged in the petition does not appear to be related to motor vehicle safety within the meaning of our statute.

In view of the foregoing, it is unlikely that NHTSA would issue an order for the notification and remedy of an alleged safety-related defect as defined by the petitioner in the subject vehicles at the conclusion of an investigation. Therefore, in view of the need to allocate and prioritize NHTSA's limited resources to best accomplish the agency's safety mission, the petition is denied.

**Authority:** 49 U.S.C. 30162(d); delegations of authority at CFR 1.50 and 501.8.

Issued on: September 24, 2002.

# Kenneth N. Weinstein,

Associate Administrator for Enforcement. [FR Doc. 02–24727 Filed 9–27–02; 8:45 am]

BILLING CODE 4910-59-P

#### **DEPARTMENT OF TRANSPORTATION**

# National Highway Traffic Safety Administration

# Denial of Motor Vehicle Defect Petition, DP02-006

**AGENCY:** National Highway Traffic Safety Administration (NHTSA), Department of Transportation. **ACTION:** Denial of petition for a defect investigation.

**SUMMARY:** This notice sets forth the reasons for the denial of a petition submitted to NHTSA under 49 U.S.C. 30162, requesting that the agency commence a proceeding to determine the existence of a defect related to motor vehicle safety in model year (MY) 2000 Kia Sportage vehicles with respect to their propensity to roll over. After reviewing the petition and other information, NHTSA has concluded that further expenditure of the agency's investigative resources on the issue raised by the petition does not appear to be warranted. The agency accordingly has denied the petition. The petition is hereinafter identified as DP02-006.

# FOR FURTHER INFORMATION CONTACT: Jonathan White, Office of Defects Investigation (ODI), NHTSA, 400 Seventh Street, SW., Washington, DC 20590. Telephone: (202) 366–5226.

SUPPLEMENTARY INFORMATION: Ms. Anne Marie Terrone of Franklin Square, New York, submitted a petition by letter dated April 17, 2002, requesting that NHTSA commence an investigation to determine the existence of a defect related to motor vehicle safety in MY 2000 Kia Sportage vehicles. The petitioner alleges that as she was making a left-hand turn, her MY 2000 Kia Sportage vehicle rolled over twice, causing her serious injuries.

In response to ODI's inquiry, Kia Motors America, Inc (KMA) provided ODI with information concerning the aforementioned rollover incident. KMA's information included a copy of the lawsuit filed by the petitioner and a copy of the police accident report (PAR). The lawsuit states that the petitioner's vehicle rolled over twice while changing lanes on Route 135 in Nassau County, New York. The PAR

states that the incident occurred at 1:45 p.m., on March 16, 2001, on Route 135, an expressway with a posted speed limit of 55 mph. A non-scaled rough diagram in the PAR appears to show that the vehicle was initially in the right hand lane of the three-lane roadway, overturned between the right and middle lanes and came to a stop at an angle between the left and middle lanes. The PAR indicates that no other vehicle was involved and that "unsafe speed" was an apparent contributing factor.

Two variables that have significant influence on a vehicle's resistance to rollover are its track width and centerof-gravity (CG). Wider track width and/ or lower CG increases the vehicle's resistance to rollover. According to KMA, the Kia Sportage vehicle's track width and CG are the same from MY 1995 (first model year) to MY 2002. Accordingly, ODI has reviewed NHTSA's consumer complaint database, the Fatality Analysis Reporting System database (FARS), and available state data for the MY 1995-2000 Kia Sportage vehicles (subject vehicles) to search for reported rollover incidents. ODI did not include MY 2001–2002 since state crash data and FARS data are either not available or incomplete at this time. For comparison purposes, ODI also reviewed similar data for the MY 1995-2000 Chevrolet/Geo Tracker, MY 1997-2000 Honda CR-V, MY 1999-2000 Suzuki Vitara/Grand Vitara, MY 1998– 2000 Isuzu Amigo, and MY 1996-2000 Toyota RAV4 (hereinafter "peer vehicles"). These vehicles were selected as peers of the subject vehicles because of their general characteristics rather than specific dimensions. ODI also compared the rollover risk of the subject vehicles with those of certain model year 2001 Sport Utility Vehicles (SUV) evaluated under NHTSA's New Car Assessment Program (NCAP).

Table 1, below, compares the number of complaints ODI has received for the subject vehicles and the peer vehicles of rollover incidents that appeared to have occurred on the road surface and did not involve another vehicle (Single-Vehicle On-Road ("SVOR") rollovers). This data does not suggest that the Kia Sportage has a higher propensity of SVOR rollover than the peer vehicles.

TABLE 1.—ODI COMPLIANT COMPARISON ON SVOR ROLLOVER BETWEEN THE SUBJECT VEHICLES AND THE PEER VEHICLES

Make and model	Model year							
	1995	1996	1997	1998	1999	2000	Total	
Kia Sportage	0	0	0	1	0	1	2	
Isuzu Amigo	n/a	n/a	n/a	0	0	0	0	
Honda CR-V	n/a	n/a	0	0	0	1	1	

TABLE 1.—ODI COMPLIANT COMPARISON ON SVOR ROLLOVER BETWEEN THE SUBJECT VEHICLES AND THE PEER VEHICLES—Continued

Make and model	Model year						
	1995	1996	1997	1998	1999	2000	Total
Toyota RAV4 Chevrolet/GeoTracker Suzuki Vitara*	n/a 3 n/a	0 2 n/a	0 1 n/a	1 1 n/a	1 0 0	0 0 0	2 7 0

<sup>&</sup>quot;n/a" denotes here and hereinafter that the model vehicle was not produced in that model year.

Table 2, below, shows the number of all SVOR fatal crashes in FARS between calendar years 1994 through 2000 involving the subject vehicles and the peer vehicles. Also shown are the number of these crashes that involved rollovers, and the percentage of rollovers in these crashes. These SVOR crashes do not include first harmful event collisions with pedestrians, pedal-cyclists, trains, or animals. FARS appears to indicate that the subject vehicles have a lower propensity of SVOR rollover per fatal crash than the peer vehicles.

TABLE 2.—SVOR ROLLOVER RATE PER FATAL CRASH FOR THE SUBJECT VEHICLES AND THE PEER VEHICLES BASED ON 1994–2000 ARS DATA

Model year									То	Percent					
Vehicle model	19	95	19	96	19	97	19	98	19	99	20	00		Poll overs in	of roll- overs in
	Crash	Roll- over	Crash	over	SVOR										
Sportage	1	1	1	1	0	0	1	0	4	3	1	1	8	6	75
Amigo	n/a	n/a	n/a	n/a	n/a	n/a	0	0	1	1	0	0	1	1	100
CR-V	n/a	n/a	n/a	n/a	1	1	1	1	1	1	0	0	3	3	100
RAV4	n/a	n/a	1	1	1	1	4	3	1	1	1	1	8	7	87
Tracker	4	4	2	2	2	2	1	1	1	1	0	0	10	10	100
Vitara	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0	0	0	0	0	0	unknown

Table 3, below, shows the number of SVOR crashes and the percentage of SVOR crashes involving rollovers using state crash data from Florida, Maryland, Missouri, North Carolina (calendar year 2000 data not available), Pennsylvania, and Utah for crashes that occurred in calendar years 1994 through 2000. These states were chosen because their crash records included the vehicle identification number and identified all rollover crashes. The state crash data appears to indicate that the subject vehicles have a comparable propensity of SVOR rollover as the peer vehicles.

TABLE 3.—PERCENTAGE OF THE SVOR ROLLOVERS IN SVOR CRASHES FROM SIX STATES

Make and model	Model year	SVOR crashes	SVOR rollover crashes	Percentage of the rollovers in SVOR crashes
Kia Sportage Isuzu Amigo Honda CR-V Toyota RAV4 Chevrolet/Geo Tracker Suzuki Vitara	95–00	260	94	36
	98–00	264	116	44
	97–00	195	42	21
	96–00	237	76	32
	95–00	2560	932	36
	99–00	81	24	30

ODI also compared the rollover resistance of the subject vehicles to that of other MY 2001 SUVs by utilizing NCAP's evaluation of the static stability factor (SSF) for each of the other vehicles listed in Table 4. SSF is one-half the track width of a vehicle divided by the height of its center of gravity; a higher SSF value corresponds to greater rollover resistance in single-vehicle crashes. Table 4, below, shows that the SSF of the subject vehicles ranks favorably among the MY 2001 SUVs evaluated under NCAP.

TABLE 4.—NCAP STATIC STABILITY FACTOR FOR MODEL YEAR 2001 SPORT UTILITY VEHICLES COMPARED TO SSF FOR MY 1995–2002 KIA SPORTAGE CALCULATED BY KMA

NCAP Static Stability Factor for Model Year 2001 Sport Utility Vehicles

Make and model	4x2	Make and model	4x4
Pontiac Aztek	1.21	Pontiac Aztek	1.26
Dodge Durango	1.20	Toyota RAV4	1.22
Lexus RX300	1.20	Lexus RX300	1.21
Toyota RAV4	1.19	Mazda Tribute	1.21
Honda CR-V	1.17	Honda CR-V	1.19
Mazda Tribute	1.17	Isuzu Rodeo	1.18
Chevrolet Tracker		Kia Sportage	1.18
Suzuki Grand Vitara		Honda Passport	1.18

<sup>\*</sup> Including the Grand Vitara model here and hereinafter.

TABLE 4.—NCAP STATIC STABILITY FACTOR FOR MODEL YEAR 2001 SPORT UTILITY VEHICLES COMPARED TO SSF FOR MY 1995–2002 KIA SPORTAGE CALCULATED BY KMA—Continued

NCAP Static Stability Factor for Model Year 2001 Sport Utility Vehicles

Make and model	4x2	Make and model	4x4
Honda Passport	1.15	Dodge Durango	1.16
Isuzu Rodeo	1.15	Infiniti QX4	1.16
Kia Sportage	1.14	Nissan Pathfinder	1.16
Chevrolet Šuburban	1.13	Chevrolet Tracker	1.15
GMC Yukon XL	1.13	Suzuki Vitara	1.15
Chevrolet Tahoe	1.12	Chevrolet Suburban	1.14
GMC Yukon	1.12	Chevrolet Tahoe	1.14
Ford Expedition	1.11	GMC Yukon/Yukon XL	1.14
Lincoln Navigator	1.11	Jeep Wrangler	1.13
Jeep Grand Cherokee	1.09	Nissan Xterra	1.12
Nissan Xterra	1.09	Lincoln Navigator	1.11
Toyota 4Runner	1.08	Ford Expedition	1.11
Mitsubishi Montero Sport	1.07	Jeep Grand Cherokee	1.11
Nissan Pathfinder	1.07	Mitsubishi Montero Sport	1.11
Mercury Mountaineer	1.06	Chevrolet Blazer	1.09
Ford Explorer	1.06	GMC Jimmy	1.09
Chevrolet Blazer	1.02	Oldsmobile Bravada	1.09
GMC Jimmy	1.02	Jeep Cherokee	1.08
Sino dining initial state of the state of th	1.02	Ford Explorer	1.06
		Mercury Mountaineer	1.06
		Toyota 4Runner	1.06
		Toyota Trainioi	1.00

In view of the foregoing, it is unlikely that NHTSA would issue an order for the notification and remedy of the alleged defect as defined by the petitioner at the conclusion of the investigation requested in the petition. Therefore, in view of the need to allocate and prioritize NHTSA's limited resources to best accomplish the agency's safety mission, the petition is denied.

**Authority:** 49 U.S.C. 30162(d); delegations of authority at CFR 1.50 and 501.8.

Issued on: September 23, 2002.

#### Kenneth N. Weinstein,

Associate Administrator for Enforcement. [FR Doc. 02–24726 Filed 9–27–02; 8:45 am] BILLING CODE 4910–59–P

## **DEPARTMENT OF TRANSPORTATION**

### National Highway Traffic Safety Administration

[Docket No. NHTSA-2002-11847, Notice 2]

Notice of Receipt of Petition for Decision That Nonconforming 2000 and 2001 Audi A4, S4, and RS4 Passenger Cars Are Eligible for Importation

**AGENCY:** National Highway Traffic Safety Administration, DOT.

**ACTION:** Notice of receipt of petition for decision that nonconforming 2000 and 2001 Audi A4, S4, and RS4 passenger cars are eligible for importation.

**SUMMARY:** This document announces receipt by the National Highway Traffic

Safety Administration (NHTSA) of a petition for a decision that 2000 and 2001 Audi A4, S4, and RS4 passenger cars that were not originally manufactured to comply with all applicable Federal motor vehicle safety standards are eligible for importation into the United States because (1) they are substantially similar to vehicles that were originally manufactured for importation into and sale in the United States and that were certified by their manufacturer as complying with the safety standards, and (2) they are capable of being readily altered to conform to the standards.

**DATES:** The closing date for comments on the petition is October 30, 2002.

ADDRESSES: Comments should refer to the docket number and notice number, and be submitted to: Docket Management, Room PL-401, 400 Seventh St., SW, Washington, DC 20590 (Docket hours are from 9 am to 5 pm).

**FOR FURTHER INFORMATION CONTACT:** Luke Loy, Office of Vehicle Safety Compliance, NHTSA (202–366–5308).

## SUPPLEMENTARY INFORMATION:

# Background

Under 49 U.S.C. 30141(a)(1)(A), a motor vehicle that was not originally manufactured to conform to all applicable Federal motor vehicle safety standards shall be refused admission into the United States unless NHTSA has decided that the motor vehicle is substantially similar to a motor vehicle originally manufactured for importation into and sale in the United States,

certified under 49 U.S.C. 30115, and of the same model year as the model of the motor vehicle to be compared, and is capable of being readily altered to conform to all applicable Federal motor vehicle safety standards.

Petitions for eligibility decisions may be submitted by either manufacturers or importers who have registered with NHTSA pursuant to 49 CFR part 592. As specified in 49 CFR 593.7, NHTSA publishes notice in the Federal Register of each petition that it receives, and affords interested persons an opportunity to comment on the petition. At the close of the comment period, NHTSA decides, on the basis of the petition and any comments that it has received, whether the vehicle is eligible for importation. The agency then publishes this decision in the Federal Register.

J.K. Technologies, L.L.C. of Baltimore, Maryland ("J.K.") (Registered Importer 90–006) originally petitioned NHTSA to decide whether 2000 and 2001 Audi A4 and S4 passenger cars are eligible for importation into the United States. On April 4, 2002, NHTSA published a notice at 67 FR 16146 asking for comments on the petition. Comments were due by May 6, 2002. On July 26, 2002, J.K. revised its original petition to include the Audi RS4 model. Accordingly, we are publishing a new notice, covering all Audi "4-series" models.

The vehicles which J.K. believes are substantially similar to the non-U.S. certified 2000 and 2001 Audi A4, S4, and RS4 passenger cars described in its