

and NCCoE operational structure, visit the NCCoE website <https://nccoe.nist.gov/>.

Kevin A. Kimball,
Chief of Staff.

[FR Doc. 2020-23292 Filed 10-20-20; 8:45 am]

BILLING CODE 3510-13-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

[RTID 0648-XA554]

Takes of Marine Mammals Incidental to Specified Activities; Taking Marine Mammals Incidental to the U.S. Coast Guard's Base Los Angeles/Long Beach Wharf Expansion Project, Los Angeles, California

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Notice; proposed incidental harassment authorization; request for comments on proposed authorization and possible renewal.

SUMMARY: NMFS has received a request from the U.S. Coast Guard (Coast Guard) for authorization to take marine mammals incidental to the Base Los Angeles/Long Beach Wharf Expansion Project in Los Angeles, California. Pursuant to the Marine Mammal Protection Act (MMPA), NMFS is requesting comments on its proposal to issue an incidental harassment authorization (IHA) to incidentally take marine mammals during the specified activities. NMFS is also requesting comments on a possible one-year renewal that could be issued under certain circumstances and if all requirements are met, as described in Request for Public Comments at the end of this notice. NMFS will consider public comments prior to making any final decision on the issuance of the requested MMPA authorizations and agency responses will be summarized in the final notice of our decision.

DATES: Comments and information must be received no later than November 20, 2020.

ADDRESSES: Comments should be addressed to Jolie Harrison, Chief, Permits and Conservation Division, Office of Protected Resources, National Marine Fisheries Service. Comments should be sent to ITP.Meadows@noaa.gov.

Instructions: NMFS is not responsible for comments sent by any other method, to any other address or individual, or

received after the end of the comment period. Comments received electronically, including all attachments, must not exceed a 25-megabyte file size. Attachments to electronic comments will be accepted in Microsoft Word or Excel or Adobe PDF file formats only. All comments received are a part of the public record and will generally be posted online at <https://www.fisheries.noaa.gov/permit/incidental-take-authorizations-under-marine-mammal-protection-act> without change. All personal identifying information (e.g., name, address) voluntarily submitted by the commenter may be publicly accessible. Do not submit confidential business information or otherwise sensitive or protected information.

FOR FURTHER INFORMATION CONTACT: Dwayne Meadows, Ph.D., Office of Protected Resources, NMFS, (301) 427-8401. Electronic copies of the application and supporting documents, as well as a list of the references cited in this document, may be obtained online at: <https://www.fisheries.noaa.gov/permit/incidental-take-authorizations-under-marine-mammal-protection-act>. In case of problems accessing these documents, please call the contact listed above.

SUPPLEMENTARY INFORMATION:

Background

The MMPA prohibits the “take” of marine mammals, with certain exceptions. Sections 101(a)(5)(A) and (D) of the MMPA (16 U.S.C. 1361 *et seq.*) direct the Secretary of Commerce (as delegated to NMFS) to allow, upon request, the incidental, but not intentional, taking of small numbers of marine mammals by U.S. citizens who engage in a specified activity (other than commercial fishing) within a specified geographical region if certain findings are made and either regulations are issued or, if the taking is limited to harassment, a notice of a proposed incidental take authorization may be provided to the public for review.

Authorization for incidental takings shall be granted if NMFS finds that the taking will have a negligible impact on the species or stock(s) and will not have an unmitigable adverse impact on the availability of the species or stock(s) for taking for subsistence uses (where relevant). Further, NMFS must prescribe the permissible methods of taking and other “means of effecting the least practicable adverse impact” on the affected species or stocks and their habitat, paying particular attention to rookeries, mating grounds, and areas of similar significance, and on the

availability of the species or stocks for taking for certain subsistence uses (referred to in shorthand as “mitigation”); and requirements pertaining to the mitigation, monitoring and reporting of the takings are set forth.

The definitions of all applicable MMPA statutory terms cited above are included in the relevant sections below.

National Environmental Policy Act

To comply with the National Environmental Policy Act of 1969 (NEPA; 42 U.S.C. 4321 *et seq.*) and NOAA Administrative Order (NAO) 216-6A, NMFS must review our proposed action (*i.e.*, the issuance of an IHA) with respect to potential impacts on the human environment.

This action is consistent with categories of activities identified in Categorical Exclusion B4 (IHAs with no anticipated serious injury or mortality) of the Companion Manual for NOAA Administrative Order 216-6A, which do not individually or cumulatively have the potential for significant impacts on the quality of the human environment and for which we have not identified any extraordinary circumstances that would preclude this categorical exclusion. Accordingly, NMFS has preliminarily determined that the issuance of the proposed IHA qualifies to be categorically excluded from further NEPA review.

We will review all comments submitted in response to this notice prior to concluding our NEPA process or making a final decision on the IHA request.

Summary of Request

On July 2, 2020, NMFS received an application from the Coast Guard requesting an IHA to take small numbers of five species of marine mammals incidental to pile driving associated with the Base Los Angeles Long Beach Wharf Expansion Project in Los Angeles, California. The application was deemed adequate and complete on October 5, 2020. The Coast Guard's request is for take of a small number of five species of marine mammals by Level A and/or Level B harassment. Neither the Coast Guard nor NMFS expects serious injury or mortality to result from this activity and, therefore, an IHA is appropriate.

Description of Proposed Activity

Overview

The purpose of the project is to expand the existing wharf and other base infrastructure for hosting two additional offshore patrol cutters. The existing 1255-foot (383 meters (m)) long

by 30-foot (9 m) wide wharf will be extended 265 feet (81 m). The waterfront improvements also include repair of the bank erosion area and placement of small rocks for slope protection near the new onshore electrical substation. Specifically, construction work includes installing up to 102 pier support piles (16 to 30-inch diameter concrete piles) and 126 fender and corner protection piles (16 to 30-inch diameter concrete piles). Pile driving will be by impact hammering.

The pile driving can result in take of marine mammals from sound in the water which results in behavioral harassment or auditory injury.

Dates and Duration

The work described here is scheduled for February 1, 2021 through January 31, 2022. Because of other permitting restrictions, in-water pile driving can only occur between September 1 and April 14, to avoid the nesting season of the California least tern.

Specific Geographic Region

The project site is located in the Port of Los Angeles (Figure 1). The Port of Los Angeles is bounded by hard structure breakwaters and riprap lined, mostly artificial islands. It is a highly industrialized port (the busiest container seaport in the United States) and is located immediately west of the Port of Long Beach, the second-busiest container seaport in the United States. Coast Guard Base Los Angeles/Long Beach is located on 27 acres (0.11 square kilometers (km)) of Federal government-owned land on the southern tip of Terminal Island within the Los Angeles port and harbor at the mouth of the Main Channel. The port geography and breakwaters limit the effects of construction sound to within the port boundaries. Base Los Angeles/Long Beach currently has three wharf piers along its western boundary that serve as the home port for a buoy tender, four fast response cutters, and

seven small boats. The extension of the piers will lengthen the existing structure to the south towards the harbor entrance.

The port is heavily used by commercial, recreational, and military vessels. Tetra Tech (2011) reported the underwater ambient noise levels in active shipping areas were approximately 140 decibels (dB) re: 1 micropascal (μPa) root mean square (rms) and noise levels in non-shipping areas were between 120 dB re: 1 μPa (rms) and 132 re: 1 μPa (rms). These underwater ambient noise levels are typical of a large marine bay with heavy commercial boat traffic (Buehler *et al.* 2015). Ship noise in the ports may mask underwater sounds produced by the proposed activities, and project noises will likely become indistinguishable from other background noise as they attenuate to near ambient sound pressure levels moving away from the project site.

BILLING CODE 3510-22-P




Figure 1-- Map of Proposed Project Area in Los Angeles, CA

BILLING CODE 3510-22-C

Detailed Description of Specific Activity

The contracting for the project will be a design build contract that has not yet been awarded. Therefore, the Coast Guard does not currently have finalized plans for the project. Consequently the Coast Guard has provided a number of construction scenarios we will use to calculate possible effects of the project and determine potential marine mammal harassment zones, shutdown zones, and take. We will take a conservative worst case approach by analyzing the loudest sounds (from the largest possible diameter piles) and the longest possible duration of sound generation (from installing smaller but more numerous and time-consuming piles) and generally the methods that would most impact marine mammals. Meeting our statutory and regulatory burdens to issue an IHA for this worst case condition assures that whatever project design configuration is ultimately selected will also meet these burdens. It is possible the contract will be awarded by the time this IHA is finalized. Therefore, we consider the Coast Guard's range of construction options herein as we may be able to narrow the range of impacts by the issuance of the final IHA.

The wharf extension will be supported by concrete piles that may vary in diameter from 16 to 30 inches under the different construction options. If 16-inch piles are used the Coast Guard estimates the project will require up to 102 piles to support the wharf. If 30-inch piles are used the Coast Guard estimates up to 54 piles will be required. In addition to the support piles, up to 108 additional concrete piles (up to 30-inch diameter) will be used to construct fenders and a further 18 concrete piles (up to 30-inch

diameter) will be installed as corner protection at the end of the wharf.

The pile driving and excavation equipment will most likely be deployed and operated from barges, on water. A temporary construction staging area would be designated on shore in the vicinity, and construction barges would transport materials and crew to the work site from a local pier. The Coast Guard will use a bubble curtain to reduce sounds (e.g., pneumatic barrier typically comprised of hosing or PVC piping that disrupts underwater noise propagation; see Proposed Mitigation section below).

In addition to the in-water work, the project includes onshore work including a new Maintenance and Weapons Division building, modifications to two other buildings, new and refurbished parking, and associated site and utility work. None of this work is expected to affect marine mammals and is not considered further. The waterfront improvements also include repair of the bank erosion area and placement of rock slope protection consisting of small rock near the new onshore electrical substation. None of this waterfront work is expected to affect marine mammals either and is not considered further.

Proposed mitigation, monitoring, and reporting measures are described in detail later in this document (please see Proposed Mitigation and Proposed Monitoring and Reporting).

Description of Marine Mammals in the Area of Specified Activities

Sections 3 and 4 of the application summarize available information regarding status and trends, distribution and habitat preferences, and behavior and life history, of the potentially affected species. Additional information regarding population trends and threats may be found in NMFS's Stock

Assessment Reports (SARs; <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessments>) and more general information about these species (e.g., physical and behavioral descriptions) may be found on NMFS's website (<https://www.fisheries.noaa.gov/find-species>).

Table 1 lists all species or stocks for which take is expected and proposed to be authorized for this action, and summarizes information related to the population or stock, including regulatory status under the MMPA and ESA and potential biological removal (PBR), where known. For taxonomy, we follow Committee on Taxonomy (2020). PBR is defined by the MMPA as the maximum number of animals, not including natural mortalities, that may be removed from a marine mammal stock while allowing that stock to reach or maintain its optimum sustainable population (as described in NMFS's SARs). While no mortality is anticipated or authorized here, PBR and annual serious injury and mortality from anthropogenic sources are included here as gross indicators of the status of the species and other threats.

Marine mammal abundance estimates presented in this document represent the total number of individuals that make up a given stock or the total number estimated within a particular study or survey area. NMFS's stock abundance estimates for most species represent the total estimate of individuals within the geographic area, if known, that comprises that stock. For some species, this geographic area may extend beyond U.S. waters. All managed stocks in this region are assessed in NMFS's U.S. Pacific SARs (e.g., Carretta *et al.* 2020).

TABLE 1—SPECIES THAT SPATIALLY CO-OCCUR WITH THE ACTIVITY TO THE DEGREE THAT TAKE IS REASONABLY LIKELY TO OCCUR

Common name	Scientific name	Stock	ESA/ MMPA status; Strategic (Y/N) ¹	Stock abundance (CV, N _{min} , most recent abundance survey) ²	PBR	Annual M/SI ³
Order Cetartiodactyla—Cetacea—Superfamily Mysticeti (baleen whales)						
Family Eschrichtiidae: Gray Whale	<i>Eschrichtius robustus</i>	Eastern North Pacific	-, -, N	26,960 (0.05, 25,849, 2016)	801	138
Order Cetartiodactyla—Cetacea—Superfamily Odontoceti (toothed whales, dolphins, and porpoises)						
Family Delphinidae: Bottlenose Dolphin	<i>Tursiops truncatus</i>	California Coastal	-, -, N	453 (0.06, 346, 2011)	2.7	>2.0
Short-beaked common dolphin.	<i>Delphinus delphis</i>	California/Oregon/Washington.	-, -, N	969,861 (0.17, 839,325, 2016)	8,393	≥40
Order Carnivora—Superfamily Pinnipedia						
Family Otariidae (eared seals and sea lions):						

TABLE 1—SPECIES THAT SPATIALLY CO-OCCUR WITH THE ACTIVITY TO THE DEGREE THAT TAKE IS REASONABLY LIKELY TO OCCUR—Continued

Common name	Scientific name	Stock	ESA/ MMPA status; Strategic (Y/N) ¹	Stock abundance (CV, N _{min} , most recent abundance survey) ²	PBR	Annual M/SI ³
California Sea Lion	<i>Zalophus californianus</i>	United States	-, -, N	257,606 (N/A, 233,515, 2014) ..	14,011	>321
Family Phocidae (earless seals):						
Harbor seal	<i>Phoca vitulina</i>	California	-, -, N	30,968 (N/A, 27,348, 2012)	1,641	43

¹ Endangered Species Act (ESA) status: Endangered (E), Threatened (T)/MMPA status: Depleted (D). A dash (-) indicates that the species is not listed under the ESA or designated as depleted under the MMPA. Under the MMPA, a strategic stock is one for which the level of direct human-caused mortality exceeds PBR or which is determined to be declining and likely to be listed under the ESA within the foreseeable future. Any species or stock listed under the ESA is automatically designated under the MMPA as depleted and as a strategic stock.

² NMFS marine mammal stock assessment reports online at: <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessments>. CV is coefficient of variation; N_{min} is the minimum estimate of stock abundance.

³ These values, found in NMFS's SARs, represent annual levels of human-caused mortality plus serious injury from all sources combined (e.g., commercial fisheries, ship strike). Annual Mortality/Serious Injury (M/SI) often cannot be determined precisely and is in some cases presented as a minimum value or range. A CV associated with estimated mortality due to commercial fisheries is presented in some cases.

California sea lion, harbor seal, and bottlenose dolphin spatially co-occur with the activity to the degree that take is reasonably likely to occur, and we have proposed authorizing take of these species. Short-beaked common dolphin and gray whale occurrence and density is such that take is possible, and we have proposed authorizing take of these species also. These are all the species that have been observed in Los Angeles harbor in three surveys over 14 years (MEC, 2002; SAIC, 2010; MBC, 2016).

Blue whale, fin whale, Risso's dolphin, Pacific white-sided dolphin, and northern right whale dolphin occur in the region, but are rare and have not been observed in the project area, so take is not expected to occur and they are not discussed further beyond the explanation provided here. Blue whales have been observed in the Southern California Bight during their fall migration, however the closest live blue whale sighting record is 10 km south of the project site. Fin whales occur in the Southern California Bight year round, although they also seasonally range to central California and Baja California before returning to the Southern California Bight (Falcone and Schorr, 2013). The California, Oregon, and Washington (CA/OR/WA) stock of Risso's dolphins is commonly observed in the Southern California Bight (Carretta *et al.*, 2020), however they are infrequently observed very close to shore. The CA/OR/WA stock of Pacific white-sided dolphin is seasonally present in colder months outside the port breakwater in offshore water. Given that there have been no sightings of Pacific white-sided dolphins in the port and that the noise produced by the proposed project's in-water activities are not anticipated to propagate outside the port, no takes are anticipated for Pacific white-sided dolphins. The CA/OR/WA stock of northern right whale dolphins rarely occurs nearshore in the Southern

California Bight (Carretta *et al.*, 2020). The closest northern right whale dolphin sighting record is 26.5 km southwest of the Port of Los Angeles breakwater (OBIS SEAMAP, 2019).

Gray Whale

In the fall, gray whales migrate from their summer feeding grounds, heading south along the coast of North America to spend the winter in their breeding and calving areas off the coast of Baja California, Mexico. From mid-February to May, the Eastern North Pacific stock of gray whales can be seen migrating northward with newborn calves along the west coast of the U.S. During the migration, gray whales will occasionally enter rivers and bays and even harbors along the coast but not in high numbers. They travel alone or in small groups. There is currently a gray whale unusual mortality event that has led to increased strandings along the west coast (<https://www.fisheries.noaa.gov/national/marine-life-distress/2019-2020-gray-whale-unusual-mortality-event-along-west-coast-and>).

Gray whales are periodically, but not regularly sighted within the Los Angeles and Long Beach harbor area. No Gray whales were sighted during the 2013 to 2014 or 2008 biological baseline surveys of the harbors. One small gray whale, and later a dead gray whale, was observed inside the harbor areas during the 2000 survey (MEC, 2002; SAIC, 2010; MBC, 2016).

Bottlenose Dolphin

The California coastal stock of common bottlenose dolphin is found within 0.6 miles (mi) (1 km) of shore (Defran and Weller, 1999) and occurs from northern Baja California, Mexico to Bodega Bay, CA. Their range has extended north over the last several decades with El Niño events and increased ocean temperatures (Hansen and Defran, 1990). Genetic studies have

shown that no mixing occurs between the California coastal stock and the offshore common bottlenose dolphin stock (Lowther-Thieleking *et al.*, 2015). Bottlenose dolphins are opportunistic foragers: time of day, tidal state, and oceanographic habitat influence where they pursue prey (Hanson and Defran, 1993). Dive durations up to 15 minutes have been recorded for trained Navy bottlenose dolphins, (Ridgway *et al.*, 1969), but typical dives are shallower and of a much shorter duration (Mate *et al.*, 1995).

Bottlenose dolphins accounted for approximately two percent of all marine mammal observations during the most recent survey of the Los Angeles and Long Beach harbors. The majority of observations involved individuals foraging in the outer harbor area (MBC, 2016).

Short-Beaked Common Dolphin

Common dolphins occur in temperate and tropical waters globally. Short beaked common dolphins from the CA/WA/OR stock are the most common cetacean off the coast of California, occurring year-round and ranging from the coast to at least 300 nautical miles (nm) offshore (Carretta *et al.*, 2019). They travel in large social pods and are generally associated with oceanic and offshore waters, prey-rich ocean upwellings, and underwater landscape features such as seamounts, continental shelves, and oceanic ridges. Though they are present off the coast of California year-round, their abundance varies with seasonal and interannual changes in oceanographic conditions (increasing with higher temperatures) with peak abundance in the summer and fall (Forney and Barlow, 1998; Barlow, 2016). Common dolphins largely forage on schooling fish and squid. Off the California coast, calving takes place in winter months.

Abundance of the CA/OR/WA stock of short-beaked common dolphins has increased since large-scale surveys began in 1991. This stock is known to increase in abundance in California during warm water periods. The most recent survey in 2014 survey was conducted during extremely warm oceanic conditions (Bond *et al.*, 2015) and recorded the highest abundance estimate since large-scale surveys began. This observed increase in abundance of short-beaked common dolphins off California likely reflects a northward movement of this transboundary stock from waters off Mexico (distributional shift), rather than an overall population increase due to growth shift (Anganuzzi *et al.*, 1993; Barlow, 1995; Barlow, 2016; Forney and Barlow, 1998).

Observations during biological surveys in 2013 through 2014 included one pod of 40 individuals in the Los Angeles Main Channel where the project occurs (MBC, 2016).

California Sea Lion

California sea lions occur from Vancouver Island, British Columbia, to the southern tip of Baja California. Sea lions breed on the offshore islands of southern and central California from May through July (Heath and Perrin, 2008). During the non-breeding season, adult and subadult males and juveniles migrate northward along the coast to central and northern California, Oregon, Washington, and Vancouver Island (Jefferson *et al.*, 1993). They return south the following spring (Heath and Perrin 2008, Lowry and Forney 2005). Females and some juveniles tend to remain closer to rookeries (Antonelis *et al.*, 1990; Melin *et al.*, 2008). Pupping occurs primarily on the California Channel Islands from late May until the end of June (Peterson and Bartholomew 1967). Weaning and mating occur in late spring and summer during the peak upwelling period (Bograd *et al.*, 2009). After the mating season, adult males migrate northward to feeding areas as far away as the Gulf of Alaska (Lowry *et al.*, 1992), and they remain away until spring (March–May), when they migrate back to the breeding colonies. Adult females generally remain south of Monterey Bay, California throughout the

year, feeding in coastal waters in the summer and offshore waters in the winter, alternating between foraging and nursing their pups on shore until the next pupping/breeding season (Melin and DeLong, 2000; Melin *et al.*, 2008).

California sea lions were the most commonly observed marine mammal during the 2008 and 2013 to 2014 surveys of the Los Angeles and Long Beach harbors. Individuals were observed hauled-out and resting on buoys, docks, riprap shorelines, as well as docked cargo ships. They were frequently documented to be foraging near bait barges and fish markets, as well as in the wakes of fishing boats entering the Port Complex (SAIC, 2010; MBC, 2016).

Harbor Seal

Harbor seals are found from Baja California to the eastern Aleutian Islands of Alaska (Harvey and Goley, 2011). In California there are approximately 500 haulout sites along the mainland and on offshore islands, including intertidal sandbars, rocky shores, and beaches (Hanan, 1996; Lowry *et al.*, 2008). Harbor seals molt from May through June. Peak numbers of harbor seals haul out during late May to July, which coincides with the peak molt. During both pupping and molting seasons, the number of seals and the length of time hauled out per day increase, from an average of 7 hours per day to 10–12 hours (Harvey and Goley, 2011; Huber *et al.*, 2001; Stewart and Yochem, 1994).

Harbor seals tend to forage at night and haul out during the day with a peak in the afternoon between 1 p.m. and 4 p.m. (Grigg *et al.*, 2012; London *et al.*, 2001; Stewart and Yochem, 1994; Yochem *et al.*, 1987). Tide levels affect the maximum number of seals hauled out, with the largest number of seals hauled out at low tide, but time of day and season have the greatest influence on haul out behavior (Manugian *et al.*, 2017; Patterson and Acevedo-Gutiérrez, 2008; Stewart and Yochem, 1994).

Pupping occurs from March through May in central California (Codde and Allen, 2018). Pups are weaned in four weeks, most by mid-June (Codde and Allen, 2018). Harbor seals breed

between late March and June (Greig and Allen, 2015). Harbor seals are rarely found more than 10.8 nm from shore (Baird 2001) and are generally non-migratory (Burns, 2002; Jefferson *et al.*, 2008) and solitary at sea.

In the Los Angeles and Long Beach Harbors, Pacific harbor seals were the second most abundant marine mammal, accounting for approximately 26 percent of marine mammal observations. They were more commonly observed in the outer harbor areas, resting or foraging along riprap shorelines, particularly in the vicinity of the outer harbor breakwaters (SAIC, 2010; MBC, 2016).

Marine Mammal Hearing

Hearing is the most important sensory modality for marine mammals underwater, and exposure to anthropogenic sound can have deleterious effects. To appropriately assess the potential effects of exposure to sound, it is necessary to understand the frequency ranges marine mammals are able to hear. Current data indicate that not all marine mammal species have equal hearing capabilities (*e.g.*, Richardson *et al.*, 1995; Wartzok and Ketten, 1999; Au and Hastings, 2008). To reflect this, Southall *et al.* (2007) recommended that marine mammals be divided into functional hearing groups based on directly measured or estimated hearing ranges on the basis of available behavioral response data, audiograms derived using auditory evoked potential techniques, anatomical modeling, and other data. Note that no direct measurements of hearing ability have been successfully completed for mysticetes (*i.e.*, low-frequency cetaceans). Subsequently, NMFS (2018) described generalized hearing ranges for these marine mammal hearing groups. Generalized hearing ranges were chosen based on the approximately 65 decibel (dB) threshold from the normalized composite audiograms, with the exception for lower limits for low-frequency cetaceans where the lower bound was deemed to be biologically implausible and the lower bound from Southall *et al.* (2007) retained. Marine mammal hearing groups and their associated hearing ranges are provided in Table 2.

TABLE 2—MARINE MAMMAL HEARING GROUPS
[NMFS, 2018]

Hearing group	Generalized hearing range *
Low-frequency (LF) cetaceans (baleen whales)	7 Hz to 35 kHz.
Mid-frequency (MF) cetaceans (dolphins, toothed whales, beaked whales, bottlenose whales)	150 Hz to 160 kHz.
High-frequency (HF) cetaceans (true porpoises, <i>Kogia</i> , river dolphins, cephalorhynchid, <i>Lagenorhynchus cruciger</i> & <i>L. australis</i>).	275 Hz to 160 kHz.

TABLE 2—MARINE MAMMAL HEARING GROUPS—Continued
[NMFS, 2018]

Hearing group	Generalized hearing range *
Phocid pinnipeds (PW) (underwater) (true seals)	50 Hz to 86 kHz.
Otariid pinnipeds (OW) (underwater) (sea lions and fur seals)	60 Hz to 39 kHz.

* Represents the generalized hearing range for the entire group as a composite (*i.e.*, all species within the group), where individual species' hearing ranges are typically not as broad. Generalized hearing range chosen based on ~65 dB threshold from normalized composite audiogram, with the exception for lower limits for LF cetaceans (Southall *et al.* 2007) and PW pinniped (approximation).

The pinniped functional hearing group was modified from Southall *et al.* (2007) on the basis of data indicating that phocid species have consistently demonstrated an extended frequency range of hearing compared to otariids, especially in the higher frequency range (Hemilä *et al.*, 2006; Kastelein *et al.*, 2009; Reichmuth and Holt, 2013).

For more detail concerning these groups and associated frequency ranges, please see NMFS (2018) for a review of available information. Harbor seals are in the phocid group, California sea lions are in the otariid group, the dolphins are mid-frequency cetaceans, and gray whales are classified as low-frequency cetaceans.

Potential Effects of Specified Activities on Marine Mammals and Their Habitat

This section includes a summary and discussion of the ways that components of the specified activity may impact marine mammals and their habitat. The Estimated Take section later in this document includes a quantitative analysis of the number of individuals that are expected to be taken by this activity. The Negligible Impact Analysis and Determination section considers the content of this section, the Estimated Take section, and the Proposed Mitigation section, to draw conclusions regarding the likely impacts of these activities on the reproductive success or survivorship of individuals and how those impacts on individuals are likely to impact marine mammal species or stocks.

Acoustic effects on marine mammals during the specified activity can occur from impact pile driving. The effects of underwater noise from the Coast Guard's proposed activities have the potential to result in Level A and/or Level B harassment of marine mammals in the action area.

Description of Sound Sources

The marine soundscape is comprised of both ambient and anthropogenic sounds. Ambient sound is defined as the all-encompassing sound in a given place and is usually a composite of sound from many sources both near and

far (ANSI 1994, 1995). The sound level of an area is defined by the total acoustical energy being generated by known and unknown sources. These sources may include physical (*e.g.*, waves, wind, precipitation, earthquakes, ice, atmospheric sound), biological (*e.g.*, sounds produced by marine mammals, fish, and invertebrates), and anthropogenic sound (*e.g.*, vessels, dredging, aircraft, construction).

The sum of the various natural and anthropogenic sound sources at any given location and time—which comprise “ambient” or “background” sound—depends not only on the source levels (as determined by current weather conditions and levels of biological and shipping activity) but also on the ability of sound to propagate through the environment. In turn, sound propagation is dependent on the spatially and temporally varying properties of the water column and sea floor, and is frequency-dependent. As a result of the dependence on a large number of varying factors, ambient sound levels can be expected to vary widely over both coarse and fine spatial and temporal scales. Sound levels at a given frequency and location can vary by 10–20 dB from day to day (Richardson *et al.*, 1995). The result is that, depending on the source type and its intensity, sound from the specified activity may be a negligible addition to the local environment or could form a distinctive signal that may affect marine mammals.

In-water construction activities associated with the project would include impact pile driving. The sounds produced by these activities fall into one of the two general sound types: Impulsive and non-impulsive. Impulsive sounds (*e.g.*, explosions, gunshots, sonic booms, impact pile driving) are typically transient, brief (less than 1 second), broadband, and consist of high peak sound pressure with rapid rise time and rapid decay (ANSI, 1986; NIOSH, 1998; ANSI, 2005; NMFS, 2018). Non-impulsive sounds (*e.g.*, machinery operations such as drilling or dredging, vibratory pile driving, and active sonar systems) can

be broadband, narrowband or tonal, brief or prolonged (continuous or intermittent), and typically do not have the high peak sound pressure with rapid rise/decay time that impulsive sounds do (ANSI 1995; NIOSH 1998; NMFS 2018). The distinction between these two sound types is important because they have differing potential to cause physical effects, particularly with regard to hearing (*e.g.*, Ward 1997 in Southall *et al.*, 2007).

An impact pile hammer would be used on this project. Impact hammers operate by repeatedly dropping a heavy piston onto a pile to drive the pile into the substrate. Sound generated by impact hammers is characterized by rapid rise times and high peak levels, a potentially injurious combination (Hastings and Popper, 2005).

The likely or possible impacts of the Coast Guard's proposed activity on marine mammals could involve both non-acoustic and acoustic stressors. Potential non-acoustic stressors could result from the physical presence of the equipment and personnel and sedimentation from the work; however, any impacts to marine mammals are expected to primarily be acoustic in nature. Acoustic stressors include effects of heavy equipment operation during pile installation.

Acoustic Impacts

The introduction of anthropogenic noise into the aquatic environment from pile driving is the primary means by which marine mammals may be harassed from the Coast Guard's specified activity. In general, animals exposed to natural or anthropogenic sound may experience physical and psychological effects, ranging in magnitude from none to severe (Southall *et al.*, 2007). Generally, exposure to pile driving noise has the potential to result in auditory threshold shifts and behavioral reactions (*e.g.*, avoidance, temporary cessation of foraging and vocalizing, changes in dive behavior). Exposure to anthropogenic noise can also lead to non-observable physiological responses such as an increase in stress hormones. Additional

noise in a marine mammal's habitat can mask acoustic cues used by marine mammals to carry out daily functions such as communication and predator and prey detection. The effects of pile driving noise on marine mammals are dependent on several factors, including, but not limited to, sound type (*e.g.*, impulsive vs. non-impulsive), the species, age and sex class (*e.g.*, adult male vs. mom with calf), duration of exposure, the distance between the pile and the animal, received levels, behavior at time of exposure, and previous history with exposure (Wartzok *et al.*, 2003; Southall *et al.*, 2007). Here we discuss physical auditory effects (threshold shifts) followed by behavioral effects and potential impacts on habitat.

NMFS defines a noise-induced threshold shift (TS) as a change, usually an increase, in the threshold of audibility at a specified frequency or portion of an individual's hearing range above a previously established reference level (NMFS, 2018). The amount of threshold shift is customarily expressed in dB. A TS can be permanent or temporary. As described in NMFS (2018), there are numerous factors to consider when examining the consequence of TS, including, but not limited to, the signal temporal pattern (*e.g.*, impulsive or non-impulsive), likelihood an individual would be exposed for a long enough duration or to a high enough level to induce a TS, the magnitude of the TS, time to recovery (seconds to minutes or hours to days), the frequency range of the exposure (*i.e.*, spectral content), the hearing and vocalization frequency range of the exposed species relative to the signal's frequency spectrum (*i.e.*, how animal uses sound within the frequency band of the signal; *e.g.*, Kastelein *et al.*, 2014), and the overlap between the animal and the source (*e.g.*, spatial, temporal, and spectral).

Permanent Threshold Shift (PTS)—NMFS defines PTS as a permanent, irreversible increase in the threshold of audibility at a specified frequency or portion of an individual's hearing range above a previously established reference level (NMFS 2018). Available data from humans and other terrestrial mammals indicate that a 40 dB threshold shift approximates PTS onset (see Ward *et al.*, 1958, 1959; Ward, 1960; Kryter *et al.*, 1966; Miller, 1974; Ahroon *et al.*, 1996; Henderson *et al.*, 2008). PTS levels for marine mammals are estimates, with the exception of a single study unintentionally inducing PTS in a harbor seal (Kastak *et al.*, 2008), there are no empirical data measuring PTS in marine mammals, largely due to the fact

that, for various ethical reasons, experiments involving anthropogenic noise exposure at levels inducing PTS are not typically pursued or authorized (NMFS, 2018).

Temporary Threshold Shift (TTS)—A temporary, reversible increase in the threshold of audibility at a specified frequency or portion of an individual's hearing range above a previously established reference level (NMFS, 2018). Based on data from cetacean TTS measurements (see Southall *et al.*, 2007), a TTS of 6 dB is considered the minimum threshold shift clearly larger than any day-to-day or session-to-session variation in a subject's normal hearing ability (Schlundt *et al.*, 2000; Finneran *et al.*, 2000, 2002). As described in Finneran (2016), marine mammal studies have shown the amount of TTS increases with cumulative sound exposure level (SEL_{cum}) in an accelerating fashion: At low exposures with lower SEL_{cum} , the amount of TTS is typically small and the growth curves have shallow slopes. At exposures with higher SEL_{cum} , the growth curves become steeper and approach linear relationships with the noise SEL .

Depending on the degree (elevation of threshold in dB), duration (*i.e.*, recovery time), and frequency range of TTS, and the context in which it is experienced, TTS can have effects on marine mammals ranging from discountable to serious (similar to those discussed in auditory masking, below). For example, a marine mammal may be able to readily compensate for a brief, relatively small amount of TTS in a non-critical frequency range that takes place during a time when the animal is traveling through the open ocean, where ambient noise is lower and there are not as many competing sounds present. Alternatively, a larger amount and longer duration of TTS sustained during time when communication is critical for successful mother/calf interactions could have more serious impacts. We note that reduced hearing sensitivity as a simple function of aging has been observed in marine mammals, as well as humans and other taxa (Southall *et al.*, 2007), so we can infer that strategies exist for coping with this condition to some degree, though likely not without cost.

Currently, TTS data only exist for four species of cetaceans (bottlenose dolphin, beluga whale (*Delphinapterus leucas*), harbor porpoise, and Yangtze finless porpoise (*Neophocoena asiaticaorientalis*)) and five species of pinnipeds exposed to a limited number of sound sources (*i.e.*, mostly tones and octave-band noise) in laboratory settings

(Finneran, 2015). TTS was not observed in trained spotted (*Phoca largha*) and ringed (*Pusa hispida*) seals exposed to impulsive noise at levels matching previous predictions of TTS onset (Reichmuth *et al.*, 2016). In general, harbor seals and harbor porpoises have a lower TTS onset than other measured pinniped or cetacean species (Finneran, 2015). The potential for TTS from impact pile driving exists. After exposure to playbacks of impact pile driving sounds (rate 2,760 strikes/hour) in captivity, mean TTS increased from 0 dB after 15 minute exposure to 5 dB after 360 minute exposure; recovery occurred within 60 minutes (Kastelein *et al.*, 2016). Additionally, the existing marine mammal TTS data come from a limited number of individuals within these species. No data are available on noise-induced hearing loss for mysticetes. For summaries of data on TTS in marine mammals or for further discussion of TTS onset thresholds, please see Southall *et al.* (2007), Finneran and Jenkins (2012), Finneran (2015), and Table 5 in NMFS (2018).

Installing piles for this project requires impact pile driving. There would likely be pauses in activities producing the sound during each day as work moves among piles and to adjust during the course of a single pile. Given these pauses and that many marine mammals are likely moving through the action area and not remaining for extended periods of time, the potential for TS declines.

Behavioral Harassment—Exposure to noise from pile driving also has the potential to behaviorally disturb marine mammals. Available studies show wide variation in response to underwater sound; therefore, it is difficult to predict specifically how any given sound in a particular instance might affect marine mammals perceiving the signal. If a marine mammal does react briefly to an underwater sound by changing its behavior or moving a small distance, the impacts of the change are unlikely to be significant to the individual, let alone the stock or population. However, if a sound source displaces marine mammals from an important feeding or breeding area for a prolonged period, impacts on individuals and populations could be significant (*e.g.*, Lusseau and Bejder, 2007; Weilgart, 2007; NRC, 2005).

Disturbance may result in changing durations of surfacing and dives, number of blows per surfacing, or moving direction and/or speed; reduced/increased vocal activities; changing/cessation of certain behavioral activities (such as socializing or feeding); visible startle response or

aggressive behavior (such as tail/fluke slapping or jaw clapping); avoidance of areas where sound sources are located. Pinnipeds may increase their haul out time, possibly to avoid in-water disturbance (Thorson and Reyff, 2006). Behavioral responses to sound are highly variable and context-specific and any reactions depend on numerous intrinsic and extrinsic factors (e.g., species, state of maturity, experience, current activity, reproductive state, auditory sensitivity, time of day), as well as the interplay between factors (e.g., Richardson *et al.*, 1995; Wartzok *et al.*, 2003; Southall *et al.*, 2007; Weilgart, 2007; Archer *et al.*, 2010). Behavioral reactions can vary not only among individuals but also within an individual, depending on previous experience with a sound source, context, and numerous other factors (Ellison *et al.*, 2012), and can vary depending on characteristics associated with the sound source (e.g., whether it is moving or stationary, number of sources, distance from the source). In general, pinnipeds seem more tolerant of, or at least habituate more quickly to, potentially disturbing underwater sound than do cetaceans, and generally seem to be less responsive to exposure to industrial sound than most cetaceans. Please see Appendices B and C of Southall *et al.* (2007) for a review of studies involving marine mammal behavioral responses to sound.

Disruption of feeding behavior can be difficult to correlate with anthropogenic sound exposure, so it is usually inferred by observed displacement from known foraging areas, the appearance of secondary indicators (e.g., bubble nets or sediment plumes), or changes in dive behavior. As for other types of behavioral response, the frequency, duration, and temporal pattern of signal presentation, as well as differences in species sensitivity, are likely contributing factors to differences in response in any given circumstance (e.g., Croll *et al.*, 2001; Nowacek *et al.*, 2004; Madsen *et al.*, 2006; Yazvenko *et al.*, 2007). A determination of whether foraging disruptions incur fitness consequences would require information on or estimates of the energetic requirements of the affected individuals and the relationship between prey availability, foraging effort and success, and the life history stage of the animal.

In 2016, the Alaska Department of Transportation and Public Facilities (ADOT&PF) documented observations of marine mammals during construction activities (*i.e.*, pile driving) at the Kodiak Ferry Dock (see 80 FR 60636, October 7, 2015). In the marine mammal

monitoring report for that project (ABR 2016), 1,281 Steller sea lions were observed within the Level B disturbance zone during pile driving or drilling (*i.e.*, documented as Level B harassment take). Of these, 19 individuals demonstrated an alert behavior, 7 were fleeing, and 19 swam away from the project site. All other animals (98 percent) were engaged in activities such as milling, foraging, or fighting and did not change their behavior. In addition, two sea lions approached within 20 meters of active vibratory pile driving activities. Three harbor seals were observed within the disturbance zone during pile driving activities; none of them displayed disturbance behaviors. Fifteen killer whales and three harbor porpoise were also observed within the Level B harassment zone during pile driving. The killer whales were travelling or milling while all harbor porpoises were travelling. No signs of disturbance were noted for either of these species. Given the similarities in activities and habitat and the fact that some of the same species are involved, we expect similar behavioral responses of marine mammals to the Coast Guard's specified activity. That is, disturbance, if any, is likely to be temporary and localized (e.g., small area movements).

Stress responses—An animal's perception of a threat may be sufficient to trigger stress responses consisting of some combination of behavioral responses, autonomic nervous system responses, neuroendocrine responses, or immune responses (e.g., Seyle 1950; Moberg 2000). In many cases, an animal's first and sometimes most economical (in terms of energetic costs) response is behavioral avoidance of the potential stressor. Autonomic nervous system responses to stress typically involve changes in heart rate, blood pressure, and gastrointestinal activity. These responses have a relatively short duration and may or may not have a significant long-term effect on an animal's fitness.

Neuroendocrine stress responses often involve the hypothalamus-pituitary-adrenal system. Virtually all neuroendocrine functions that are affected by stress—including immune competence, reproduction, metabolism, and behavior—are regulated by pituitary hormones. Stress-induced changes in the secretion of pituitary hormones have been implicated in failed reproduction, altered metabolism, reduced immune competence, and behavioral disturbance (e.g., Moberg 1987; Blecha 2000). Increases in the circulation of glucocorticoids are also equated with stress (Romano *et al.*, 2004).

The primary distinction between stress (which is adaptive and does not normally place an animal at risk) and "distress" is the cost of the response. During a stress response, an animal uses glycogen stores that can be quickly replenished once the stress is alleviated. In such circumstances, the cost of the stress response would not pose serious fitness consequences. However, when an animal does not have sufficient energy reserves to satisfy the energetic costs of a stress response, energy resources must be diverted from other functions. This state of distress will last until the animal replenishes its energetic reserves sufficient to restore normal function.

Relationships between these physiological mechanisms, animal behavior, and the costs of stress responses are well-studied through controlled experiments and for both laboratory and free-ranging animals (e.g., Holberton *et al.*, 1996; Hood *et al.*, 1998; Jessop *et al.*, 2003; Krausman *et al.*, 2004; Lankford *et al.*, 2005). Stress responses due to exposure to anthropogenic sounds or other stressors and their effects on marine mammals have also been reviewed (Fair and Becker 2000; Romano *et al.*, 2002b) and, more rarely, studied in wild populations (e.g., Romano *et al.*, 2002a). For example, Rolland *et al.* (2012) found that noise reduction from reduced ship traffic in the Bay of Fundy was associated with decreased stress in North Atlantic right whales. These and other studies lead to a reasonable expectation that some marine mammals will experience physiological stress responses upon exposure to acoustic stressors and that it is possible that some of these would be classified as "distress." In addition, any animal experiencing TTS would likely also experience stress responses (NRC, 2003), however distress is an unlikely result of this project based on observations of marine mammals during previous, similar projects in the area.

Masking—Sound can disrupt behavior through masking, or interfering with, an animal's ability to detect, recognize, or discriminate between acoustic signals of interest (e.g., those used for intraspecific communication and social interactions, prey detection, predator avoidance, navigation) (Richardson *et al.*, 1995). Masking occurs when the receipt of a sound is interfered with by another coincident sound at similar frequencies and at similar or higher intensity, and may occur whether the sound is natural (e.g., snapping shrimp, wind, waves, precipitation) or anthropogenic (e.g., pile driving, shipping, sonar, seismic exploration) in origin. The ability of a

noise source to mask biologically important sounds depends on the characteristics of both the noise source and the signal of interest (e.g., signal-to-noise ratio, temporal variability, direction), in relation to each other and to an animal's hearing abilities (e.g., sensitivity, frequency range, critical ratios, frequency discrimination, directional discrimination, age or TTS hearing loss), and existing ambient noise and propagation conditions. Masking of natural sounds can result when human activities produce high levels of background sound at frequencies important to marine mammals. Conversely, if the background level of underwater sound is high (e.g., on a day with strong wind and high waves), an anthropogenic sound source would not be detectable as far away as would be possible under quieter conditions and would itself be masked. The project area contains active commercial shipping, as well as numerous recreational and other commercial vessels; therefore, background sound levels in the area are already elevated as noted above.

Airborne Acoustic Effects—Pinnipeds that occur near the project site could be exposed to airborne sounds associated with pile driving that have the potential to cause behavioral harassment, depending on their distance from pile driving activities. Cetaceans are not expected to be exposed to airborne sounds that would result in harassment as defined under the MMPA.

Airborne noise would primarily be an issue for pinnipeds that are swimming or hauled out near the project site within the range of noise levels elevated above the acoustic criteria. We recognize that pinnipeds in the water could be exposed to airborne sound that may result in behavioral harassment when looking with their heads above water. Most likely, airborne sound would cause behavioral responses similar to those discussed above in relation to underwater sound. For instance, anthropogenic sound could cause hauled-out pinnipeds to exhibit changes in their normal behavior, such as reduction in vocalizations, or cause them to temporarily abandon the area and move further from the source. However, these animals would previously have been 'taken' because of exposure to underwater sound above the behavioral harassment thresholds, which are in all cases larger than those associated with airborne sound. Thus, the behavioral harassment of these animals is already accounted for in these estimates of potential take. Therefore, we do not believe that authorization of incidental take

resulting from airborne sound for pinnipeds is warranted, and airborne sound is not discussed further here.

Marine Mammal Habitat Effects

The Coast Guard's construction activities could have localized, temporary impacts on marine mammal habitat and their prey by increasing in-water sound pressure levels and slightly decreasing water quality. Increased noise levels may affect acoustic habitat (see masking discussion above) and adversely affect marine mammal prey in the vicinity of the project area (see discussion below). During impact pile driving, elevated levels of underwater noise would ensonify the port and harbor where both fishes and mammals occur and could affect foraging success. Additionally, marine mammals may avoid the area during construction, however, displacement due to noise is expected to be temporary and is not expected to result in long-term effects to the individuals or populations. Construction activities are of short duration and would likely have temporary impacts on marine mammal habitat through increases in underwater and airborne sound.

A temporary and localized increase in turbidity near the seafloor would occur in the immediate area surrounding the area where piles are installed. In general, turbidity associated with pile installation is localized to about a 25-foot (7.6-meter) radius around the pile (Everitt *et al.* 1980). Cetaceans are not expected to be close enough to the pile driving areas to experience effects of turbidity, and any pinnipeds could avoid localized areas of turbidity. Local strong currents are anticipated to disburse any additional suspended sediments produced by project activities at moderate to rapid rates depending on tidal stage. Therefore, we expect the impact from increased turbidity levels to be discountable to marine mammals and do not discuss it further.

In-Water Construction Effects on Potential Foraging Habitat

The area likely impacted by the project is relatively small compared to the available habitat (e.g., the impacted area is entirely within the port) and does not include any Biologically Important Areas or other habitat of known importance. The area is highly influenced by anthropogenic activities. The total seafloor area affected by pile installation is a very small area compared to the vast foraging area available to marine mammals in the port and nearby ocean. At best, the impact area provides marginal foraging habitat for marine mammals and fish, while the

new pilings installed would provide substrate for invertebrate prey to settle on. Furthermore, pile driving and removal at the project site would not obstruct movements or migration of marine mammals.

Avoidance by potential prey (i.e., fish) of the immediate area due to the temporary loss of this foraging habitat is also possible. The duration of fish avoidance of this area after pile driving stops is unknown, but a rapid return to normal recruitment, distribution and behavior is anticipated. Any behavioral avoidance by fish of the disturbed area would still leave significantly large areas of fish and marine mammal foraging habitat in the nearby vicinity.

In-water Construction Effects on Potential Prey—Sound may affect marine mammals through impacts on the abundance, behavior, or distribution of prey species (e.g., crustaceans, cephalopods, fish, zooplankton). Marine mammal prey varies by species, season, and location. Here, we describe studies regarding the effects of noise on known marine mammal prey.

Fish utilize the soundscape and components of sound in their environment to perform important functions such as foraging, predator avoidance, mating, and spawning (e.g., Zelick and Mann, 1999; Fay, 2009). Depending on their hearing anatomy and peripheral sensory structures, which vary among species, fishes hear sounds using pressure and particle motion sensitivity capabilities and detect the motion of surrounding water (Fay *et al.*, 2008). The potential effects of noise on fishes depends on the overlapping frequency range, distance from the sound source, water depth of exposure, and species-specific hearing sensitivity, anatomy, and physiology. Key impacts to fishes may include behavioral responses, hearing damage, barotrauma (pressure-related injuries), and mortality.

Fish react to sounds which are especially strong and/or intermittent low-frequency sounds, and behavioral responses such as flight or avoidance are the most likely effects. Short duration, sharp sounds can cause overt or subtle changes in fish behavior and local distribution. The reaction of fish to noise depends on the physiological state of the fish, past exposures, motivation (e.g., feeding, spawning, migration), and other environmental factors. Hastings and Popper (2005) identified several studies that suggest fish may relocate to avoid certain areas of sound energy. Additional studies have documented effects of pile driving on fish, although several are based on studies in support of large, multiyear bridge construction

projects (e.g., Scholik and Yan, 2001, 2002; Popper and Hastings, 2009). Several studies have demonstrated that impulse sounds might affect the distribution and behavior of some fishes, potentially impacting foraging opportunities or increasing energetic costs (e.g., Fewtrell and McCauley, 2012; Pearson *et al.*, 1992; Skalski *et al.*, 1992; Santulli *et al.*, 1999; Paxton *et al.*, 2017). However, some studies have shown no or slight reaction to impulse sounds (e.g., Pena *et al.*, 2013; Wardle *et al.*, 2001; Jorgenson and Gyselman, 2009; Cott *et al.*, 2012).

Sound Pressure Levels (SPL) of sufficient strength have been known to cause injury to fish and fish mortality. However, in most fish species, hair cells in the ear continuously regenerate and loss of auditory function likely is restored when damaged cells are replaced with new cells. Halvorsen *et al.* (2012a) showed that a TTS of 4–6 dB was recoverable within 24 hours for one species. Impacts would be most severe when the individual fish is close to the source and when the duration of exposure is long. Injury caused by barotrauma can range from slight to severe and can cause death, and is most likely for fish with swim bladders. Barotrauma injuries have been documented during controlled exposure to impact pile driving (Halvorsen *et al.*, 2012b; Casper *et al.*, 2013).

The most likely impact to fish from pile driving activities at the project area would be temporary behavioral avoidance of the area. The duration of fish avoidance of this area after pile driving stops is unknown, but a rapid return to normal recruitment, distribution and behavior is anticipated.

Construction activities, in the form of increased turbidity, have the potential to adversely affect fish migratory routes in the project area. These fish form a significant prey base for many marine mammal species that occur in the project area. Increased turbidity is expected to occur in the immediate vicinity of pile driving activities. Most of the turbidity is expected to be within the dredged navigation channel and port. Suspended sediments and particulates are expected to dissipate quickly within a single tidal cycle (Navy, 2018). Given the limited area affected and tidal dilution rates any effects on fish are expected to be minor or negligible. Finally, exposure to turbid waters from construction activities is not expected to be different from the current exposure; fish and marine mammals in the area are routinely exposed to substantial levels of suspended sediment from natural and

anthropogenic sources (Tetra Tech, 2011).

In summary, given the short daily duration of sound associated with individual pile driving events and the relatively small areas being affected, pile driving activities associated with the proposed action are not likely to have a permanent, adverse effect on any fish habitat, or populations of fish species. Any behavioral avoidance by fish of the disturbed area would still leave significantly large areas of fish and marine mammal foraging habitat in the nearby vicinity. Thus, we conclude that impacts of the specified activity are not likely to have more than short-term adverse effects on any prey habitat or populations of prey species. Further, any impacts to marine mammal habitat are not expected to result in significant or long-term consequences for individual marine mammals, or to contribute to adverse impacts on their populations.

Estimated Take

This section provides an estimate of the number of incidental takes proposed for authorization through the IHA, which will inform both NMFS' consideration of "small numbers" and the negligible impact determination.

Harassment is the only type of take expected to result from these activities. Except with respect to certain activities not pertinent here, section 3(18) of the MMPA defines "harassment" as any act of pursuit, torment, or annoyance, which (i) has the potential to injure a marine mammal or marine mammal stock in the wild (Level A harassment); or (ii) has the potential to disturb a marine mammal or marine mammal stock in the wild by causing disruption of behavioral patterns, including, but not limited to, migration, breathing, nursing, breeding, feeding, or sheltering (Level B harassment).

Authorized takes would be by Level B harassment, as use of the acoustic source (*i.e.*, impact pile driving) has the potential to result in disruption of behavioral patterns for individual marine mammals. There is also some potential for auditory injury (Level A harassment) to result for gray whales and harbor seals because predicted auditory injury zones are larger. The proposed mitigation and monitoring measures are expected to minimize the severity of the taking to the extent practicable.

As described previously, no mortality is anticipated or proposed to be authorized for this activity. Below we describe how the take is estimated.

Generally speaking, we estimate take by considering: (1) Acoustic thresholds

above which NMFS believes the best available science indicates marine mammals will be behaviorally harassed or incur some degree of permanent hearing impairment; (2) the area or volume of water that will be ensonified above these levels in a day; (3) the density or occurrence of marine mammals within these ensonified areas; and, (4) and the number of days of activities. We note that while these basic factors can contribute to a basic calculation to provide an initial prediction of takes, additional information that can qualitatively inform take estimates is also sometimes available (e.g., previous monitoring results or average group size). NMFS relied on local occurrence data and group size to estimate take. Below, we describe the factors considered here in more detail and present the proposed take estimate.

Acoustic Thresholds

Using the best available science, NMFS has developed acoustic thresholds that identify the received level of underwater sound above which exposed marine mammals would be reasonably expected to be behaviorally harassed (equated to Level B harassment) or to incur PTS of some degree (equated to Level A harassment).

Level B Harassment for non-explosive sources—Though significantly driven by received level, the onset of behavioral disturbance from anthropogenic noise exposure is also informed to varying degrees by other factors related to the source (e.g., frequency, predictability, duty cycle), the environment (e.g., bathymetry), and the receiving animals (hearing, motivation, experience, demography, behavioral context) and can be difficult to predict (Southall *et al.*, 2007; Ellison *et al.*, 2012). Based on what the available science indicates and the practical need to use a threshold based on a factor that is both predictable and measurable for most activities, NMFS uses a generalized acoustic threshold based on received level to estimate the onset of behavioral harassment. NMFS predicts that marine mammals are likely to be behaviorally harassed in a manner we consider Level B harassment when exposed to underwater anthropogenic noise above received levels of 120 dB re 1 μ Pa (rms) for continuous (e.g., vibratory pile-driving) and above 160 dB re 1 μ Pa (rms) for non-explosive impulsive (e.g., impact pile driving) or intermittent (e.g., scientific sonar) sources.

The Coast Guard's proposed activity includes the use of impulsive (impact pile-driving) sources, and therefore the

160 dB re 1 μ Pa (rms) threshold is applicable.

Level A harassment for non-explosive sources—NMFS' Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0) (Technical Guidance, 2018) identifies dual criteria to assess auditory injury

(Level A harassment) to five different marine mammal groups (based on hearing sensitivity) as a result of exposure to noise from two different types of sources (impulsive or non-impulsive). The Coast Guard's activity includes the use of impulsive (impact pile-driving) sources.

These thresholds are provided in Table 3. The references, analysis, and methodology used in the development of the thresholds are described in NMFS 2018 Technical Guidance, which may be accessed at <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-acoustic-technical-guidance>.

TABLE 3—THRESHOLDS IDENTIFYING THE ONSET OF PERMANENT THRESHOLD SHIFT

Hearing group	PTS onset acoustic thresholds * (received level)	
	Impulsive	Non-impulsive
Low-Frequency (LF) Cetaceans	Cell 1: $L_{pk,flat}$: 219 dB; $L_E,LF,24h$: 183 dB	Cell 2: $L_E,LF,24h$: 199 dB.
Mid-Frequency (MF) Cetaceans	Cell 3: $L_{pk,flat}$: 230 dB; $L_E,MF,24h$: 185 dB	Cell 4: $L_E,MF,24h$: 198 dB.
High-Frequency (HF) Cetaceans	Cell 5: $L_{pk,flat}$: 202 dB; $L_E,HF,24h$: 155 dB	Cell 6: $L_E,HF,24h$: 173 dB.
Phocid Pinnipeds (PW) (Underwater)	Cell 7: $L_{pk,flat}$: 218 dB; $L_E,PW,24h$: 185 dB	Cell 8: $L_E,PW,24h$: 201 dB.
Otariid Pinnipeds (OW) (Underwater)	Cell 9: $L_{pk,flat}$: 232 dB; $L_E,OW,24h$: 203 dB	Cell 10: $L_E,OW,24h$: 219 dB.

* Dual metric acoustic thresholds for impulsive sounds: Use whichever results in the largest isopleth for calculating PTS onset. If a non-impulsive sound has the potential of exceeding the peak sound pressure level thresholds associated with impulsive sounds, these thresholds should also be considered.

Note: Peak sound pressure (L_{pk}) has a reference value of 1 μ Pa, and cumulative sound exposure level (L_E) has a reference value of 1 μ Pa²s. In this Table, thresholds are abbreviated to reflect American National Standards Institute standards (ANSI 2013). However, peak sound pressure is defined by ANSI as incorporating frequency weighting, which is not the intent for this Technical Guidance. Hence, the subscript "flat" is being included to indicate peak sound pressure should be flat weighted or unweighted within the generalized hearing range. The subscript associated with cumulative sound exposure level thresholds indicates the designated marine mammal auditory weighting function (LF, MF, and HF cetaceans, and PW and OW pinnipeds) and that the recommended accumulation period is 24 hours. The cumulative sound exposure level thresholds could be exceeded in a multitude of ways (*i.e.*, varying exposure levels and durations, duty cycle). When possible, it is valuable for action proponents to indicate the conditions under which these acoustic thresholds will be exceeded.

Ensonified Area

Here, we describe operational and environmental parameters of the activity that will feed into identifying the area ensonified above the acoustic thresholds, which include source levels and transmission loss coefficient.

The sound field in the project area is the existing background noise plus additional construction noise from the proposed project. Marine mammals are expected to be affected via sound generated by the primary components of the project (*i.e.*, impact pile driving).

An impact hammer would be used to place the pile at its intended depth

through rock or harder substrates. An impact hammer is a steel device that works like a piston, producing a series of independent strikes to drive the pile. Impact hammering typically generates the loudest noise associated with pile installation. The actual durations of each installation method vary depending on the type and size of the pile.

In order to calculate distances to the Level A harassment and Level B harassment sound thresholds for piles of various sizes being used in this project, NMFS used acoustic monitoring data from other locations to develop source

levels for the various pile sizes and methods (see Table 4). Data are provided for 16 and 30-inch concrete piles that are the extremes of the possible range of sizes. As noted above, the Coast Guard will use a bubble curtain to reduce sounds from pile driving. A 5dB reduction is applied to the source levels for calculating distances to the Level A harassment and Level B harassment sound thresholds. This is a conservative reduction based on several studies including CALTRANS (2015) and Austin *et al.* (2016).

TABLE 4—PROJECT SOUND SOURCE LEVELS

Pile driving activity		Estimated sound source level at 10 meters without attenuation			Data source
Hammer type	Pile type	dB RMS	dB SEL	dB peak	
Impact	16-inch concrete	166	155	185	CALTRANS (2015) (Table 1.2–1, 16-inch concrete).
Impact	30-inch concrete	176	166	200	CALTRANS (2015) (Table 1.2–3).

Note: RMS = root mean square, SEL = single strike sound exposure level; dB peak = peak sound level. A 5-dB reduction for use of a bubble curtain reduces these source levels when calculating isopleth distances below.

Level B Harassment Zones

Transmission loss (TL) is the decrease in acoustic intensity as an acoustic pressure wave propagates out from a source. TL parameters vary with frequency, temperature, sea conditions,

current, source and receiver depth, water depth, water chemistry, and bottom composition and topography. The general formula for underwater TL is:

$TL = B * \log_{10} (R1/R2)$, where

TL = transmission loss in dB
B = transmission loss coefficient; for practical spreading equals 15
R1 = the distance of the modeled SPL from the driven pile, and
R2 = the distance from the driven pile of the initial measurement

The recommended TL coefficient for most nearshore environments is the practical spreading value of 15. This value results in an expected propagation environment that would lie between spherical and cylindrical spreading loss conditions, which is the most appropriate assumption for the Coast Guard's proposed activity.

Using the practical spreading model, the Coast Guard determined underwater noise would fall below the behavioral effects threshold for marine mammals at distances no greater than 55 m with an effective source level of 171 dB rms for the 30-inch piles (Table 5). This distance determines the maximum Level B harassment zone for the project.

TABLE 5—CALCULATED DISTANCES (METERS) TO LEVEL B HARASSMENT ISOPLETHS (m) FOR EACH PILE TYPE

Pile type	Level B isopleth (m)
16-inch concrete	12
30-inch concrete	55

Level A Harassment Zones

When the NMFS Technical Guidance (2016) was published, in recognition of the fact that ensouffied area/volume could be more technically challenging to predict because of the duration component in the new thresholds, we developed a User Spreadsheet that includes tools to help predict a simple isopleth that can be used in conjunction with marine mammal density or occurrence to help predict takes. We note that because of some of the

assumptions included in the methods used for these tools, we anticipate that isopleths produced are typically going to be overestimates of some degree, which may result in some degree of overestimate of take by Level A harassment. However, these tools offer the best way to predict appropriate isopleths when more sophisticated 3D modeling methods are not available, and NMFS continues to develop ways to quantitatively refine these tools, and will qualitatively address the output where appropriate. For stationary sources such as impact pile driving, NMFS User Spreadsheet predicts the closest distance at which, if a marine mammal remained at that distance the whole duration of the activity, it would not incur PTS.

Inputs used in the User Spreadsheet (Table 6), and the resulting isopleths are reported below (Table 7) for each of the pile types.

TABLE 6—NMFS TECHNICAL GUIDANCE USER SPREADSHEET INPUT TO CALCULATE LEVEL A ISOPLETHS

Pile type	Piles/day	Strikes per pile *	Days of pile driving **
16-inch concrete	6	1564 strikes	17
30-inch concrete	6	1748 strikes	21 or 30

Note: Propagation loss coefficient is 15LogR and Weighting Factor Adjustment is 2 for all cells.

* Strikes per pile are an estimate from a geotechnical report for the project (TCG, 2019).

** Days depends on size of pile ultimately used for wharf support. Take will be calculated using largest zones (30 inch piles) and longest duration (38 days using 16 inch support piles and 30-inch fender and corner piles).

The above input scenarios lead to PTS isopleth distances (Level A thresholds) of 1 to 194.6 meters (3 to 639 feet), depending on the marine mammal

group and scenario (Table 7). Note that the Level A harassment isopleths are larger than the level B harassment isopleths for the low-frequency and

high-frequency cetaceans and the phocid pinnipeds because of the large number of piles and strikes per day and use of only an impact hammer.

TABLE 7—CALCULATED DISTANCES (METERS) TO LEVEL A HARASSMENT ISOPLETHS (m) FOR EACH HEARING GROUP AND PILE TYPE

Pile type	Low-frequency cetaceans (meters)	Mid-frequency cetaceans (meters)	High-frequency cetaceans (meters)	Phocid pinnipeds (meters)	Otariid pinnipeds (meters)
16-inch concrete	28.0	1	33.4	15	1.1
30-inch concrete	163.4	5.8	194.6	87.4	6.4

Note: a 10-meter shutdown zone will be implemented for all species and activity types to prevent direct injury of marine mammals.

Marine Mammal Occurrence and Take Calculation and Estimation

In this section we provide the information about the presence, abundance, or group dynamics of marine mammals that will inform the take calculations. Density data in the port and harbor does not exist for any species, but as described above, there are three baseline biological surveys since 2000 (MEC, 2002; SAIC, 2010; MBC, 2016) that provide observations in over 30 defined zones within the harbor,

4 of which are near the ensouffied area of the project and are used to estimate take.

Here we describe how the information provided above is brought together to produce a quantitative take estimate. Take by Level A and Level B harassment is proposed for authorization and summarized in Table 8.

Gray Whale

Because live gray whales were not sighted during the baseline surveys (see

above), but are periodically known from the harbor, and the Level A harassment and shutdown zone radius is 200 m (656 feet), we propose to authorize two Level A harassment takes (Table 8) for inadvertent takes of animals that could enter the shutdown zone undetected or before shutdown could be implemented. Because the Level A harassment and shutdown zones are larger than the Level B harassment zone, we do not propose to authorize take by Level B harassment, but recognize animals

could also inadvertently enter the smaller Level B harassment zone after already being recorded as Level A harassment within the larger Level A harassment zone.

Bottlenose Dolphin

The highest observation on any given day in the four zones surrounding the Coast Guard Base from the three biological baseline surveys (MEC, 2002; SAIC, 2010; MBC, 2016) is 12. Given the small zone size relative to the study area an expected number of three animals in the project area per day is a reasonable representation of daily occurrence for the species. Given a maximum pile driving period of 38 days, 3 animals per day would equate a take of 114 incidents of Level B harassment. Based on the above, we conservatively propose to authorize 114 Level B harassment takes of bottlenose dolphins (Table 8). Because the Level A harassment and shutdown zones are very small and we believe the protected species observer (PSO) will be able to effectively monitor and implement the shutdown zones, we do not anticipate or propose to authorize take by Level A harassment.

Short-Beaked Common Dolphin

Observations during biological surveys in 2013 through 2014 included one pod of 40 individuals in the Los Angeles Main Channel where the project occurs (MBC, 2016). This

number of individuals is highly unlikely to be present in the project area on a daily basis. We conservatively assume one pod of 40 could be present each full week. Given a maximum pile driving period of 38 days, this would equate to 5 full weeks or 200 takes through Level B harassment. Based on the above, we propose to authorize 200 Level B harassment takes of short-beaked common dolphins (Table 8). Because the Level A harassment and shutdown zones are very small and we believe the PSO will be able to effectively monitor and implement the shutdown zones, we do not anticipate or propose to authorize take by Level A harassment.

California Sea Lion

The highest observation on any given day in the four zones surrounding the Coast Guard Base from the three biological baseline surveys (MEC, 2002; SAIC, 2010; MBC, 2016) is 65 sea lions. Given the small zone size relative to the study area an expected number of 10 animals in the project area per day is a reasonable representation of daily occurrence for the species. Given a maximum pile driving period of 38 days, 10 animals per day would equate to 380 incidents of Level B harassment. Based on the above, we propose to authorize 380 Level B harassment takes of California sea lions (Table 8). Because the Level A harassment and shutdown zones are very small and we believe the

PSO will be able to effectively monitor and implement the shutdown zones, we do not anticipate or propose to authorize take by Level A harassment.

Harbor Seal

The highest observation on any given day in the four zones surrounding the Coast Guard Base from the three biological baseline surveys (MEC, 2002; SAIC, 2010; MBC, 2016) is 1 seal. The Level A harassment zone for this species is 90 m (295 feet), however the Coast Guard proposed a smaller shutdown zone to minimize work stoppages. We are proposing a shutdown zone of 55 m (180 feet, see Proposed Mitigation section below) that coincides with the size of the Level B harassment zone for ease of implementation. It is conservatively estimated that 0.5 animals per day might enter the shutdown zone or Level A harassment zone between 55 and 90 m (180–295 feet). Given a maximum pile driving period of 38 days, this would equate to a take of 19 individuals through Level A harassment (Table 8). Because the Level A harassment and shutdown zones are larger than the Level B harassment zone, we do not propose to authorize take by Level B harassment, but recognize animals could also enter the smaller Level B harassment zone after already being recorded within the larger Level A harassment zone.

TABLE 8—PROPOSED AUTHORIZED AMOUNT OF TAKING, BY LEVEL A AND LEVEL B HARASSMENT, BY SPECIES AND STOCK AND PERCENT OF TAKE BY STOCK

Species	Authorized take		Percent of stock
	Level B	Level A	
Harbor seal (<i>Phoca vitulina</i>) California Stock	0	19	<0.1
California sea lion (<i>Zalophus californianus</i>) U.S. Stock	380	0	0.2
Gray whale (<i>Eschrichtius robustus</i>) Eastern North Pacific Stock	0	2	<0.1
Common bottlenose dolphin (<i>Tursiops truncatus</i>) California Coastal Stock	114	0	25.2
Short-beaked common dolphin (<i>Delphinus delphis</i>) California/Oregon/Washington Stock	200	0	<0.1

Proposed Mitigation

In order to issue an IHA under section 101(a)(5)(D) of the MMPA, NMFS must set forth the permissible methods of taking pursuant to the activity, and other means of effecting the least practicable impact on the species or stock and its habitat, paying particular attention to rookeries, mating grounds, and areas of similar significance, and on the availability of the species or stock for taking for certain subsistence uses (latter not applicable for this action). NMFS regulations require applicants for incidental take authorizations to include information about the availability and feasibility (economic and technological)

of equipment, methods, and manner of conducting the activity or other means of effecting the least practicable adverse impact upon the affected species or stocks and their habitat (50 CFR 216.104(a)(11)).

In evaluating how mitigation may or may not be appropriate to ensure the least practicable adverse impact on species or stocks and their habitat, as well as subsistence uses where applicable, we carefully consider two primary factors:

(1) The manner in which, and the degree to which, the successful implementation of the measure(s) is expected to reduce impacts to marine

mammals, marine mammal species or stocks, and their habitat. This considers the nature of the potential adverse impact being mitigated (likelihood, scope, range). It further considers the likelihood that the measure will be effective if implemented (probability of accomplishing the mitigating result if implemented as planned), the likelihood of effective implementation (probability implemented as planned); and

(2) The practicability of the measures for applicant implementation, which may consider such things as cost, impact on operations, and, in the case of a military readiness activity,

personnel safety, practicality of implementation, and impact on the effectiveness of the military readiness activity.

The following mitigation measures are proposed in the IHA:

- For in-water heavy machinery work other than pile driving, if a marine mammal comes within 10 m, operations shall cease and vessels shall reduce speed to the minimum level required to maintain steerage and safe working conditions. This type of work could include the following activities: (1) Movement of the barge to the pile location; or (2) positioning of the pile on the substrate via a crane (*i.e.*, stabbing the pile);
- Conduct briefings between construction supervisors and crews and the marine mammal monitoring team prior to the start of all pile driving activity and when new personnel join the work, to explain responsibilities, communication procedures, marine mammal monitoring protocol, and operational procedures;

- For those marine mammals for which Level B harassment take has not been requested, in-water pile installation/removal will shut down immediately if such species are observed within or entering the Level B harassment zone; and

- If take reaches the authorized limit for an authorized species, pile installation will be stopped as these species approach the Level B harassment zone to avoid additional take.

The following mitigation measures would apply to the Coast Guard's in-water construction activities.

- **Establishment of Shutdown Zones**—The Coast Guard will establish shutdown zones for all pile driving activities. The purpose of a shutdown zone is generally to define an area within which shutdown of the activity would occur upon sighting of a marine mammal (or in anticipation of an animal entering the defined area). Shutdown zones will vary based on the activity type and marine mammal hearing group

(Table 9). Shutdown zones are rounded up to the next 10 m from the largest Level A harassment zones in Table 7, except in the case of the phocid group where the shutdown zone is reduced to the same size as the largest Level B harassment zone (55 m) and the applicant has requested the authorization of Level A harassment takes for the area within the Level A harassment one and outside the shutdown zone.

- The placement of PSOs during all pile driving and removal activities (described in detail in the Proposed Monitoring and Reporting section) will ensure that the entire shutdown zone is visible during pile installation. Should environmental conditions deteriorate such that marine mammals within the entire shutdown zone would not be visible (*e.g.*, fog, heavy rain), pile driving and removal must be delayed until the PSO is confident marine mammals within the shutdown zone could be detected.

TABLE 9—SHUTDOWN ZONES

Pile type	Low-frequency cetaceans (meters)	Mid-frequency cetaceans (meters)	High-frequency cetaceans (meters)	Phocid pinnipeds (meters)	Otariid pinnipeds (meters)
16-inch concrete	30	10	40	20	10
30-inch concrete	170	10	200	55	10

- **Monitoring for Level A and B Harassment**—The Coast Guard will monitor the Level A and B harassment zones. Monitoring zones provide utility for observing by establishing monitoring protocols for areas adjacent to the shutdown zones. Monitoring zones enable observers to be aware of and communicate the presence of marine mammals in the project area outside the shutdown zone and thus prepare for a potential halt of activity should the animal enter the shutdown zone. Placement of PSOs will allow PSOs to observe marine mammals within the Level B harassment zones.

- **Pre-activity Monitoring**—Prior to the start of daily in-water construction activity, or whenever a break in pile driving/removal of 30 minutes or longer occurs, PSOs will observe the shutdown and monitoring zones for a period of 30 minutes. The shutdown zone will be considered cleared when a marine mammal has not been observed within the zone for that 30-minute period. If a marine mammal is observed within the shutdown zone, a soft-start cannot proceed until the animal has left the zone or has not been observed for 15

minutes. When a marine mammal for which Level B harassment take is authorized is present in the Level B harassment zone, activities may begin and Level B harassment take will be recorded. If the entire Level B harassment zone is not visible at the start of construction, pile driving activities can begin. If work ceases for more than 30 minutes, the pre-activity monitoring of the shutdown zones will be required.

- **Soft Start**—Soft-start procedures are believed to provide additional protection to marine mammals by providing warning and/or giving marine mammals a chance to leave the area prior to the hammer operating at full capacity. For impact pile driving, contractors will be required to provide an initial set of three strikes from the hammer at reduced energy, followed by a thirty-second waiting period. This procedure will be conducted three times before impact pile driving begins. Soft start will be implemented at the start of each day's impact pile driving and at any time following cessation of impact pile driving for a period of thirty minutes or longer.

- **Bubble Curtain**—The Coast Guard is required to employ a bubble curtain during all impact pile driving and operate it in a manner consistent with the following performance standards: (1) The bubble curtain must distribute air bubbles around 100 percent of the piling perimeter for the full depth of the water column; (2) The lowest bubble ring must be in contact with the mudline for the full circumference of the ring, and the weights attached to the bottom ring shall ensure 100 percent mudline contact. No parts of the ring or other objects shall prevent full mudline contact; and (3) Air flow to the bubblers must be balanced around the circumference of the pile.

- **Hydroacoustic monitoring**—The Coast Guard is required to conduct hydroacoustic monitoring of at least two piles of each pile diameter.

- Pile driving or removal is planned to occur during daylight hours.

Based on our evaluation of the applicant's proposed measures, as well as other measures considered by NMFS, NMFS has preliminarily determined that the proposed mitigation measures provide the means effecting the least

practicable impact on the affected species or stocks and their habitat, paying particular attention to rookeries, mating grounds, and areas of similar significance.

Proposed Monitoring and Reporting

In order to issue an IHA for an activity, section 101(a)(5)(D) of the MMPA states that NMFS must set forth requirements pertaining to the monitoring and reporting of such taking. The MMPA implementing regulations at 50 CFR 216.104 (a)(13) indicate that requests for authorizations must include the suggested means of accomplishing the necessary monitoring and reporting that will result in increased knowledge of the species and of the level of taking or impacts on populations of marine mammals that are expected to be present in the proposed action area. Effective reporting is critical both to compliance as well as ensuring that the most value is obtained from the required monitoring.

Monitoring and reporting requirements prescribed by NMFS should contribute to improved understanding of one or more of the following:

- Occurrence of marine mammal species or stocks in the area in which take is anticipated (*e.g.*, presence, abundance, distribution, density);
- Nature, scope, or context of likely marine mammal exposure to potential stressors/impacts (individual or cumulative, acute or chronic), through better understanding of: (1) Action or environment (*e.g.*, source characterization, propagation, ambient noise); (2) affected species (*e.g.*, life history, dive patterns); (3) co-occurrence of marine mammal species with the action; or (4) biological or behavioral context of exposure (*e.g.*, age, calving or feeding areas);
- Individual marine mammal responses (behavioral or physiological) to acoustic stressors (acute, chronic, or cumulative), other stressors, or cumulative impacts from multiple stressors;
- How anticipated responses to stressors impact either: (1) Long-term fitness and survival of individual marine mammals; or (2) populations, species, or stocks;
- Effects on marine mammal habitat (*e.g.*, marine mammal prey species, acoustic habitat, or other important physical components of marine mammal habitat); and
- Mitigation and monitoring effectiveness.

Visual Monitoring

Marine mammal monitoring must be conducted in accordance with the Monitoring section of the application and Section 5 of the IHA. Marine mammal monitoring during pile driving must be conducted by NMFS-approved PSOs in a manner consistent with the following:

- Independent PSOs (*i.e.*, not construction personnel) who have no other assigned tasks during monitoring periods must be used;
 - At least one PSO must have prior experience performing the duties of a PSO during construction activity pursuant to a NMFS-issued incidental take authorization.
 - Other PSOs may substitute education (degree in biological science or related field) or training for experience; and
 - The Coast Guard must submit PSO Curriculum Vitae for approval by NMFS prior to the onset of pile driving.
- PSOs must have the following additional qualifications:
- Ability to conduct field observations and collect data according to assigned protocols;
 - Experience or training in the field identification of marine mammals, including the identification of behaviors;
 - Sufficient training, orientation, or experience with the construction operation to provide for personal safety during observations;
 - Writing skills sufficient to prepare a report of observations including but not limited to the number and species of marine mammals observed; dates and times when in-water construction activities were conducted; dates, times, and reason for implementation of mitigation (or why mitigation was not implemented when required); and marine mammal behavior; and
 - Ability to communicate orally, by radio or in person, with project personnel to provide real-time information on marine mammals observed in the area as necessary.

One PSO will be employed. PSO location will provide an unobstructed view of all water within the shutdown and Level A and Level B harassment zones.

Monitoring will be conducted 30 minutes before, during, and 30 minutes after pile driving/removal activities. In addition, observers shall record all incidents of marine mammal occurrence, regardless of distance from activity, and shall document any behavioral reactions in concert with distance from piles being driven or removed. Pile driving activities include

the time to install or remove a single pile or series of piles, as long as the time elapsed between uses of the pile driving or drilling equipment is no more than 30 minutes.

Reporting

A draft marine mammal monitoring report will be submitted to NMFS within 90 days after the completion of pile driving and removal activities, or 60 days prior to a requested date of issuance of any future IHAs for projects at the same location, whichever comes first. The report will include an overall description of work completed, a narrative regarding marine mammal sightings, and associated PSO data sheets.

Specifically, the report must include:

- Dates and times (begin and end) of all marine mammal monitoring.
- Construction activities occurring during each daily observation period, including how many and what type of piles were driven or removed and by what method (*i.e.*, impact or vibratory).
- Environmental conditions during monitoring periods (at beginning and end of PSO shift and whenever conditions change significantly), including Beaufort sea state and any other relevant weather conditions including cloud cover, fog, sun glare, and overall visibility to the horizon, and estimated observable distance (if less than the harassment zone distance).
- The number of marine mammals observed, by species, relative to the pile location and if pile driving or removal was occurring at time of sighting.
- Age and sex class, if possible, of all marine mammals observed.
- PSO locations during marine mammal monitoring.
- Distances and bearings of each marine mammal observed to the pile being driven or removed for each sighting (if pile driving or removal was occurring at time of sighting).
- Description of any marine mammal behavior patterns during observation, including direction of travel and estimated time spent within the Level A and Level B harassment zones while the source was active.
- Number of marine mammals detected within the harassment zones, by species.
- Detailed information about any implementation of any mitigation triggered (*e.g.*, shutdowns and delays), a description of specific actions that ensued, and resulting behavior of the animal, if any.
- Description of attempts to distinguish between the number of individual animals taken and the

number of incidences of take, such as ability to track groups or individuals.

- Submit all PSO datasheets and/or raw sighting data (in a separate file from the Final Report referenced immediately above).

If no comments are received from NMFS within 30 days, the draft final report will constitute the final report. If comments are received, a final report addressing NMFS comments must be submitted within 30 days after receipt of comments.

Hydroacoustic Monitoring and Reporting—The Coast Guard will monitor the driving of at least two piles of each diameter. As part of the above-mentioned report, or in a separate report with the same timelines as above, the Coast Guard will provide an acoustic monitoring report for this work. The acoustic monitoring report must, at minimum, include the following:

- Hydrophone equipment and methods: Recording device, sampling rate, distance (m) from the pile where recordings were made; depth of recording device(s).
- Type of pile being driven, substrate type, method of driving during recordings, and if a sound attenuation device is used.
- For impact pile driving: Pulse duration and mean, median, and maximum sound levels (dB re: 1μPa): SELcum, peak sound pressure level (SPLpeak), and single-strike sound exposure level (SELs-s).
- Number of strikes per pile measured, one-third octave band spectrum and power spectral density plot.

Reporting Injured or Dead Marine Mammals

In the event that personnel involved in the construction activities discover an injured or dead marine mammal, the Coast Guard shall report the incident to the Office of Protected Resources (OPR), NMFS and to the regional stranding coordinator as soon as feasible. If the death or injury was clearly caused by the specified activity, the Coast Guard must immediately cease the specified activities until NMFS is able to review the circumstances of the incident and determine what, if any, additional measures are appropriate to ensure compliance with the terms of the IHA. The IHA-holder must not resume their activities until notified by NMFS. The report must include the following information:

- Time, date, and location (latitude/longitude) of the first discovery (and updated location information if known and applicable);

- Species identification (if known) or description of the animal(s) involved;
- Condition of the animal(s) (including carcass condition if the animal is dead);
- Observed behaviors of the animal(s), if alive;
- If available, photographs or video footage of the animal(s); and
- General circumstances under which the animal was discovered.

Negligible Impact Analysis and Determination

NMFS has defined negligible impact as an impact resulting from the specified activity that cannot be reasonably expected to, and is not reasonably likely to, adversely affect the species or stock through effects on annual rates of recruitment or survival (50 CFR 216.103). A negligible impact finding is based on the lack of likely adverse effects on annual rates of recruitment or survival (*i.e.*, population-level effects). An estimate of the number of takes alone is not enough information on which to base an impact determination. In addition to considering estimates of the number of marine mammals that might be “taken” through harassment, NMFS considers other factors, such as the likely nature of any responses (*e.g.*, intensity, duration), the context of any responses (*e.g.*, critical reproductive time or location, migration), as well as effects on habitat, and the likely effectiveness of the mitigation. We also assess the number, intensity, and context of estimated takes by evaluating this information relative to population status. Consistent with the 1989 preamble for NMFS’s implementing regulations (54 FR 40338; September 29, 1989), the impacts from other past and ongoing anthropogenic activities are incorporated into this analysis via their impacts on the environmental baseline (*e.g.*, as reflected in the regulatory status of the species, population size and growth rate where known, ongoing sources of human-caused mortality, or ambient noise levels).

To avoid repetition, this introductory discussion of our analyses applies to all of the species listed in Table 8, given that many of the anticipated effects of this project on different marine mammal stocks are expected to be relatively similar in nature. Pile driving activities have the potential to disturb or displace marine mammals. Specifically, the project activities may result in take, in the form of Level A harassment and Level B harassment from underwater sounds generated from pile driving. Potential takes could occur if individuals are present in the ensonified

zone when these activities are underway.

The takes from Level A and Level B harassment would be due to potential behavioral disturbance, TTS, and PTS. No mortality is anticipated given the nature of the activity and measures designed to minimize the possibility of injury to marine mammals. The potential for harassment is minimized through the construction method and the implementation of the planned mitigation measures (see Proposed Mitigation section).

The Level A harassment zones identified in Table 7 are based upon an animal exposed to impact pile driving multiple piles per day. Considering duration of impact driving each pile (up to 45 minutes) and breaks between pile installations (to reset equipment and move pile into place), this means an animal would have to remain within the area estimated to be ensonified above the Level A harassment threshold for multiple hours. This is highly unlikely given marine mammal movement throughout the area. So while the take we are proposing to authorize is expected to occur, if an animal was exposed to accumulated sound energy, the resulting PTS would likely be small (*e.g.*, PTS onset) at lower frequencies where pile driving energy is concentrated, and unlikely to result in impacts to individual fitness, reproduction, or survival.

The nature of the pile driving project precludes the likelihood of serious injury or mortality. For all species and stocks, take would occur within a limited, confined area (Los Angeles port) of any given stock’s range. Level A and Level B harassment will be reduced to the level of least practicable adverse impact through use of mitigation measures described herein. Further the amount of take proposed to be authorized for any given stock is small when compared to stock abundance.

Behavioral responses of marine mammals to pile driving at the project site, if any, are expected to be mild and temporary. Marine mammals within the Level B harassment zone may not show any visual cues they are disturbed by activities (as noted during modification to the Kodiak Ferry Dock; see *Behavioral Harassment* section above) or could become alert, avoid the area, leave the area, or display other mild responses that are not observable such as changes in vocalization patterns. Given the short duration of noise-generating activities per day and that pile driving and removal would occur across a few weeks, any harassment would be temporary. There are no other areas or times of known biological

importance for any of the affected species.

In addition, it is unlikely that minor noise effects in a small, localized area of habitat would have any effect on the stocks' ability to recover. In combination, we believe that these factors, as well as the available body of evidence from other similar activities, demonstrate that the potential effects of the specified activities will have only minor, short-term effects on individuals. The specified activities are not expected to impact rates of recruitment or survival and will therefore not result in population-level impacts.

In summary and as described above, the following factors primarily support our preliminary determination that the impacts resulting from this activity are not expected to adversely affect the species or stock through effects on annual rates of recruitment or survival:

- No mortality is anticipated or authorized.
- Authorized Level A harassment would be very small amounts and of low degree.
- No biologically important areas have been identified within the project area.
- For all species, the project area is a very small, human-altered and peripheral part of their range.
- The Coast Guard would implement mitigation measures such soft-starts, bubble curtain, and shut downs.
- Monitoring reports from similar work in the ports have documented little to no effect on individuals of the same species impacted by the specified activities.

Based on the analysis contained herein of the likely effects of the specified activity on marine mammals and their habitat, and taking into consideration the implementation of the proposed monitoring and mitigation measures, NMFS preliminarily finds that the total marine mammal take from the proposed activity will have a negligible impact on all affected marine mammal species or stocks.

Small Numbers

As noted above, only small numbers of incidental take may be authorized under section 101(a)(5)(D) of the MMPA for specified activities other than military readiness activities. The MMPA does not define small numbers and so, in practice, where estimated numbers are available, NMFS compares the number of individuals taken to the most appropriate estimation of abundance of the relevant species or stock in our determination of whether an authorization is limited to small numbers of marine mammals. When the

predicted number of individuals to be taken is fewer than one third of the species or stock abundance, the take is considered to be of small numbers. Additionally, other qualitative factors may be considered in the analysis, such as the temporal or spatial scale of the activities.

The amount of take NMFS proposes to authorize of all species or stocks is below one third of the estimated stock abundance. These are all likely conservative estimates of individuals taken because they assume all takes are of different individual animals which is likely not the case. Some individuals may return multiple times in a day, but PSOs would count them as separate takes if they cannot be individually identified.

Based on the analysis contained herein of the proposed activity (including the proposed mitigation and monitoring measures) and the anticipated take of marine mammals, NMFS preliminarily finds that small numbers of marine mammals will be taken relative to the population size of the affected species or stocks.

Unmitigable Adverse Impact Analysis and Determination

There are no relevant subsistence uses of the affected marine mammal stocks or species implicated by this action. Therefore, NMFS has determined that the total taking of affected species or stocks would not have an unmitigable adverse impact on the availability of such species or stocks for taking for subsistence purposes.

Endangered Species Act (ESA)

Section 7(a)(2) of the Endangered Species Act of 1973 (ESA: 16 U.S.C. 1531 *et seq.*) requires that each Federal agency insure that any action it authorizes, funds, or carries out is not likely to jeopardize the continued existence of any endangered or threatened species or result in the destruction or adverse modification of designated critical habitat.

No incidental take of ESA-listed species is proposed for authorization or expected to result from this activity. Therefore, NMFS has determined that formal consultation under section 7 of the ESA is not required for this action.

Proposed Authorization

As a result of these preliminary determinations, NMFS proposes to issue an IHA to the Coast Guard to conduct the Base Los Angeles/Long Beak Wharf Expansion project in California February 1, 2021 through January 31, 2022, provided the previously mentioned mitigation, monitoring, and

reporting requirements are incorporated. A draft of the proposed IHA can be found at <https://www.fisheries.noaa.gov/permit/incidental-take-authorizations-under-marine-mammal-protection-act>.

Request for Public Comments

We request comment on our analyses, the proposed authorization, and any other aspect of this Notice of Proposed IHA for the proposed Base Los Angeles/Long Beak Wharf Expansion project. We also request at this time comment on the potential renewal of this proposed IHA as described in the paragraph below. Please include with your comments any supporting data or literature citations to help inform decisions on the request for this IHA or a subsequent Renewal IHA.

On a case-by-case basis, NMFS may issue a one-time, one-year Renewal IHA following notice to the public providing an additional 15 days for public comments when (1) up to another year of identical, or nearly identical, activities as described in the Description of Proposed Activity section of this notice is planned or (2) the activities as described in the Description of Proposed Activity section of this notice would not be completed by the time the IHA expires and a Renewal would allow for completion of the activities beyond that described in the *Dates and Duration* section of this notice, provided all of the following conditions are met:

- A request for renewal is received no later than 60 days prior to the needed Renewal IHA effective date (recognizing that Renewal IHA expiration date cannot extend beyond one year from expiration of the initial IHA);
- The request for renewal must include the following:

(1) An explanation that the activities to be conducted under the requested Renewal IHA are identical to the activities analyzed under the initial IHA, are a subset of the activities, or include changes so minor (*e.g.*, reduction in pile size) that the changes do not affect the previous analyses, mitigation and monitoring requirements, or take estimates (with the exception of reducing the type or amount of take); and

(2) A preliminary monitoring report showing the results of the required monitoring to date and an explanation showing that the monitoring results do not indicate impacts of a scale or nature not previously analyzed or authorized; and

- Upon review of the request for Renewal, the status of the affected species or stocks, and any other pertinent information, NMFS determines that there are no more than

minor changes in the activities, the mitigation and monitoring measures will remain the same and appropriate, and the findings in the initial IHA remain valid.

Dated: October 16, 2020.

Donna S. Wieting,

*Director, Office of Protected Resources,
National Marine Fisheries Service.*

[FR Doc. 2020-23304 Filed 10-20-20; 8:45 am]

BILLING CODE 3510-22-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

Agency Information Collection Activities; Submission to the Office of Management and Budget (OMB) for Review and Approval; Comment Request; Alaska American Fisheries Act Reports

AGENCY: National Oceanic & Atmospheric Administration (NOAA), Commerce.

ACTION: Notice of information collection; request for comment.

SUMMARY: The Department of Commerce, in accordance with the Paperwork Reduction Act of 1995 (PRA), invites the general public and other Federal agencies to comment on proposed, and continuing information collections, which helps us assess the impact of our information collection requirements and minimize the public's reporting burden. The purpose of this notice is to allow for 60 days of public comment preceding submission of the collection to OMB.

DATES: To ensure consideration, comments regarding this proposed information collection must be received on or before December 21, 2020.

ADDRESSES: Interested persons are invited to submit written comments to Adrienne Thomas, NOAA PRA Officer, at Adrienne.thomas@noaa.gov. Please reference OMB Control Number 0648-0401 in the subject line of your comments. Do not submit Confidential Business Information or otherwise sensitive or protected information.

FOR FURTHER INFORMATION CONTACT: Requests for additional information or specific questions related to collection activities should be directed to Gabrielle Aberle, 907-586-7228.

SUPPLEMENTARY INFORMATION:

I. Abstract

The National Marine Fisheries Services (NMFS), Alaska Region, is requesting extension of a currently

approved information collection for American Fisheries Act reporting requirements.

NMFS manages the groundfish fisheries of the Bering Sea and Aleutian Islands Management Area in the Exclusive Economic Zone off Alaska. The North Pacific Fishery Management Council (Council) prepared the Fishery Management Plan for Groundfish of the Bering Sea and Aleutian Islands Management Area (FMP) under the authority of the Magnuson-Stevens Fishery Conservation and Management Act, 16 U.S.C. 1801 *et seq.* and other applicable laws. Regulations implementing the FMP are at 50 CFR part 679.

The Bering Sea pollock fishery is managed under the American Fisheries Act (AFA). The purpose of the AFA was to tighten U.S. ownership standards for U.S. fishing vessels under the Anti-reflagging Act and to provide the Bering Sea pollock fleet the opportunity to conduct its fishery in a more rational manner while protecting non-AFA participants in the other fisheries. The AFA established sector allocations in the Bering Sea (BS) pollock fishery, determined eligible vessels and processors, allowed the formation of cooperatives, set limits on the participation of AFA vessels in other fisheries, and imposed special catch weighing and monitoring requirements on AFA vessels.

This information collection contains the annual and periodic reporting requirements for AFA cooperatives. These requirements consist of reports about on-going fishing operations of the cooperatives and reports specifically focused on efforts to minimize salmon bycatch in the Bering Sea pollock fishery. These reporting requirements are located at 50 CFR 679.21 and 679.61.

This information collection provides the Council and NMFS with information about the organization and fishing operations of the AFA cooperatives, allocations to the AFA cooperatives, and the effectiveness of the Chinook salmon and chum salmon bycatch management measures. This information is used to manage the BS pollock fishery, to evaluate the salmon bycatch management measures, and to provide the public with information about how the program operates and information about bycatch reduction under this program. This information is necessary to ensure long-term conservation and abundance of salmon and pollock, maintain a healthy marine ecosystem, and provide maximum benefit to fishermen and communities that depend on salmon and pollock.

II. Method of Collection

There are no forms associated with this information collection. Respondents submit the information by mail or fax.

III. Data

OMB Control Number: 0648-0401.

Form Number(s): None.

Type of Review: Regular submission (extension of a current information collection).

Affected Public: Business or other for-profit organizations.

Estimated Number of Respondents: 8.

Estimated Time per Response: AFA Cooperative Contract 8 hours; AFA Annual Cooperative Report 16 hours; Incentive Plan Agreement amendment 50 hours; IPA Annual Report 80 hours; IPA administrative appeals 4 hours.

Estimated Total Annual Burden Hours: 486 hours.

Estimated Total Annual Cost to Public: \$557.

Respondent's Obligation: Required to Obtain or Retain Benefits, Mandatory.

Legal Authority: Magnuson-Stevens Fishery Conservation and Management Act, American Fisheries Act.

IV. Request for Comments

We are soliciting public comments to permit the Department/Bureau to: (a) Evaluate whether the proposed information collection is necessary for the proper functions of the Department, including whether the information will have practical utility; (b) Evaluate the accuracy of our estimate of the time and cost burden for this proposed collection, including the validity of the methodology and assumptions used; (c) Evaluate ways to enhance the quality, utility, and clarity of the information to be collected; and (d) Minimize the reporting burden on those who are to respond, including the use of automated collection techniques or other forms of information technology.

Comments that you submit in response to this notice are a matter of public record. We will include or summarize each comment in our request to OMB to approve this ICR. Before including your address, phone number, email address, or other personal identifying information in your comment, you should be aware that your entire comment—including your personal identifying information—may be made publicly available at any time. While you may ask us in your comment to withhold your personal identifying information from public review, we