

services listed below from nonprofit agencies employing persons who are blind or have other severe disabilities.

#### *Regulatory Flexibility Act Certification*

I certify that the following action will not have a significant impact on a substantial number of small entities. The major factors considered for this certification were:

1. If approved, the action will not result in any additional reporting, recordkeeping or other compliance requirements for small entities other than the small organizations that will furnish the services to the Government.

2. If approved, the action will result in authorizing small entities to furnish the services to the Government.

3. There are no known regulatory alternatives which would accomplish the objectives of the Javits-Wagner-O'Day Act (41 U.S.C. 46–48c) in connection with the services proposed for addition to the Procurement List.

Comments on this certification are invited. Commenters should identify the statement(s) underlying the certification on which they are providing additional information.

#### *End of Certification*

The following services are proposed for addition to Procurement List for production by the nonprofit agencies listed:

#### **Services**

*Service Type/Location:* Base Supply Center, Rock Island Arsenal, 3154 Rodman Avenue, Rock Island, IL.

*NPA:* Association for Retarded Citizens of Rock Island County, Rock Island, IL.

*Contracting Activity:* DEPT OF THE ARMY, SR W0K8 USA ROCK ISL ARSENAL, ROCK ISLAND, IL.

*Service Type/Location:* Base Operations Support, Mark Center Campus, Alexandria, VA.

*NPA:* Service Source Inc., Alexandria, VA (prime); CW Resources Inc., New Britain, CT (subcontractor); Able Forces, Front Royal, VA (subcontractor).

*Contracting Activity:* Department of Defense, Acquisition Directorate, Washington Headquarters Service, Washington, DC.

*Service Type/Location:* Central Issue Facility Service, Fort Hood, TX.

*NPA:* Skookum Educational Programs, Bremerton, WA.

*Contracting Activity:* Department of the Army, Mission & Installation Contracting Command Center, Fort Sam Houston, TX.

*Service Type/Location:* Mail Management Support Service, Philadelphia Naval Business Center, Official Mail Center Carderock, Philadelphia, PA.

*NPA:* NewView Oklahoma, Inc., Oklahoma City, OK (prime); ServiceSource, Inc., Alexandria, VA (subcontractor); Naval Surface Warfare Center, Carderock Division, Ship Systems Engineering

Station, Official Mail Center Carderock, West Bethesda, MD.

*NPA:* NewView Oklahoma, Inc., Oklahoma City, OK.

*Contracting Activity:* Department of the Navy, Commander, Fleet and Industrial Supply Center, San Diego, CA.

#### **Deletion**

#### *Regulatory Flexibility Act Certification*

I certify that the following action will not have a significant impact on a substantial number of small entities. The major factors considered for this certification were:

1. If approved, the action will not result in additional reporting, recordkeeping or other compliance requirements for small entities.

2. If approved, the action may result in authorizing small entities to furnish the service to the Government.

3. There are no known regulatory alternatives which would accomplish the objectives of the Javits-Wagner-O'Day Act (41 U.S.C. 46–48c) in connection with the service proposed for deletion from the Procurement List.

#### *End of Certification*

The following service is proposed for deletion from the Procurement List:

#### **Service**

*Service Type/Location:* Recycling Service, Veterans Affairs Medical Center, 1500 East Woodrow Wilson Drive, Jackson, MS.

*NPA:* Goodwill Industries of Mississippi, Inc., Ridgeland, MS.

*Contracting Activity:* Department of Veterans Affairs, NAC, Hines, IL.

**Patricia Briscoe,**

*Deputy Director, Business Operations.*

[FR Doc. 2011–5616 Filed 3–10–11; 8:45 am]

**BILLING CODE 6353–01–P**

## **CONSUMER PRODUCT SAFETY COMMISSION**

### **Sunshine Act Meeting Notice**

**TIME AND DATE:** Wednesday, March 16, 2011; 10 a.m.–11 a.m.

**PLACE:** Hearing Room 420, Bethesda Towers, 4330 East West Highway, Bethesda, Maryland.

**STATUS:** Closed to the Public.

#### **MATTER TO BE CONSIDERED:**

##### *Compliance Status Report*

The Commission staff will brief the Commission on the status of compliance matters. For a recorded message containing the latest agenda information, call (301) 504–7948.

#### **CONTACT PERSON FOR MORE INFORMATION:**

Todd A. Stevenson, Office of the Secretary, U.S. Consumer Product

Safety Commission, 4330 East West Highway, Bethesda, MD 20814, (301) 504–7923.

Dated: March 8, 2011.

**Todd A Stevenson,**  
*Secretary.*

[FR Doc. 2011–5777 Filed 3–9–11; 4:15 pm]

**BILLING CODE 6355–01–P**

## **DEPARTMENT OF DEFENSE**

### **Department of the Army, Corps of Engineers**

#### **Intent To Prepare an Environmental Impact Statement for the Port of Gulfport Expansion Project, Harrison County, MS (Department of the Army Permit Number SAM–2009–1768–DMY)**

**AGENCY:** U.S. Army Corps of Engineers, DoD.

**ACTION:** Notice of intent.

**SUMMARY:** The U.S. Army Corps of Engineers, Mobile District (USACE) announces its intent to prepare an Environmental Impact Statement (EIS) to assess the potential environmental impacts associated with the construction and operation of a project proposed by the Mississippi State Port Authority (MSPA). As part of the NEPA process, the Mississippi Development Authority (MDA) will be a cooperating agency in the preparation of the EIS. The National Marine Fisheries Service (NMFS) has expressed interest in acting as a cooperating agency in the preparation of the EIS.

The proposed project as described in the application filed on March 17, 2010, proposed filling approximately 700 acres of open-water benthic habitat. Since submittal of the application, the proposed project footprint has been modified by the MSPA to reduce the overall potential fill required for implementation and to not include any impacts to the Gulfport Harbor Federal Navigation Channel or Turning Basin. The currently proposed project involves filling of up to 400 acres of open-water bottom in the Mississippi Sound, the construction of wharfs, bulkheads, terminal facilities, container storage areas, intermodal container transfer facilities, dredging and dredged material disposal and infrastructure, and construction of a breakwater of approximately 4,000 linear feet. The proposed expanded port facility will be elevated 25 feet above sea level to provide protection against future tropical storm surge events.

The EIS will evaluate the potential impacts of the proposed project, connected actions, and alternatives. The