

territorial officials to enforce the Act and regulations prescribed thereunder. Section 1042 also requires that the Bureau issue a rule establishing how states are to provide notice to the Bureau before taking action to enforce the Act (or, in emergency situations, immediately after taking such an action). In accordance with the requirements of the Act, the Bureau issued a final rule (12 CFR 1082.1) establishing that notice should be provided at least 10 days before the filing of an action, with certain exceptions, and setting forth a limited set of information which is to be provided with the notice. This is a routine request for OMB to renew its approval of the collections of information currently approved under this OMB control number. The Bureau is not proposing any new or revised collections of information pursuant to this request.

Request for Comments: Comments are invited on: (a) Whether the collection of information is necessary for the proper performance of the functions of the Bureau, including whether the information will have practical utility; (b) The accuracy of the Bureau's estimate of the burden of the collection of information, including the validity of the methods and the assumptions used; (c) Ways to enhance the quality, utility, and clarity of the information to be collected; and (d) Ways to minimize the burden of the collection of information on respondents, including through the use of automated collection techniques or other forms of information technology. Comments submitted in response to this notice will be summarized and/or included in the request for OMB approval. All comments will become a matter of public record.

Dated: June 24, 2021.

Anthony May,

Paperwork Reduction Act Officer, Bureau of Consumer Financial Protection.

[FR Doc. 2021-13918 Filed 6-29-21; 8:45 am]

BILLING CODE 4810-AM-P

DEPARTMENT OF ENERGY

[Case Number 2020-023, EERE-2017-BT-WAV-0027]

Energy Conservation Program: Extension of Interim Waiver to AHT Cooling Systems GmbH and AHT Cooling Systems USA Inc. From the Department of Energy Commercial Refrigerator, Freezer, and Refrigerator-Freezer Test Procedure

AGENCY: Office of Energy Efficiency and Renewable Energy, Department of Energy.

ACTION: Notification of extension of interim waiver.

SUMMARY: The U.S. Department of Energy ("DOE") is granting an interim waiver extension (Case No. 2020-023) to AHT Cooling Systems GmbH and AHT Cooling Systems USA Inc. ("AHT") from specified portions of the DOE Commercial Refrigerators, Freezers, and Refrigerator-Freezers (collectively "commercial refrigeration equipment" or "CRE") test procedure for determining the energy consumption of the specified AHT CRE basic models. Under this extension, AHT is required to test and rate the specified basic models in accordance with the alternate test procedure specified in the interim waiver.

DATES: The Extension of Interim Waiver is effective on June 30, 2021.

FOR FURTHER INFORMATION CONTACT:

Ms. Lucy deButts, U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Building Technologies Office, EE-5B, 1000 Independence Avenue SW, Washington, DC 20585-0121. Email: AS_Waiver_Requests@ee.doe.gov.

Mr. Pete Cochran, U.S. Department of Energy, Office of the General Counsel, Mail Stop GC-33, Forrestal Building, 1000 Independence Avenue SW, Washington, DC 20585-0103. Telephone: (202) 586-9496. Email: peter.cochran@hq.doe.gov.

SUPPLEMENTARY INFORMATION: In accordance with Title 10 of the Code of Federal Regulations (10 CFR 431.401(g)), DOE gives notice of the issuance of an Extension of Interim Waiver as set forth below. The Extension of Interim Waiver extends the Interim Waiver granted to AHT on May 26, 2017 (82 FR 24330, "May 2017 Interim Waiver") to include the AHT basic models specified in this interim waiver extension, as requested by AHT on November 12, 2020.¹ AHT must test

and rate the specifically identified CRE basic models in accordance with the alternate test procedure specified in the May 2017 Interim Waiver. AHT's representations concerning the energy consumption of the specified basic models must be based on testing according to the provisions and restrictions in the alternate test procedure set forth in the May 2017 Interim Waiver, and the representations must fairly disclose the test results. Distributors, retailers, and private labelers are held to the same requirements when making representations regarding the energy consumption of this equipment. (42 U.S.C. 6314(d))

DOE makes decisions on waiver extensions, including interim waiver extensions, for only those basic models

specified basic models are: IBIZA 100 (U) NAM-R, IBIZA 100 (U) NAM-IC, IBIZA 145 (U) NAM-R, IBIZA 145 (U) NAM-IC, IBIZA 210 (U) NAM-R, IBIZA 210 (U) NAM-IC, MALTA 145 (U) NAM-R, MALTA 145 (U) NAM-IC, MALTA 185 (U) NAM-R, MALTA 185 (U) NAM-IC, MANHATTAN XL 175 (U) NAM-R, MANHATTAN XL 175 (U) NAM-IC, MANHATTAN XL 210 (U) NAM-R, MANHATTAN XL 210 (U) NAM-IC, MIAMI 145 (U) NAM-R, MIAMI 145 (U) NAM-IC, MIAMI XL EC 185 (U) NAM-IC, MIAMI 210 (U) NAM-R, MIAMI 210 (U) NAM-IC, MIAMI 250 (U) NAM-R, MIAMI 250 (U) NAM-IC, PARIS 145 (U) NAM-R, PARIS 145 (U) NAM-IC, PARIS EC 185 (U) NAM-R, PARIS EC 185 (U) NAM-IC, PARIS 210 (U) NAM-R, PARIS 210 (U) NAM-IC, PARIS 250 (U) NAM-R, PARIS 250 (U) NAM-IC, SYDNEY 175 (U) NAM-R, SYDNEY 175 (U) NAM-IC, SYDNEY 210 (U) NAM-R, SYDNEY 210 (U) NAM-IC, SYDNEY EC 213 (U) NAM-R, SYDNEY EC 213 (U) NAM-IC, SYDNEY EC 223 (U) NAM-R, SYDNEY EC 223 (U) NAM-IC, SYDNEY 230 (U) NAM-R, SYDNEY 230 (U) NAM-IC, SYDNEY 250 (U) NAM-R, SYDNEY 250 (U) NAM-IC, SYDNEY XL 175 (U) NAM-R, SYDNEY XL 175 (U) NAM-IC, SYDNEY XL 210 (U) NAM-R, SYDNEY XL 210 (U) NAM-IC, SYDNEY XL 250 (U) NAM-R, SYDNEY XL 250 (U) NAM-IC, MONTREAL SLIM 175 (U) NAM-R, MONTREAL SLIM 175 (U) NAM-IC, MONTREAL SLIM 210 (U) NAM-R, MONTREAL SLIM 210 (U) NAM-IC, MONTREAL SLIM 250 (U) NAM-R, MONTREAL SLIM 250 (U) NAM-IC, MONTREAL SLIM PUSH 175 (U) NAM-R, MONTREAL SLIM PUSH 175 (U) NAM-IC, MONTREAL SLIM PUSH 210 (U) NAM-R, MONTREAL SLIM PUSH 210 (U) NAM-IC, MONTREAL SLIM PUSH 250 (U) NAM-R, MONTREAL SLIM PUSH 250 (U) NAM-IC, MONTREAL XL 175 (U) NAM-R, MONTREAL XL 175 (U) NAM-IC, MONTREAL XL 210 (U) NAM-R, MONTREAL XL 210 (U) NAM-IC, MONTREAL XL 250 (U) NAM-R, MONTREAL XL 250 (U) NAM-IC, MONTREAL XL EC 185 (U) NAM-R, MONTREAL XL EC 185 (U) NAM-IC, MONTREAL XL EC 210 (U) NAM-R, MONTREAL XL EC 210 (U) NAM-IC, MONTREAL XL EC PUSH 185 (U) NAM-R, MONTREAL XL EC PUSH 185 (U) NAM-IC, MONTREAL XL EC PUSH 210 (U) NAM-R, MONTREAL XL EC PUSH 210 (U) NAM-IC, MONTREAL XL PUSH 175 (U) NAM-R, MONTREAL XL PUSH 175 (U) NAM-IC, MONTREAL XL PUSH 210 (U) NAM-R, MONTREAL XL PUSH 210 (U) NAM-IC, MONTREAL XL PUSH 250 (U) NAM-R, MONTREAL XL PUSH 250 (U) NAM-IC (the petition listed basic model IAMI 145 (U) NAM-R, which DOE understands to mean MIAMI 145 (U) NAM-R).

¹ AHT's request is available at [regulations.gov/docket/EERE-2017-BT-WAV-0027-0014](https://www.regulations.gov/docket/EERE-2017-BT-WAV-0027-0014). The

specifically set out in the request, not future models that may be manufactured by the petitioner. AHT may submit a new or amended petition for waiver and request for grant of interim waiver, as appropriate, for additional basic models of CRE. Alternatively, if appropriate, AHT may request that DOE extend the scope of a waiver or interim waiver to include additional basic models employing the same technology as the basic models set forth in the original petition consistent with 10 CFR 431.401(g).

Case Number 2020–023

Extension of Interim Waiver

I. Background and Authority

The Energy Policy and Conservation Act, as amended (“EPCA”),² authorizes DOE to regulate the energy efficiency of a number of consumer products and certain industrial equipment. (42 U.S.C. 6291–6317) Title III, Part C³ of EPCA established the Energy Conservation Program for Certain Industrial Equipment, which sets forth a variety of provisions designed to improve energy efficiency for certain types of industrial equipment. This equipment includes Commercial Refrigerators, Freezers, and Refrigerator-Freezers (collectively “commercial refrigeration equipment” or “CRE”), the focus of this document. (42 U.S.C. 6311(1)(E))

The energy conservation program under EPCA consists essentially of four parts: (1) Testing, (2) labeling, (3) Federal energy conservation standards, and (4) certification and enforcement procedures. Relevant provisions of EPCA include definitions (42 U.S.C. 6311), energy conservation standards (42 U.S.C. 6313), test procedures (42 U.S.C. 6314), labeling provisions (42 U.S.C. 6315), and the authority to require information and reports from manufacturers (42 U.S.C. 6316).

The Federal testing requirements consist of test procedures that manufacturers of covered equipment must use as the basis for: (1) Certifying to DOE that their equipment complies with the applicable energy conservation standards adopted pursuant to EPCA (42 U.S.C. 6316(a); 42 U.S.C. 6295(s)), and (2) making representations about the efficiency of that equipment (42 U.S.C. 6314(d)). Similarly, DOE must use these test procedures to determine whether the equipment complies with relevant standards promulgated under EPCA. (42 U.S.C. 6316(a); 42 U.S.C. 6295(s))

Under 42 U.S.C. 6314, EPCA sets forth the criteria and procedures DOE is required to follow when prescribing or amending test procedures for covered equipment. EPCA requires that any test procedures prescribed or amended under this section must be reasonably designed to produce test results which reflect the energy efficiency, energy use or estimated annual operating cost of covered equipment during a representative average use cycle and requires that test procedures not be unduly burdensome to conduct. (42 U.S.C. 6314(a)(2)) The test procedure for CRE is contained in 10 CFR part 431, subpart C, appendix B—*Amended Uniform Test Method for the Measurement of Energy Consumption of Commercial Refrigerators, Freezers, and Refrigerator-Freezers* (“Appendix B”).

Any interested person may submit a petition for waiver from DOE’s test procedure requirements. 10 CFR 431.401(a)(1). DOE will grant a waiver from the test procedure requirements if DOE determines either that the basic model for which the waiver was requested contains a design characteristic that prevents testing of the basic model according to the prescribed test procedures, or that the prescribed test procedures evaluate the basic model in a manner so unrepresentative of its true energy or water consumption characteristics as to provide materially inaccurate comparative data. 10 CFR 431.401(f)(2). DOE may grant the waiver subject to conditions, including adherence to alternate test procedures. *Id.*

A petitioner may request that DOE extend the scope of a waiver or an interim waiver to include additional basic models employing the same technology as the basic model(s) set forth in the original petition. 10 CFR 431.401(g). DOE will publish any such extension in the **Federal Register**. *Id.*

II. Request for an Extension of Interim Waiver: Assertions and Determinations

On May 26, 2017, DOE issued an Interim Waiver in Case Number CR–006 granting AHT an interim waiver to test its AHT basic models specified in that interim waiver using an alternate test procedure. 82 FR 24330 (“May 2017 Interim Waiver”).⁴ AHT stated that their basic models defrost less frequently than once every 24 hours. The DOE test procedure, by reference to ANSI/

ASHRAE Standard 72–2005, “Method of Testing Commercial Refrigerators and Freezers” (“ASHRAE 72–2005”), requires beginning the test period at the start of a defrost cycle and recording data for 24 hours. AHT stated that the DOE test procedure would overstate the energy usage from the defrosting function. 82 FR 24330, 24335.

Based on its review, including the information provided by AHT, DOE initially determined that the current test procedure at Appendix B would evaluate the CRE basic models specified in the May 2017 Interim Waiver in a manner so unrepresentative of their true energy consumption characteristics as to provide materially inaccurate comparative data. *Id.* at 82 FR 24332–24333. The May 2017 Interim Waiver specifies that AHT must test and rate the subject basic models such that the energy consumption be determined using an equation that incorporates the energy consumption of two modified tests. The first modified test would be a 24-hour test without a defrost cycle starting in steady state conditions with eight hours of door openings. The second modified test would include a defrost cycle starting after steady state conditions are established and continuing until the defrost cycle recovery is complete. *Id.* at 82 FR 24333.

On November 12, 2020, AHT submitted a request to extend the scope of the interim waiver, Case Number 2020–023, to the specified additional AHT basic models.⁵ AHT stated that

⁵ The specified basic models are: IBIZA 100 (U) NAM–R, IBIZA 100 (U) NAM–IC, IBIZA 145 (U) NAM–R, IBIZA 145 (U) NAM–IC, IBIZA 210 (U) NAM–R, IBIZA 210 (U) NAM–IC, MALTA 145 (U) NAM–R, MALTA 145 (U) NAM–IC, MALTA 185 (U) NAM–R, MALTA 185 (U) NAM–IC, MANHATTAN XL 175 (U) NAM–R, MANHATTAN XL 175 (U) NAM–IC, MANHATTAN XL 210 (U) NAM–R, MANHATTAN XL 210 (U) NAM–IC, MIAMI 145 (U) NAM–R, MIAMI 145 (U) NAM–IC, MIAMI XL EC 185 (U) NAM–R, MIAMI XL EC 185 (U) NAM–IC, MIAMI 210 (U) NAM–R, MIAMI 210 (U) NAM–IC, MIAMI 250 (U) NAM–R, MIAMI 250 (U) NAM–IC, PARIS 145 (U) NAM–R, PARIS 145 (U) NAM–IC, PARIS EC 185 (U) NAM–R, PARIS EC 185 (U) NAM–IC, PARIS 210 (U) NAM–R, PARIS 210 (U) NAM–IC, PARIS 250 (U) NAM–R, PARIS 250 (U) NAM–IC, SYDNEY 175 (U) NAM–R, SYDNEY 175 (U) NAM–IC, SYDNEY 210 (U) NAM–R, SYDNEY 210 (U) NAM–IC, SYDNEY EC 213 (U) NAM–R, SYDNEY EC 213 (U) NAM–IC, SYDNEY EC 223 (U) NAM–R, SYDNEY EC 223 (U) NAM–IC, SYDNEY 230 (U) NAM–R, SYDNEY 230 (U) NAM–IC, SYDNEY 250 (U) NAM–R, SYDNEY 250 (U) NAM–IC, SYDNEY XL 175 (U) NAM–R, SYDNEY XL 175 (U) NAM–IC, SYDNEY XL 210 (U) NAM–R, SYDNEY XL 210 (U) NAM–IC, SYDNEY XL 250 (U) NAM–R, SYDNEY XL 250 (U) NAM–IC, MONTREAL SLIM 175 (U) NAM–R, MONTREAL SLIM 175 (U) NAM–IC, MONTREAL SLIM 210 (U) NAM–R, MONTREAL SLIM 210 (U) NAM–IC, MONTREAL SLIM 250 (U) NAM–R, MONTREAL SLIM 250 (U) NAM–IC, MONTREAL SLIM PUSH 175 (U) NAM–R, MONTREAL SLIM PUSH 175 (U) NAM–IC, MONTREAL SLIM PUSH 210 (U) NAM–R, MONTREAL SLIM PUSH 210 (U) NAM–IC,

² All references to EPCA in this document refer to the statute as amended through the Energy Act of 2020, Public Law 116–260 (Dec. 27, 2020).

³ For editorial reasons, upon codification in the U.S. Code, Part C was redesignated as Part A–1.

⁴ In the May 2017 Interim Waiver DOE declined to grant AHT an interim waiver as it pertained to AHT’s petition regarding multi-mode operation. 82 FR 24330, 24332. That denial is not relevant to AHT’s request for an extension or this Order extending the interim waiver granted in the May 2017 Interim Waiver.

these basic models have the same characteristics as the models covered by the existing interim waiver.

DOE has reviewed AHT's interim waiver extension request and determined that the CRE basic models identified in AHT's request incorporate the same design characteristics as those basic models covered under the interim waiver in Case Number CR-006 such that the test procedure evaluates these basic models in a manner that is unrepresentative of their actual energy use. For the same reasons set forth in the May 2017 Interim Waiver, DOE understands that the model lines identified in AHT's request are not capable of defrosting once every 24 hours as simulated by the DOE test procedure. See 82 FR 24330, 24332–24333. Accordingly, DOE is extending the interim waiver in Case Number CR-006 to the CRE basic models identified by AHT in its interim waiver extension request.

III. Order

After careful consideration of all the material submitted by AHT in this matter, it is *ordered* that:

(1) AHT must, as of the date of publication of this Extension of Interim Waiver in the **Federal Register**, test and rate the following AHT brand commercial refrigerator and commercial ice-cream freezer basic models with the alternate test procedure as set forth in paragraph (2):

MONTREAL SLIM PUSH 250 (U) NAM-R,
MONTREAL SLIM PUSH 250 (U) NAM-IC,
MONTREAL XL 175 (U) NAM-R, MONTREAL XL 175 (U) NAM-IC, MONTREAL XL 210 (U) NAM-R, MONTREAL XL 210 (U) NAM-IC, MONTREAL XL 250 (U) NAM-R, MONTREAL XL 250 (U) NAM-IC, MONTREAL XL EC 185 (U) NAM-R, MONTREAL XL EC 185 (U) NAM-IC, MONTREAL XL EC 210 (U) NAM-R, MONTREAL XL EC 210 (U) NAM-IC, MONTREAL XL EC PUSH 185 (U) NAM-R, MONTREAL XL EC PUSH 185 (U) NAM-IC, MONTREAL XL EC PUSH 210 (U) NAM-R, MONTREAL XL EC PUSH 210 (U) NAM-IC, MONTREAL XL PUSH 175 (U) NAM-R, MONTREAL XL PUSH 175 (U) NAM-IC, MONTREAL XL PUSH 210 (U) NAM-R, MONTREAL XL PUSH 210 (U) NAM-IC, MONTREAL XL PUSH 250 (U) NAM-R, MONTREAL XL PUSH 250 (U) NAM-IC (the petition listed basic model IAMI 145 (U) NAM-R, which DOE understands to mean MIAMI 145 (U) NAM-R).

Brand	Basic model
AHT	IBIZA 100 (U) NAM-R.
AHT	IBIZA 100 (U) NAM-IC.
AHT	IBIZA 145 (U) NAM-R.
AHT	IBIZA 145 (U) NAM-IC.
AHT	IBIZA 210 (U) NAM-R.
AHT	IBIZA 210 (U) NAM-IC.
AHT	MALTA 145 (U) NAM-R.
AHT	MALTA 145 (U) NAM-IC.
AHT	MALTA 185 (U) NAM-R.
AHT	MALTA 185 (U) NAM-IC.
AHT	MANHATTAN XL 175 (U) NAM-R.
AHT	MANHATTAN XL 175 (U) NAM-IC.
AHT	MANHATTAN XL 210 (U) NAM-R.
AHT	MANHATTAN XL 210 (U) NAM-IC.
AHT	MIAMI 145 (U) NAM-R.
AHT	MIAMI 145 (U) NAM-IC.
AHT	MIAMI XL EC 185 (U) NAM-R.
AHT	MIAMI XL EC 185 (U) NAM-IC.
AHT	MIAMI 210 (U) NAM-R.
AHT	MIAMI 210 (U) NAM-IC.
AHT	MIAMI 250 (U) NAM-R.
AHT	MIAMI 250 (U) NAM-IC.
AHT	PARIS 145 (U) NAM-R.
AHT	PARIS 145 (U) NAM-IC.
AHT	PARIS EC 185 (U) NAM-R.
AHT	PARIS EC 185 (U) NAM-IC.
AHT	PARIS 210 (U) NAM-R.
AHT	PARIS 210 (U) NAM-IC.
AHT	PARIS 250 (U) NAM-R.
AHT	PARIS 250 (U) NAM-IC.
AHT	SYDNEY 175 (U) NAM-R.
AHT	SYDNEY 175 (U) NAM-IC.
AHT	SYDNEY 210 (U) NAM-R.
AHT	SYDNEY 210 (U) NAM-IC.
AHT	SYDNEY EC 213 (U) NAM-R.
AHT	SYDNEY EC 213 (U) NAM-IC.
AHT	SYDNEY EC 223 (U) NAM-R.
AHT	SYDNEY EC 223 (U) NAM-IC.
AHT	SYDNEY 230 (U) NAM-R.
AHT	SYDNEY 230 (U) NAM-IC.
AHT	SYDNEY 250 (U) NAM-R.
AHT	SYDNEY 250 (U) NAM-IC.
AHT	SYDNEY XL 175 (U) NAM-R.
AHT	SYDNEY XL 175 (U) NAM-IC.
AHT	SYDNEY XL 210 (U) NAM-R.
AHT	SYDNEY XL 210 (U) NAM-IC.
AHT	SYDNEY XL 250 (U) NAM-R.
AHT	SYDNEY XL 250 (U) NAM-IC.
AHT	MONTREAL SLIM 175 (U) NAM-R.
AHT	MONTREAL SLIM 175 (U) NAM-IC.
AHT	MONTREAL SLIM 210 (U) NAM-R.
AHT	MONTREAL SLIM 210 (U) NAM-IC.
AHT	MONTREAL SLIM 250 (U) NAM-R.
AHT	MONTREAL SLIM 250 (U) NAM-IC.
AHT	MONTREAL SLIM PUSH 175 (U) NAM-R.
AHT	MONTREAL SLIM PUSH 175 (U) NAM-IC.
AHT	MONTREAL SLIM PUSH 210 (U) NAM-R.
AHT	MONTREAL SLIM PUSH 210 (U) NAM-IC.
AHT	MONTREAL SLIM PUSH 250 (U) NAM-R.
AHT	MONTREAL SLIM PUSH 250 (U) NAM-IC.
AHT	MONTREAL XL 175 (U) NAM-R.
AHT	MONTREAL XL 175 (U) NAM-IC.

Brand	Basic model
AHT	MONTREAL XL 210 (U) NAM-R.
AHT	MONTREAL XL 210 (U) NAM-IC.
AHT	MONTREAL XL 250 (U) NAM-R.
AHT	MONTREAL XL 250 (U) NAM-IC.
AHT	MONTREAL XL EC 185 (U) NAM-R.
AHT	MONTREAL XL EC 185 (U) NAM-IC.
AHT	MONTREAL XL EC 210 (U) NAM-R.
AHT	MONTREAL XL EC 210 (U) NAM-IC.
AHT	MONTREAL XL EC PUSH 185 (U) NAM-R.
AHT	MONTREAL XL EC PUSH 185 (U) NAM-IC.
AHT	MONTREAL XL EC PUSH 210 (U) NAM-R.
AHT	MONTREAL XL EC PUSH 210 (U) NAM-IC.
AHT	MONTREAL XL PUSH 175 (U) NAM-R.
AHT	MONTREAL XL PUSH 175 (U) NAM-IC.
AHT	MONTREAL XL PUSH 210 (U) NAM-R.
AHT	MONTREAL XL PUSH 210 (U) NAM-IC.
AHT	MONTREAL XL PUSH 250 (U) NAM-R.
AHT	MONTREAL XL PUSH 250 (U) NAM-IC.

(2) The alternate test procedure for the AHT basic models referenced in paragraph (1) of this Order is the test procedure for CRE prescribed by DOE at 10 CFR part 431, subpart C, appendix B, except the test period shall be selected as follows:

The first part of the test shall be a 24-hour test starting in steady-state conditions and including eight hours of door opening (according to ASHRAE Standard 72). The energy consumed in this test, *ET1*, shall be recorded.

The second part of the test shall be a defrost cycle, including any operation associated with a defrost. The start and end points of the defrost cycle test period shall be determined according to the instructions for consumer refrigerators and refrigerator-freezers outlined in 10 CFR part 430, subpart B, appendix A, section 4.2.1.1 (for cycling compressor systems) or section 4.2.1.2 (for non-cycling compressor systems). The energy consumed in this test, *ET2*, and duration, *t_{DI}*, shall be recorded.

Based on the measured energy consumption in these two tests, the daily energy consumption (DEC) in kWh shall be calculated as:

$$DEC = ET1 \times \frac{(1440 - t_{NDI})}{1440} + \frac{ET2}{3.5}$$

and

$$t_{NDI} = \frac{t_{DI}}{3.5}$$

Where:

DEC = daily energy consumption, kWh;
 ET1 = energy consumed during the first part of the test, in kWh;
 ET2 = energy consumed during the second part of the test, in kWh
 t_{NDI} = normalized length of defrosting time per day, in minutes;
 t_{DI} = length of time of defrosting test period, in minutes;
 3.5 = time between defrost occurrences, in days; and
 1440 = conversion factor, minutes per day.

(3) *Representations*. AHT may not make representations about the energy use of a basic model listed in paragraph (1) of this Order for compliance, marketing, or other purposes unless that basic model has been tested in accordance with the provisions of paragraph (2) of this Order and such representations fairly disclose the results of such testing.

(4) This Extension of Interim Waiver shall remain in effect according to the provisions of 10 CFR 431.401.

(5) This Extension of Interim Waiver is issued on the condition that the statements, representations, and documentation provided by AHT are valid. If AHT makes any modifications to the defrost controls of these basic models, the interim waiver will no longer be valid and AHT will either be required to use the current Federal test method or submit a new application for a test procedure waiver. DOE may rescind or modify this Extension of Interim Waiver (and/or the underlying Order issued in Case Number CR-006) at any time if it determines the factual basis underlying the petition for extension of interim waiver (and/or the underlying Order issued in Case Number CR-006) is incorrect, or the results from the alternate test procedure are unrepresentative of a basic model's true energy consumption characteristics. 10 CFR 431.401(k)(1). Likewise, AHT may request that DOE rescind or modify the Extension of Interim Waiver (and/or the underlying Order issued in Case Number CR-006) if AHT discovers an error in the information provided to DOE as part of its petition, determines

that the interim waiver is no longer needed, or for other appropriate reasons. 10 CFR 431.401(k)(2).

(6) AHT remains obligated to fulfill all applicable requirements set forth at 10 CFR part 429.

Signing Authority

This document of the Department of Energy was signed on June 23, 2021, by Kelly Speakes-Backman, Principal Deputy Assistant Secretary and Acting Assistant Secretary for Energy Efficiency and Renewable Energy, pursuant to delegated authority from the Secretary of Energy. That document with the original signature and date is maintained by DOE. For administrative purposes only, and in compliance with requirements of the Office of the Federal Register, the undersigned DOE Federal Register Liaison Officer has been authorized to sign and submit the document in electronic format for publication, as an official document of the Department of Energy. This administrative process in no way alters the legal effect of this document upon publication in the **Federal Register**.

Signed in Washington, DC, on June 25, 2021.

Treena V. Garrett,

Federal Register Liaison Officer, U.S. Department of Energy.

[FR Doc. 2021-13956 Filed 6-29-21; 8:45 am]

BILLING CODE 6450-01-P

DEPARTMENT OF ENERGY

Notice of Intent To Announce Financial Assistance for Weatherization Enhancement and Innovation

AGENCY: Office of Energy Efficiency and Renewable Energy, U.S. Department of Energy.

ACTION: Notice of intent.

SUMMARY: The U.S. Department of Energy's (DOE), Office of Energy Efficiency and Renewable Energy's (EERE), Weatherization Assistance Program (WAP) intends to issue a Funding Opportunity Announcement

for Weatherization Enhancement and Innovation. Congress has directed DOE WAP in the Consolidated Appropriations Act of 2021, signed December 27, 2020, to implement Financial Assistance for Weatherization Enhancement and Innovation.

DATES: Written comments and information on this NOI are requested and will be accepted on or before July 30, 2021. The tentative release date for the funding opportunity announcement is planned for Fall 2021, with concept papers to be submitted in October 2021 and Full Applications to be submitted in December 2021. This FOA timeline is subject to change.

ADDRESSES: Interested persons are encouraged to submit comments by email to the following address: Brittany.Price@ee.doe.gov with the subject line "Announce Financial Assistance for Weatherization Enhancement and Innovation" included in the message. Submit electronic comments in WordPerfect, Microsoft Word, PDF, or ASCII file format, and avoid the use of special characters or any form of encryption. No telefacsimiles (faxes) will be accepted. For detailed instructions on submitting comments, see section III (Submission of Comments) of this document.

Although DOE has routinely accepted public comment submissions through a variety of mechanisms, including postal mail and hand delivery/courier, the Department has found it necessary to make temporary modifications to the comment submission process in light of the ongoing Covid-19 pandemic. DOE is currently accepting only electronic submissions at this time. If a commenter finds that this change poses an undue hardship, please contact the DOE staff person listed in this notice.

FOR FURTHER INFORMATION CONTACT:

Questions may be directed to Brittany Price, U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, EE-5W, 1000 Independence Avenue SW, Washington, DC 20585-0121. Telephone: (240) 306-7252. Email: Brittany.Price@ee.doe.gov.