

change will result in an increase in the working gas capacity from 5.0 to 5.859 Bcf, and an increase in base gas capacity from 2.9 to 3.199 Bcf. Petal proposes to increase its maximum capacity without any additional construction. The current maximum storage pressure will remain unchanged at 3,200 psia, all as more fully set forth in the application which is on file with the Commission and open to public inspection. The filing may also be viewed on the Web at <http://www.ferc.gov> using the "eLibrary" link. Enter the docket number excluding the last three digits in the docket number field to access the document. For assistance, please contact FERC Online Support at [FERCOnlineSupport@ferc.gov](mailto:FERCOnlineSupport@ferc.gov) or toll-free at (866) 208-3676, or TTY, contact (202) 502-8659.

Any questions concerning this application may be directed to Richard Porter, Director, Rates and Regulatory Affairs, Petal Gas Storage, LLC, 1100 Louisiana Street, Houston, TX 77002, at (713)-381-2526.

Any person may, within 60 days after the issuance of the instant notice by the Commission, file pursuant to Rule 214 of the Commission's Procedural Rules (18 CFR 385.214) a motion to intervene or notice of intervention. Any person filing to intervene or the Commission's staff may, pursuant to section 157.205 of the Commission's Regulations under the Natural Gas Act (NGA) (18 CFR 157.205) file a protest to the request. If no protest is filed within the time allowed therefor, the proposed activity shall be deemed to be authorized effective the day after the time allowed for protest. If a protest is filed and not withdrawn within 30 days after the time allowed for filing a protest, the instant request shall be treated as an application for authorization pursuant to section 7 of the NGA.

The Commission strongly encourages electronic filings of comments, protests, and interventions via the Internet in lieu of paper. See 18 CFR 385.2001(a)(1)(iii) and the instructions on the Commission's Web site (<http://www.ferc.gov>) under the "e-Filing" link.

**Kimberly D. Bose,**

*Secretary.*

[FR Doc. E8-24496 Filed 10-16-08; 8:45 am]

**BILLING CODE 6717-01-P**

## ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OW-2008-0692; FRL-8730-6]

**RIN 2040-ZA02**

### Drinking Water: Preliminary Regulatory Determination on Perchlorate; Correction

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice; correction.

**SUMMARY:** The Environmental Protection Agency published a document in the **Federal Register** of October 10, 2008, concerning request for comments on the Agency's Preliminary Regulatory Determination on Perchlorate. The document contained an incorrect Docket number. The correct Docket number is EPA-HQ-OW-2008-0692.

#### FOR FURTHER INFORMATION CONTACT:

Stephanie Flaharty, Office of Ground Water and Drinking Water, at (202) 564-5270, or e-mail:

[flaharty.stephanie@epa.gov](mailto:flaharty.stephanie@epa.gov). For general information contact the EPA Safe Drinking Water Hotline at (800) 426-4791 or e-mail: [hotline-sdwa@epa.gov](mailto:hotline-sdwa@epa.gov).

#### Correction

In the **Federal Register** (FR) of October 10, 2008, in FR Doc. FRL-8727-6, on page 60262, correct the header to read [EPA-HQ-OW-2008-0692]; and, on page 60263, correct the **ADDRESSES** section to read:

**ADDRESSES:** Submit your comments, identified by Docket ID No. EPA-HQ-OW-2008-0692, by one of the following methods:

- [www.regulations.gov](http://www.regulations.gov): Follow the on-line instructions for submitting comments.
- Mail: Water Docket, Environmental Protection Agency, Mailcode: 2822T, 1200 Pennsylvania Ave., NW., Washington, DC 20460.
- Hand Delivery: Water Docket, EPA Docket Center (EPA/DC) EPA West, Room 3334, 1301 Constitution Ave., NW., Washington, DC. Such deliveries are only accepted during the Docket's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

**Instructions:** Direct your comments to Docket ID No. EPA-HQ-OW-2008-0692. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at [www.regulations.gov](http://www.regulations.gov), including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information

whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected through [www.regulations.gov](http://www.regulations.gov) or e-mail. The [www.regulations.gov](http://www.regulations.gov) Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through [www.regulations.gov](http://www.regulations.gov) your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses. For additional instructions on submitting comments, go to Unit I.B of the **SUPPLEMENTARY INFORMATION** section of this document.

**Docket:** All documents in the docket are listed in the [www.regulations.gov](http://www.regulations.gov) index. Although listed in the index, some information is not publicly available, e.g., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, will be publicly available only in hard copy. Publicly available docket materials are available either electronically in [www.regulations.gov](http://www.regulations.gov) or in hard copy at the Water Docket, EPA/DC, EPA West, Room 3334, 1301 Constitution Ave., NW., Washington, DC. The Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Public Reading Room is (202) 566-1744, and the telephone number for the EPA Docket Center is (202) 566-2426.

Dated: October 10, 2008.

**Cynthia C. Dougherty,**

*Director, Office of Ground Water and Drinking Water.*

[FR Doc. E8-24694 Filed 10-16-08; 8:45 am]

**BILLING CODE 6560-50-P**