

products, of rectangular shape, either clad, plated, or coated with corrosion-resistant metals such as zinc, aluminum, or zinc-, aluminum-, nickel- or iron-based alloys, whether or not corrugated or painted, varnished or coated with plastics or other nonmetallic substances in addition to the metallic coating, in coils (whether or not in successively superimposed layers) and of a width of 0.5 inch or greater, or in straight lengths which, if of a thickness less than 4.75 millimeters, are of a width of 0.5 inch or greater and which measures at least 10 times the thickness or if of a thickness of 4.75 millimeters or more are of a width which exceeds 150 millimeters and measures at least twice the thickness. The merchandise subject to this order is currently classifiable in the *Harmonized Tariff Schedule of the United States* (HTSUS) at subheadings: 7210.30.0000, 7210.31.0000, 7210.39.0000, 7210.41.0000,

7210.49.0030, 7210.49.0090, 7210.60.0000, 7210.61.0000, 7210.69.0000, 7210.70.6030, 7210.70.6060, 7210.70.6090, 7210.90.1000, 7210.90.6000, 7210.90.9000, 7212.20.0000, 7212.21.0000, 7212.29.0000, 7212.30.1030, 7212.30.1090, 7212.30.3000, 7212.30.5000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7212.60.0000, 7215.90.1000, 7215.90.30, 7215.90.5000, 7217.12.1000, 7217.13.1000, 7217.19.1000, 7217.19.5000, 7217.20.1500, 7217.22.5000, 7217.23.5000, 7217.29.1000, 7217.29.5000, 7217.30.15.0000, 7217.32.5000, 7217.33.5000, 7217.39.1000, 7217.39.5000, 7217.90.1000 and 7217.90.5000. Although the HTSUS subheadings are provided for convenience and customs purposes, the Department's written

description of the merchandise is dispositive.

Period of Review

The POR for which we are measuring subsidies is from January 1, 2004, through December 31, 2004.

Final Results of Review

As noted above, the Department received no comments concerning the *Preliminary Results*. Consistent with the *Preliminary Results*, we find that POSCO and Dongbu received *de minimis* countervailable subsidies during the POR. As there have been no changes or comments from the *Preliminary Results*, a Decision Memorandum was not required for these final results and, therefore, no memo is attached to this **Federal Register** notice. For further details of the programs included in this proceeding, see the *Preliminary Results*.

Company	Net subsidy rate
Pohang Iron and Steel Co. Ltd. (POSCO)	0.07 percent <i>ad valorem</i> (<i>de minimis</i>)
Dongbu Steel Co. Ltd. (Dongbu)	0.39 percent <i>ad valorem</i> (<i>de minimis</i>)

Assessment Rates/Cash Deposits

The Department intends to issue assessment instructions to U.S. Customs and Border Protection ("CBP") 15 days after the date of publication of these final results of review to liquidate shipments of subject merchandise by POSCO and Dongbu entered, or withdrawn from warehouse, for consumption on or after January 1, 2004, through December 31, 2004, without regard to countervailing duties. We will also instruct CBP not to collect cash deposits of estimated countervailing duties on shipments of the subject merchandise by POSCO and Dongbu entered, or withdrawn from warehouse, for consumption on or after the date of publication of these final results of review.

For all non-reviewed companies, the Department has instructed CBP to assess countervailing duties at the cash deposit rates in effect at the time of entry, for entries between January 1, 2004, and December 31, 2004. The cash deposit rates for all companies not covered by this review are not changed by the results of this review.

Return of Destruction of Proprietary Information

This notice serves as a reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary information

disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely written notification of return or destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

We are issuing and publishing these results in accordance with sections 751(a)(1) and 777(i)(1) of the Act.

Dated: December 22, 2006.

David M. Spooner,

Assistant Secretary for Import Administration.

[FR Doc. E6-22493 Filed 12-29-03; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

[C-580-835]

Final Results of Countervailing Duty Administrative Review: Stainless Steel Sheet and Strip in Coils from the Republic of Korea

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

Background:

On August 28, 2006, the Department of Commerce ("the Department") published in the **Federal Register** its preliminary results of administrative review of the countervailing duty

("CVD") order on stainless steel sheet and strip in coils from the Republic of Korea ("Korea") for the period January 1, 2004, through December 31, 2004. See *Preliminary Results of Countervailing Duty Administrative Review: Stainless Steel Sheet and Strip in Coils from the Republic of Korea*, 71 FR 50866 (August 28, 2006) ("*Preliminary Results*"). The Department preliminarily found that Dai Yang Metal Co., Ltd. ("DMC"), the producer/exporter of subject merchandise covered by this review, had a *de minimis* net subsidy rate during the period of review ("POR"). We did not receive any comments on our preliminary results and have made no revisions to those results.

EFFECTIVE DATE: January 3, 2007.

FOR FURTHER INFORMATION CONTACT:

Preeti Tolani, AD/CVD Operations, Office 3, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230; telephone: (202) 482-0395.

SUPPLEMENTARY INFORMATION:

Scope of the Order

The products subject to this order are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is

a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated), provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise subject to this order is currently classifiable in the *Harmonized Tariff Schedule of the United States* ("HTSUS") at subheadings: 7219.13.00.30, 7219.13.00.50, 7219.13.00.70, 7219.13.00.80, 7219.14.00.30, 7219.14.00.65, 7219.14.00.90, 7219.32.00.05, 7219.32.00.20, 7219.32.00.25, 7219.32.00.35, 7219.32.00.36, 7219.32.00.38, 7219.32.00.42, 7219.32.00.44, 7219.33.00.05, 7219.33.00.20, 7219.33.00.25, 7219.33.00.35, 7219.33.00.36, 7219.33.00.38, 7219.33.00.42, 7219.33.00.44, 7219.34.00.05, 7219.34.00.20, 7219.34.00.25, 7219.34.00.30, 7219.34.00.35, 7219.35.00.05, 7219.35.00.15, 7219.35.00.30, 7219.35.00.35, 7219.90.00.10, 7219.90.00.20, 7219.90.00.25, 7219.90.00.60, 7219.90.00.80, 7220.12.10.00, 7220.12.50.00, 7220.20.10.10, 7220.20.10.15, 7220.20.10.60, 7220.20.10.80, 7220.20.60.05, 7220.20.60.10, 7220.20.60.15, 7220.20.60.60, 7220.20.60.80, 7220.20.70.05, 7220.20.70.10, 7220.20.70.15, 7220.20.70.60, 7220.20.70.80, 7220.20.80.00, 7220.20.90.30, 7220.20.90.60, 7220.90.00.10, 7220.90.00.15, 7220.90.00.60, and 7220.90.00.80. Although the HTSUS subheadings are provided for convenience and customs purposes, the Department's written description of the merchandise is dispositive.

Excluded from the scope of this order are the following: (1) sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (i.e., flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (i.e., cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used

in the manufacture of razor blades. See Chapter 72 of the HTSUS, "Additional U.S. Note" 1(d).

The Department has determined that certain specialty stainless steel products are also excluded from the scope of this order. These excluded products are described below:

Flapper valve steel is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this order. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of between 0.002 and 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromium-cobalt alloy stainless strip is also excluded from the scope of this order. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."¹

Certain electrical resistance alloy steel is also excluded from the scope of this order. This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials ("ASTM") specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."²

Certain martensitic precipitation-hardenable stainless steel is also excluded from the scope of this order. This high-strength, ductile stainless steel product is designated under the Unified Numbering System ("UNS") as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under

¹ "Arnokrome III" is a trademark of the Arnold Engineering Company.

² "Gilphy 36" is a trademark of Imphy, S.A.

proprietary trade names such as "Durphynox 17."³

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this order. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁴ This steel is similar to ASTM grade 440F, but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 HI-C." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per square micron. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6."

Final Results of Review

As noted above, the Department received no comments concerning the *Preliminary Results*. Therefore, consistent with the *Preliminary Results*, we continue to find the net subsidy for DMC to be 0.02 percent *ad valorem*, which is *de minimis*. See 19 CFR 351.106(c)(1). As there have been no changes to or comments on the *Preliminary Results*, we are not attaching a decision memorandum to this **Federal Register** notice. For further details of the programs included in this proceeding, see the *Preliminary Results*.

Assessment Rates/Cash Deposits

The Department intends to issue assessment instructions to U.S. Customs and Border Protection ("CBP") 15 days

after the date of publication of these final results of this review, to liquidate shipments of subject merchandise by DMC entered, or withdrawn from warehouse, for consumption on or after January 1, 2004, through December 31, 2004, without regard to countervailing duties. We will also instruct CBP not to collect cash deposits of estimated countervailing duties on shipments of the subject merchandise by DMC entered, or withdrawn from warehouse, for consumption on or after the date of publication of the final results of this review.

For all non-reviewed companies, we will instruct CBP to continue to collect cash deposits at the most recent company-specific or country-wide rate applicable to the company. Accordingly, the cash deposit rates that will be applied to non-reviewed companies covered by this order are those established in the most recently completed administrative proceeding. See *Final Results of Countervailing Duty Administrative Review: Stainless Steel Sheet and Strip in Coils from the Republic of Korea*, 69 FR 2113 (January 14, 2004). These rates shall apply to all non-reviewed companies until a review of a company assigned these rates is completed.

Return of Destruction of Proprietary Information

This notice also serves as a reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely written notification of the return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

We are issuing and publishing these results in accordance with sections 751(a)(1) and 777(i)(1) of the Act.

Dated: December 22, 2006.

David M. Spooner,

Assistant Secretary for Import Administration.

[FR Doc. E6-22494 Filed 12-29-06; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

Evaluation of State Coastal Management Programs and National Estuarine Research Reserves

AGENCY: National Oceanic and Atmospheric Administration (NOAA), Office of Ocean and Coastal Resource Management, National Ocean Service, Commerce.

ACTION: Notice of intent to evaluate and notice of availability of final findings.

SUMMARY: The NOAA Office of Ocean and Coastal Resource Management (OCRM) announces its intent to evaluate the performance of the Massachusetts Coastal Management Program, the Guam Coastal Management Program, the Chesapeake Bay-Virginia National Estuarine Research Reserve, and the Weeks Bay (Alabama) National Estuarine Research Reserve.

The Coastal Zone Management Programs evaluation will be conducted pursuant to section 312 of the Coastal Zone Management Act of 1972, as amended (CZMA) and regulations at 15 CFR Part 923, Subpart L. The National Estuarine Research Reserve evaluations will be conducted pursuant to sections 312 and 315 of the CZMA and regulations at 15 CFR Part 921, Subpart E and Part 923, Subpart L. The CZMA requires continuing review of the performance of states with respect to coastal program implementation. Evaluation of Coastal Management Programs and National Estuarine Research Reserves requires findings concerning the extent to which a state has met the national objectives, adhered to its Coastal Management Program document or Reserve final management plan approved by the Secretary of Commerce, and adhered to the terms of financial assistance awards funded under the CZMA.

Each evaluation will include a site visit, consideration of public comments, and consultations with interested Federal, State, and local agencies and members of the public. A public meeting will be held as part of each site visit. Notice is hereby given of the dates of the site visits for the listed evaluations, and the dates, local times, and locations of the public meetings during the site visits.

Dates and Times: The Massachusetts Coastal Management Program evaluation site visit will be held February 5-9, 2007. One public meeting will be held during the week. The public meeting will be held on Tuesday,

³ "Durphynox 17" is a trademark of Imphy, S.A.

⁴ This list of uses is illustrative and provided for descriptive purposes only.