

(x) Chief, Decennial Statistical Studies Division;

(xi) Chief, Population Division; and
(xii) Senior Mathematical Statistician.

§ 101.2 [Removed]

3. Section 101.2 is removed.

[FR Doc. 01-4438 Filed 2-22-01; 8:45 am]

BILLING CODE 3510-07-U

DEPARTMENT OF TRANSPORTATION

Coast Guard

33 CFR Part 117

[CGD07-01-014]

Drawbridge Operation Regulations; Siesta Key Bridge (SR 758), Sarasota, FL

AGENCY: Coast Guard, DOT.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, Seventh Coast Guard District, has approved a temporary deviation from the regulations governing the operation of the Siesta Key Bridge (SR 758) across the Gulf Intracoastal Waterway, mile 71.6, Sarasota County, Sarasota, Florida. This deviation allows the drawbridge owner or operator to only open one leaf of the drawbridge, from 8 a.m. until 5 p.m., on March 5, 2001 and March 6, 2001. This temporary deviation is required to allow the bridge owner to safely complete maintenance on the bridge.

DATES: This deviation is effective from 8 a.m. on March 5, 2001 until 5 p.m. on March 6, 2001.

FOR FURTHER INFORMATION CONTACT: Mr. Barry Dragon, Chief, Operations Section, Seventh Coast Guard District, Bridge Section at (305) 415-6743.

SUPPLEMENTARY INFORMATION: The Siesta Key Bridge across the Gulf Intracoastal Waterway at Sarasota County, Sarasota, is a double leaf bridge with a vertical clearance of 21 feet above mean high water (MHW) measured at the fenders in the closed position with a horizontal clearance of 90 feet. On January 24, 2001, the Florida Department of Transportation, the drawbridge owner, requested a deviation from the current operating regulations in 33 CFR 117.287(b-1). These regulations require the draw to open on signal, except from 11 a.m. to 6 p.m. daily, the draw need only open on the hour, 20 minutes past the hour, and 40 minutes past the hour. This temporary deviation was requested to allow necessary maintenance to the

drawbridge in a critical time sensitive manner.

The District Commander has granted a temporary deviation from the operating requirements listed in 33 CFR 117.287(b-1) for the purpose of maintenance on the drawbridge. Under this deviation, the Siesta Key Bridge need only open one leaf from 8 a.m. until 5 p.m., March 5, 2001 and March 6, 2001.

Dated: February 14, 2001.

Greg E. Shapley,

Chief, Bridge Administration, Seventh Coast Guard District.

[FR Doc. 01-4548 Filed 2-22-01; 8:45 am]

BILLING CODE 4910-15-P

DEPARTMENT OF TRANSPORTATION

Coast Guard

33 CFR Part 117

[CGD07-01-013]

Drawbridge Operation Regulations; Cortez Bridge (SR 684), Cortez, FL

AGENCY: Coast Guard, DOT.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, Seventh Coast Guard District, has approved a temporary deviation from the regulations governing the operation of the Cortez Bridge across the Gulf Intracoastal Waterway, mile 87.4, Sarasota County, Cortez, Florida. This deviation allows the drawbridge owner or operator to only open one leaf of the drawbridge, from 8 a.m. until 5 p.m., on March 12, 2001 and March 13, 2001. This temporary deviation is required to allow the bridge owner to safely complete maintenance on the bridge.

DATES: This deviation is effective from 8 a.m. on March 12, 2001 until 5 p.m. on March 13, 2001.

FOR FURTHER INFORMATION CONTACT: Mr. Barry Dragon, Chief, Operations Section, Seventh Coast Guard District, Bridge Section at (305) 415-6743.

SUPPLEMENTARY INFORMATION: The Cortez Bridge across the Gulf Intracoastal Waterway at Sarasota County, Cortez, FL is a double leaf bridge with a vertical clearance of 25.5 feet above mean high water (MHW) measured at the fenders in the closed position with a horizontal clearance of 90 feet. On January 24, 2001, the Florida Department of Transportation, the drawbridge owner, requested a deviation from the current operating regulations in 33 CFR 117.287(d)(1). Those regulations require the draw to

open on signal, except from 7 a.m. to 6 p.m., the draw need only open on the hour, twenty minutes past the hour, and forty minutes past the hour. This temporary deviation was requested to allow necessary maintenance to the drawbridge in a critical time sensitive manner.

The District Commander has granted a temporary deviation from the operating requirements listed in 33 CFR 117.287(d)(1) for the purpose of maintenance on the drawbridge. Under this deviation, the Cortez Bridge need only open one leaf from 8 a.m. until 5 p.m. on March 12, 2001 and March 13, 2001.

Dated: February 14, 2001.

Greg E. Shapley,

Chief, Bridge Administration, Seventh Coast Guard District.

[FR Doc. 01-4547 Filed 2-22-01; 8:45 am]

BILLING CODE 4910-15-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 63

[AD-FRL-6768-2]

RIN 2060-AH47

National Emission Standards for Hazardous Air Pollutant Emissions: Group IV Polymers and Resins

AGENCY: Environmental Protection Agency (EPA).

ACTION: Final rule; amendment.

SUMMARY: The EPA is issuing this final rule amendment to indefinitely stay the current compliance date of February 27, 2001, for the provisions pertaining to process contact cooling towers (PCCT) for existing affected sources producing poly (ethylene terephthalate) (PET) using the continuous terephthalic acid (TPA) high viscosity multiple end finisher process. On August 29, 2000, the EPA issued a direct final rule (65 FR 52319) and a parallel proposal (65 FR 52392) to stay the compliance date indefinitely because the EPA is in the process of responding to a request to reconsider relevant portions of the rule which may result in changes to the emission limitation applying to PCCT in this subcategory.

On September 20, 2000, the EPA received an adverse comment on the direct final rule for an indefinite stay of compliance. Therefore, the EPA withdrew the direct final rule (65 FR 64161; October 26, 2000). After considering the comments received, the EPA is promulgating the indefinite stay of compliance through this amendment.