

website at <http://www.samhsa.gov/about-us/advisory-councils/csat-national-advisory-council> or by contacting the CSAT National Advisory Council Designated Federal Officer.

Council Name: SAMHSA's Center for Substance Abuse Treatment, National Advisory Council.

Date/Time/Type: March 31, 2021, 1:00 p.m.–6:00 p.m. EDT, OPEN.

Place: SAMHSA, 5600 Fishers Lane, Rockville, Maryland 20857.

Contact: Tracy Goss, Designated Federal Officer, CSAT National Advisory Council, 5600 Fishers Lane, Rockville, Maryland 20857 (mail), Telephone: (240) 276-0759, Email: tracy.goss@samhsa.hhs.gov.

Dated: February 11, 2021.

Carlos Castillo,

Committee Management Officer, SAMHSA.

[FR Doc. 2021-03269 Filed 2-17-21; 8:45 am]

BILLING CODE 4162-20-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2019-N-0803]

Advisory Committee; Technical Electronic Product Radiation Safety Standards Committee; Renewal

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice; renewal of Federal advisory committee.

SUMMARY: The Food and Drug Administration (FDA) is announcing the renewal of the Technical Electronic Product Radiation Safety Standards Committee by the Commissioner of Food and Drugs (the Commissioner). The Commissioner has determined that it is in the public interest to renew the Technical Electronic Product Radiation Safety Standards Committee for an additional 2 years beyond the charter expiration date. The new charter will be in effect until the December 24, 2022, expiration date.

DATES: Authority for the Technical Electronic Product Radiation Safety Standards Committee (the Committee) will expire on December 24, 2022, unless the Commissioner formally determines that renewal is in the public interest.

FOR FURTHER INFORMATION CONTACT: Patricio Garcia, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 5216, Silver Spring, MD 20993-0002, 301-796-6875, email: Patricio.Garcia@fda.hhs.gov.

SUPPLEMENTARY INFORMATION: Pursuant to 41 CFR 102-3.65 and approval by the Department of Health and Human Services pursuant to 45 CFR part 11 and by the General Services Administration, FDA is announcing the renewal of the Committee. The Committee is a non-discretionary Federal advisory committee established to provide advice to the Commissioner.

The Commissioner is charged with the administration of the Radiation Control for Health and Safety Act of 1968. This Act creates the Committee and requires the Commissioner to consult with the Committee before prescribing standards for radiation emissions from electronic products. This Committee provides advice and consultation to the Commissioner on the technical feasibility, reasonableness, and practicability of performance standards for electronic products to control the emission of radiation from such products and may recommend electronic product radiation safety standards to the Commissioner for consideration.

The Committee shall consist of 15 voting members, including the Chair. Members and the Chair are selected by the Commissioner or designee from among authorities knowledgeable in the fields of science or engineering applicable to electronic product radiation safety. Members will be invited to serve for overlapping terms of up to 4 years. Voting members will include five members selected from governmental agencies, including State and Federal Governments, five members from the affected industries, and five members from the general public, of which at least one shall be a representative of organized labor. A quorum shall consist of 10 members, of which at least 3 shall be from the general public, 3 from the government agencies, and 3 from the affected industries.

Further information regarding the most recent charter and other information can be found at <https://www.fda.gov/AdvisoryCommittees/CommitteesMeetingMaterials/Radiation-EmittingProducts/TechnicalElectronicProductRadiationSafetyStandardsCommittee/default.htm> or by contacting the Designated Federal Officer (see **FOR FURTHER INFORMATION CONTACT**). In light of the fact that no change has been made to the committee name or description of duties, no amendment will be made to 21 CFR 14.100.

This notice is issued under the Federal Advisory Committee Act (5 U.S.C. app.). For general information related to FDA advisory committees,

please visit us at <https://www.fda.gov/AdvisoryCommittees/default.htm>.

Dated: February 11, 2021.

Lauren K. Roth,

Acting Principal Associate Commissioner for Policy.

[FR Doc. 2021-03239 Filed 2-17-21; 8:45 am]

BILLING CODE 4164-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2012-N-0115]

Agency Information Collection Activities; Proposed Collection; Comment Request; Guidance for Industry and Food and Drug Administration Staff—Class II Special Controls Guidance Document: Automated Blood Cell Separator Device Operating by Centrifugal or Filtration Principle

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA or Agency) is announcing an opportunity for public comment on the proposed collection of certain information by the Agency. Under the Paperwork Reduction Act of 1995 (PRA), Federal Agencies are required to publish notice in the **Federal Register** concerning each proposed collection of information, including each proposed extension of an existing collection of information, and to allow 60 days for public comment in response to the notice. This notice solicits comments on the collection of information concerning class II special controls for an automated blood cell separator device operating by centrifugal or filtration separation principle.

DATES: Submit either electronic or written comments on the collection of information by April 19, 2021.

ADDRESSES: You may submit comments as follows. Please note that late, untimely filed comments will not be considered. Electronic comments must be submitted on or before April 19, 2021. The <https://www.regulations.gov> electronic filing system will accept comments until 11:59 p.m. Eastern Time at the end of April 19, 2021. Comments received by mail/hand delivery/courier (for written/paper submissions) will be considered timely if they are postmarked or the delivery service acceptance receipt is on or before that date.

Electronic Submissions

Submit electronic comments in the following way:

- **Federal eRulemaking Portal:** <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else's Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see "Written/Paper Submissions" and "Instructions").

Written/Paper Submissions

Submit written/paper submissions as follows:

- **Mail/Hand Delivery/Courier (for written/paper submissions):** Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in "Instructions."

Instructions: All submissions received must include the Docket No. FDA-2012-N-0115 for "Guidance for Industry and FDA Staff—Class II Special Controls Guidance Document: Automated Blood Cell Separator Device Operating by Centrifugal or Filtration Separation Principle." Received comments, those filed in a timely manner (see **ADDRESSES**), will be placed in the docket and, except for those submitted as "Confidential Submissions," publicly viewable at <https://www.regulations.gov> or at the Dockets Management Staff between 9 a.m. and 4 p.m., Monday through Friday, 240-402-7500.

- **Confidential Submissions—**To submit a comment with confidential information that you do not wish to be made publicly available, submit your

comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states "THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION." The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as "confidential." Any information marked as "confidential" will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA's posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <https://www.govinfo.gov/content/pkg/FR-2015-09-18/pdf/2015-23389.pdf>.

Docket: For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://www.regulations.gov> and insert the docket number, found in brackets in the heading of this document, into the "Search" box and follow the prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852, 240-402-7500.

FOR FURTHER INFORMATION CONTACT: Ila S. Mizrahi, Office of Operations, Food and Drug Administration, Three White Flint North, 10A-12M, 11601 Landsdown St., North Bethesda, MD 20852, 301-796-7726, PRASaff@fda.hhs.gov.

SUPPLEMENTARY INFORMATION: Under the PRA (44 U.S.C. 3501-3521), Federal Agencies must obtain approval from the Office of Management and Budget (OMB) for each collection of information they conduct or sponsor. "Collection of information" is defined in 44 U.S.C. 3502(3) and 5 CFR 1320.3(c) and includes Agency requests or requirements that members of the public submit reports, keep records, or provide information to a third party. Section 3506(c)(2)(A) of the PRA (44 U.S.C. 3506(c)(2)(A)) requires Federal Agencies to provide a 60-day notice in the **Federal Register** concerning each proposed collection of information, including each proposed extension of an

existing collection of information, before submitting the collection to OMB for approval. To comply with this requirement, FDA is publishing notice of the proposed collection of information set forth in this document.

With respect to the following collection of information, FDA invites comments on these topics: (1) Whether the proposed collection of information is necessary for the proper performance of FDA's functions, including whether the information will have practical utility; (2) the accuracy of FDA's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used; (3) ways to enhance the quality, utility, and clarity of the information to be collected; and (4) ways to minimize the burden of the collection of information on respondents, including through the use of automated collection techniques, when appropriate, and other forms of information technology.

Guidance for Industry and FDA Staff—Class II Special Controls Guidance Document: Automated Blood Cell Separator Device Operating by Centrifugal or Filtration Separation Principle

OMB Control Number 0910-0594—Extension

This information collection supports Agency regulations. Under the Safe Medical Devices Act of 1990 (Pub. L. 101-629), FDA may establish special controls, including performance standards, postmarket surveillance, patient registries, guidelines, and other appropriate actions it believes necessary to provide reasonable assurance of the safety and effectiveness of the device. The special control guidance serves as the special control for the automated blood cell separator device operating by centrifugal or filtration separation principle intended for the routine collection of blood and blood components (§ 864.9245 (21 CFR 864.9245)). The guidance entitled "Guidance for Industry and FDA Staff—Class II Special Controls Guidance Document: Automated Blood Cell Separator Device Operating by Centrifugal or Filtration Separation Principle" is available at <https://www.fda.gov/media/124263/download>.

For currently marketed products not approved under the premarket approval process, the manufacturer should file with FDA for 3 consecutive years an annual report on the anniversary date of the device reclassification from class III to class II or on the anniversary date of the 510(k) of the Federal Food, Drug,

and Cosmetic Act (FD&C Act) (21 U.S.C. 360(k)) clearance. Any subsequent change to the device requiring the submission of a premarket notification in accordance with section 510(k) of the FD&C Act should be included in the annual report. Also, a manufacturer of a device determined to be substantially equivalent to the centrifugal or filtration-based automated cell separator device intended for the routine collection of blood and blood components should comply with the same general and special controls.

The annual report should include, at a minimum, a summary of anticipated and unanticipated adverse events that have occurred and that are not required to be reported by manufacturers under Medical Device Reporting (MDR) (part 803 (21 CFR part 803)). The reporting of adverse device events summarized in an annual report will alert FDA to trends or clusters of events that might be a safety issue otherwise unreported under

the MDR regulation. The report should also include any subsequent change to the preamendments class III device requiring a 30-day notice in accordance with 21 CFR 814.39(f).

Reclassification of this device from class III to class II relieves manufacturers of the burden of complying with the premarket approval requirements of section 515 of the FD&C Act (21 U.S.C. 360e) and may permit small potential competitors to enter the marketplace by reducing the burden. Although the special control guidance recommends that manufacturers of these devices file with FDA an annual report for 3 consecutive years, this would be less burdensome than the current postapproval requirements under 21 CFR part 814, subpart E, including the submission of periodic reports under 21 CFR 814.84.

Collecting or transfusing facilities, the intended users of the device, and the device manufacturers have certain

responsibilities under the Federal regulations. For example, collecting or transfusing facilities are required to maintain records of any reports of complaints of adverse reactions (21 CFR 606.170), while the device manufacturer is responsible for conducting an investigation of each event that is reasonably known to the manufacturer and evaluating the cause of the event (§ 803.50(b) (21 CFR 803.50(b))). In addition, manufacturers of medical devices are required to submit to FDA individual adverse event reports of death, serious injury, and malfunctions (§ 803.50).

In the special control guidance document, FDA recommends that manufacturers include in their three annual reports a summary of adverse reactions maintained by the collecting or transfusing facility or similar reports of adverse events collected.

FDA estimates the burden of this collection of information as follows:

TABLE 1—ESTIMATED ANNUAL REPORTING BURDEN ¹

Activity	Number of respondents	Number of responses per respondent	Total annual responses	Average burden per response	Total hours
Annual Report	3	1	3	5	15

¹ There are no capital costs or operating and maintenance costs associated with this collection of information.

Based on FDA records, there are approximately three manufactures of automated blood cell separator devices. We estimate that the manufacturers will spend approximately 5 hours preparing and submitting the annual report. Based on a review of the information collection since our last request for OMB approval, we have made no adjustments to our burden estimates.

Other burden hours required for \$ 864.9245 are reported and approved under OMB control number 0910–0120 (premarket notification submission 510(k), 21 CFR part 807, subpart E), and OMB control number 0910–0437 (MDR, part 803).

Dated: February 11, 2021.

Lauren K. Roth,

Acting Principal Associate Commissioner for Policy.

[FR Doc. 2021–03258 Filed 2–17–21; 8:45 am]

BILLING CODE 4164–01–P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

[Internal Agency Docket No. FEMA–4533–DR; Docket ID FEMA–2021–0001]

Alaska; Amendment No. 2 to Notice of a Major Disaster Declaration

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Notice.

SUMMARY: This notice amends the notice of a major disaster declaration for the State of Alaska (FEMA–4533–DR), dated April 9, 2020, and related determinations.

DATES: This change occurred on January 20, 2021.

FOR FURTHER INFORMATION CONTACT:

Dean Webster, Office of Response and Recovery, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20472, (202) 646–2833.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) hereby gives notice that pursuant to the authority vested in the Administrator, under Executive Order 12148, as amended, Vincent J.

Maykovich, of FEMA is appointed to act as the Federal Coordinating Officer for this disaster.

This action terminates the appointment of Michael F. O'Hare as Federal Coordinating Officer for this disaster.

The following Catalog of Federal Domestic Assistance Numbers (CFDA) are to be used for reporting and drawing funds: 97.030, Community Disaster Loans; 97.031, Cora Brown Fund; 97.032, Crisis Counseling; 97.033, Disaster Legal Services; 97.034, Disaster Unemployment Assistance (DUA); 97.046, Fire Management Assistance Grant; 97.048, Disaster Housing Assistance to Individuals and Households In Presidentially Declared Disaster Areas; 97.049, Presidentially Declared Disaster Assistance—Disaster Housing Operations for Individuals and Households; 97.050, Presidentially Declared Disaster Assistance to Individuals and Households—Other Needs; 97.036, Disaster Grants—Public Assistance (Presidentially Declared Disasters); 97.039, Hazard Mitigation Grant.

Robert J. Fenton,

Senior Official Performing the Duties of the Administrator, Federal Emergency Management Agency.

[FR Doc. 2021–03328 Filed 2–17–21; 8:45 am]

BILLING CODE 9111–23–P