

DEPARTMENT OF HOMELAND SECURITY**Coast Guard****33 CFR Part 117****[Docket No. USCG-2015-0806]****Drawbridge Operation Regulation; English Kills, Brooklyn, NY****AGENCY:** Coast Guard, DHS.**ACTION:** Notice of deviation from drawbridge regulation.

SUMMARY: The Coast Guard has issued a temporary deviation from the operating schedule that governs the Metropolitan Ave. Bridge, across the English Kills, mile 3.4, at Brooklyn, New York. This deviation is necessary to remove lead based paint in the bridge control house electrical room. This deviation allows the bridge to remain in the closed position for 3 days.

DATES: This deviation is effective from 12:01 a.m. on September 10, 2015 through 11:59 p.m. on September 12, 2015.

ADDRESSES: The docket for this deviation, [USCG-2015-0806] is available at <http://www.regulations.gov>. Type the docket number in the "SEARCH" box and click "SEARCH." Click on Open Docket Folder on the line associated with this deviation. You may also visit the Docket Management Facility in Room W12-140, on the ground floor of the Department of Transportation West Building, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this temporary deviation, contact Ms. Judy K. Leung-Yee, Project Officer, First Coast Guard District, telephone (212) 514-4330, email judy.k.leung-yee@uscg.mil. If you have questions on viewing the docket, call Ms. Cheryl Collins, Program Manager, Docket Operations, telephone (202) 366-9826.

SUPPLEMENTARY INFORMATION: The Metropolitan Ave. Bridge, mile 3.4, across the English Kills has a vertical clearance in the closed position of 10 feet at mean high water and 15 feet at mean low water. The existing bridge operating regulations are found at 33 CFR 117.801(e).

The waterway has one commercial facility located upstream of the bridge.

New York City DOT requested this temporary deviation from the normal operating schedule to facilitate essential maintenance repairs.

Under this temporary deviation, the Metropolitan Ave. Bridge may remain in the closed position from 12:01 a.m. on September 10, 2015 through 11:59 p.m. on September 12, 2015.

The bridge will not be able to open in the event of an emergency. There is no alternate route for vessel traffic; however, vessels that can pass under the closed draws during this closure may do so at any time.

The Coast Guard will inform the users of the waterway through our Local and Broadcast Notice to Mariners of the change in operating schedule for the bridge so that vessels can arrange their transits to minimize any impact caused by the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: August 27, 2015.

C.J. Bisignano,

*Supervisory Bridge Management Specialist,
First Coast Guard District.*

[FR Doc. 2015-21648 Filed 9-1-15; 8:45 am]

BILLING CODE 9110-04-P

ENVIRONMENTAL PROTECTION AGENCY**40 CFR Parts 9 and 721****[EPA-HQ-OPPT-2015-0220; FRL-9932-56]****RIN 2070-AB27****Significant New Use Rule on Substituted Cyclosiloxane; Removal**

AGENCY: Environmental Protection Agency (EPA).

ACTION: Final rule.

SUMMARY: EPA is removing a significant new use rule (SNUR) promulgated under the Toxic Substances Control Act (TSCA) for substituted cyclosiloxane that was the subject of a premanufacture notice (PMN). EPA published this SNUR using direct final rulemaking procedures. EPA received a notice of intent to submit adverse comments on this rule. Therefore, the Agency is removing this SNUR. EPA intends to publish a proposed SNUR for this chemical substance under separate notice and comment procedures.

DATES: This final rule is effective September 2, 2015.

ADDRESSES: The docket for this action, identified by docket identification (ID) number EPA-HQ-OPPT-2015-0220, is available at <http://www.regulations.gov>

or at the Office of Pollution Prevention and Toxics Docket (OPPT Docket), Environmental Protection Agency Docket Center (EPA/DC), West William Jefferson Clinton Bldg., Rm. 3334, 1301 Constitution Ave. NW., Washington, DC. The Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Public Reading Room is (202) 566-1744, and the telephone number for the OPPT Docket is (202) 566-0280. Please review the visitor instructions and additional information about the docket available at <http://www.epa.gov/dockets>.

FOR FURTHER INFORMATION CONTACT: For technical information contact: Kenneth Moss, Chemical Control Division (7405M), Office of Pollution Prevention and Toxics, Environmental Protection Agency, 1200 Pennsylvania Ave. NW., Washington, DC 20460-0001; telephone number: (202) 564-9232; email address: moss.kenneth@epa.gov.

For general information contact: The TSCA-Hotline, ABVI-Goodwill, 422 South Clinton Ave., Rochester, NY 14620; telephone number: (202) 554-1404; email address: TSCA-Hotline@epa.gov.

SUPPLEMENTARY INFORMATION:**I. Does this action apply to me?**

A list of potentially affected entities is provided in the **Federal Register** of June 5, 2015 (80 FR 32003) (FRL-9927-67). If you have questions regarding the applicability of this action to a particular entity, consult the technical person listed under **FOR FURTHER INFORMATION CONTACT**.

II. What SNUR is being removed?

In the June 5, 2015 **Federal Register**, EPA issued a direct final SNUR for the chemical substance that is identified in this final rule. This direct final SNUR was issued pursuant to the procedures in 40 CFR part 721, subpart D. EPA is removing the direct final SNUR issued for the chemical substance identified generically as substituted cyclosiloxane, which was the subject of PMN P-14-605.

This direct final rule was issued pursuant to the procedures in 40 CFR part 721, subpart D. Section 721.170(d)(4)(i)(B) provides that EPA will withdraw the relevant portion of such a direct final rule if within 30 days of publication the Agency receives a notice of intent to submit adverse comments on the SNUR. EPA received a notice of intent to submit adverse comments on the SNUR, but mistakenly did not withdraw the direct final rule as required by § 721.170(d)(4)(i)(B). The