Rules and Regulations

Federal Register Vol. 74, No. 199 Friday, October 16, 2009

Comments

We gave the public the opportunity to participate in developing this AD. We received no comments on the NPRM or on the determination of the cost to the public.

Conclusion

We reviewed the available data and determined that air safety and the public interest require adopting the AD as proposed.

Differences Between This AD and the **MCAI or Service Information**

We have reviewed the MCAI and related service information and, in general, agree with their substance. But we might have found it necessary to use different words from those in the MCAI to ensure the AD is clear for U.S. operators and is enforceable. In making these changes, we do not intend to differ substantively from the information provided in the MCAI and related service information.

We might also have required different actions in this AD from those in the MCAI in order to follow our FAA policies. Any such differences are highlighted in a NOTE within the AD.

Costs of Compliance

We estimate that this AD will affect 69 products of U.S. registry. We also estimate that it will take about 1 workhour per product to comply with the basic requirements of this AD. The average labor rate is \$80 per work-hour. Based on these figures, we estimate the cost of this AD to the U.S. operators to be \$5,520, or \$80 per product.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation

This section of the FEDERAL REGISTER contains regulatory documents having general applicability and legal effect, most of which are keyed to and codified in the Code of Federal Regulations, which is published under 50 titles pursuant to 44 U.S.C. 1510.

The Code of Federal Regulations is sold by the Superintendent of Documents. Prices of new books are listed in the first FEDERAL REGISTER issue of each week.

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2009-0616; Directorate Identifier 2009–NM–070–AD; Amendment 39-16043; AD 2009-21-06]

RIN 2120-AA64

Airworthiness Directives; 328 Support Services GmbH Dornier Model 328–100 and –300 Airplanes

Administration (FAA), Department of Transportation (DOT). ACTION: Final rule.

SUMMARY: We are adopting a new airworthiness directive (AD) for the products listed above. This AD results from mandatory continuing airworthiness information (MCAI) originated by an aviation authority of another country to identify and correct an unsafe condition on an aviation product. The MCAI describes the unsafe condition as:

A recent incident has been reported with a Dornier 328–100 aeroplane, where the right-hand (RH) power lever jammed in flight-idle position during the landing rollout. The aeroplane was stopped by excessive braking.

The investigation by the operator revealed that the cockpit door locking device * had fallen off the RH cockpit wall and blocked the RH power/condition lever pulley/cable cluster below the door. *

This condition, if not corrected, could cause interference with the engine- and/or flight control cables, possibly resulting in reduced control of the aeroplane.

We are issuing this AD to require actions to correct the unsafe condition on these products.

DATES: This AD becomes effective November 20, 2009.

The Director of the Federal Register approved the incorporation by reference of certain publications listed in this AD as of November 20, 2009.

ADDRESSES: You may examine the AD docket on the Internet at http:// www.regulations.gov or in person at the U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE., Washington, DC.

FOR FURTHER INFORMATION CONTACT: Tom Groves, Aerospace Engineer, International Branch, ANM-116, Transport Airplane Directorate, FAA, 1601 Lind Avenue SW., Renton, Washington 98057–3356; telephone (425) 227-1503; fax (425) 227-1149. SUPPLEMENTARY INFORMATION:

Discussion

We issued a notice of proposed rulemaking (NPRM) to amend 14 CFR part 39 to include an AD that would apply to the specified products. That NPRM was published in the Federal **Register** on July 16, 2009 (74 FR 34511). That NPRM proposed to correct an unsafe condition for the specified products. The MCAI states:

A recent incident has been reported with a Dornier 328-100 aeroplane, where the right-hand (RH) power lever jammed in flight-idle position during the landing rollout. The aeroplane was stopped by excessive braking.

The investigation by the operator revealed that the cockpit door locking device Part Number 001Â252A3914012 had fallen off the RH cockpit wall and blocked the RH power/ condition lever pulley/cable cluster below the door. Although the affected aeroplane had been modified, the technical investigation showed that a loose Cockpit Door Locking device could also occur on 328–100 and 328–300 aeroplanes with a standard installation.

This condition, if not corrected, could cause interference with the engine- and/or flight control cables, possibly resulting in reduced control of the aeroplane.

For the reasons described above, this AD requires a one-time inspection of the cockpit door locking device and the surrounding area [for proper installation] and the reporting of all findings to the TC [type certificate] holder. This AD is considered to be an interim action and the retrofit of a new design may be implemented later.

The corrective action is re-torquing the attachment screws. You may obtain further information by examining the MCAI in the AD docket.

AGENCY: Federal Aviation

is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We determined that this AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this AD:

1. Is not a "significant regulatory action" under Executive Order 12866;

2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and

3. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

We prepared a regulatory evaluation of the estimated costs to comply with this AD and placed it in the AD docket.

Examining the AD Docket

You may examine the AD docket on the Internet at *http://*

www.regulations.gov; or in person at the Docket Operations office between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains the NPRM, the regulatory evaluation, any comments received, and other information. The street address for the Docket Operations office (telephone (800) 647–5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

Adoption of the Amendment

■ Accordingly, under the authority delegated to me by the Administrator, the FAA amends 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new AD:

2009–21–06 328 Support Services GmbH (Formerly, AvCraft Aerospace GmbH, formerly Fairchild Dornier GmbH, formerly Dornier Luftfahrt GmbH):

Amendment 39–16043. Docket No. FAA-2009–0616; Directorate Identifier 2009–NM–070–AD.

Effective Date

(a) This airworthiness directive (AD) becomes effective November 20, 2009.

Affected ADs

(b) None.

Applicability

(c) This AD applies to all 328 Support Services GmbH Dornier Model 328–100 and –300 airplanes, certificated in any category.

Subject

(d) Air Transport Association (ATA) of America Code 25: Equipment/furnishings.

Reason

(e) The mandatory continuing airworthiness information (MCAI) states:

A recent incident has been reported with a Dornier 328–100 aeroplane, where the right-hand (RH) power lever jammed in flight-idle position during the landing rollout. The aeroplane was stopped by excessive braking.

The investigation by the operator revealed that the cockpit door locking device Part Number 001A252A3914012 had fallen off the RH cockpit wall and blocked the RH power/ condition lever pulley/cable cluster below the door. Although the affected aeroplane had been modified, the technical investigation showed that a loose Cockpit Door Locking device could also occur on 328–100 and 328–300 aeroplanes with a standard installation.

This condition, if not corrected, could cause interference with the engine- and/or flight control cables, possibly resulting in reduced control of the aeroplane.

For the reasons described above, this AD requires a one-time inspection of the cockpit door locking device and the surrounding area [for proper installation] and the reporting of all findings to the TC [type certificate] holder. This AD is considered to be an interim action and the retrofit of a new design may be implemented later.

The corrective action is re-torquing the attachment screws.

Actions and Compliance

(f) Unless already done, do the following actions.

(1) Within 3 months after the effective date of this AD, do a detailed visual inspection of the cockpit door locking device and the surrounding area for proper installation, in accordance with the Accomplishment Instructions of 328 Support Services Service Bulletin SB-328-25-485 or SB-328J-25-235, both dated January 28, 2009, as applicable.

(2) If any discrepancy is found during the inspection specified in paragraph (f)(1) of this AD, before further flight, do the corrective action in accordance with the Accomplishment Instructions of 328 Support Services Service Bulletin SB-328-25-485 or SB-328J-25-235, both dated January 28, 2009, as applicable.

(3) Submit a report of the findings (both positive and negative) of the inspection

required by paragraph (f)(1) of this AD to the Manager, Attention Dept P1, 328 Support Services GmbH, Customer Services, P.O.B. 1252, D–82231 Wessling, Fed. Rep. of Germany; Fax +49 (0) 8153 88111–6565, at the applicable time specified in paragraph (f)(3)(i) or (f)(3)(ii) of this AD. The report must include the inspection results, a description of any discrepancies found, the airplane serial number, and the number of landings and flight hours on the airplane.

(i) If the inspection was done on or after the effective date of this AD: Submit the report within 30 days after the inspection.

(ii) If the inspection was accomplished prior to the effective date of this AD: Submit the report within 30 days after the effective date of this AD.

FAA AD Differences

Note 1: This AD differs from the MCAI and/or service information as follows: No differences.

Other FAA AD Provisions

(g) The following provisions also apply to this AD:

(1) Alternative Methods of Compliance (AMOCs): The Manager, International Branch, ANM-116, Transport Airplane Directorate, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. Send information to ATTN: Tom Groves, Aerospace Engineer, International Branch, ANM-116, Transport Airplane Directorate, FAA, 1601 Lind Avenue SW., Renton, Washington 98057-3356; telephone (425) 227–1503; fax (425) 227–1149. Before using any approved AMOC on any airplane to which the AMOC applies, notify your principal maintenance inspector (PMI) or principal avionics inspector (PAI), as appropriate, or lacking a principal inspector, your local Flight Standards District Office. The AMOC approval letter must specifically reference this AD.

(2) Airworthy Product: For any requirement in this AD to obtain corrective actions from a manufacturer or other source, use these actions if they are FAA-approved. Corrective actions are considered FAA-approved if they are approved by the State of Design Authority (or their delegated agent). You are required to assure the product is airworthy before it is returned to service.

(3) *Reporting Requirements:* For any reporting requirement in this AD, under the provisions of the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), the Office of Management and Budget (OMB) has approved the information collection requirements and has assigned OMB Control Number 2120–0056.

Related Information

(h) Refer to MCAI European Aviation Safety Agency Airworthiness Directive 2009– 0082, dated April 7, 2009; and 328 Support Services Service Bulletins SB–328–25–485 and SB–328J–25–235, both dated January 28, 2009; for related information.

Material Incorporated by Reference

(i) You must use 328 Support Services Service Bulletin SB-328-25-485, dated January 28, 2009; or 328 Support Services Service Bulletin SB–328J–25–235, dated January 28, 2009, as applicable; to do the actions required by this AD, unless the AD specifies otherwise. (Only the odd-numbered pages of these documents contain the issue dates of the documents.)

(1) The Director of the Federal Register approved the incorporation by reference of this service information under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) For service information identified in this AD, contact Global Support Center, P.O. Box 1252, D-82231 Wessling, Federal Republic of Germany; telephone +49 8153 88111 6666; fax +49 8153 88111 6565; e-mail gsc.op@328support.de; Internet http:// www.328support.de.

(3) You may review copies of the service information at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington. For information on the availability of this material at the FAA, call 425–227–1221 or 425–227–1152.

(4) You may also review copies of the service information that is incorporated by reference at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202–741–6030, or go to: http://www.archives.gov/federal_register/ code_of_federal_regulations/ ibr locations.html.

Issued in Renton, Washington, on September 30, 2009.

Ali Bahrami,

Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. E9–24448 Filed 10–15–09; 8:45 am] BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2009-0348; Directorate Identifier 2008-NE-39-AD; Amendment 39-16050; AD 2009-21-11]

RIN 2120-AA64

Airworthiness Directives; Turbomeca S.A. ARRIUS 1A Turboshaft Engines

AGENCY: Federal Aviation Administration (FAA), DOT. **ACTION:** Final rule.

SUMMARY: We are adopting a new airworthiness directive (AD) for the products listed above. This AD results from mandatory continuing airworthiness information (MCAI) issued by an aviation authority of another country to identify and correct an unsafe condition on an aviation product. The MCAI describes the unsafe condition as:

Cycle life limit value for ARRIUS 1A balancing piston Part Number (P/N) 0 319 20 152 0, initially set at 40 000 cycles, has been reduced to 16 000 cycles, following the discovery of a calculation error during a recent review of the ARRIUS 1 engine family files.

We are issuing this AD to prevent failure of the balancing piston, which could result in an engine in-flightshutdown and the release of high-energy debris and damage to the helicopter. **DATES:** This AD becomes effective November 20, 2009.

ADDRESSES: The Docket Operations office is located at Docket Management Facility, U.S. Department of Transportation, 1200 New Jersey Avenue, SE., West Building Ground Floor, Room W12–140, Washington, DC 20590–0001.

FOR FURTHER INFORMATION CONTACT:

James Lawrence, Aerospace Engineer, Engine Certification Office, FAA, Engine & Propeller Directorate, 12 New England Executive Park, Burlington, MA 01803; *e-mail: james.lawrence@faa.gov;* telephone (781) 238–7176; fax (781) 238–7199.

SUPPLEMENTARY INFORMATION:

Discussion

We issued a notice of proposed rulemaking (NPRM) to amend 14 CFR part 39 to include an AD that would apply to the specified products. That NPRM was published in the **Federal Register** on April 17, 2009 (74 FR 17797). That NPRM proposed to correct an unsafe condition for the specified products. The MCAI states:

Cycle life limit value for ARRIUS 1A balancing piston Part Number (P/N) 0 319 20 152 0, initially set at 40 000 cycles, has been reduced to 16 000 cycles, following the discovery of a calculation error during a recent review of the ARRIUS 1 engine family files.

As of the publication date of this Airworthiness Directive, no ARRIUS 1A engines in service are fitted with a balancing piston that has logged more than 16 000 cycles, and the outlook for the consumption of cycles on the ARRIUS 1A fleet indicates that no balancing pistons will exceed this new limit for a few years' time.

Moreover, this new cycle life limit value for the balancing piston has been incorporated since the end of 2007 in ARRIUS 1A Maintenance documentation.

Failure to comply with the new life limits provided in the Airworthiness Limitations Section of ARRIUS 1A Maintenance documentation could potentially result in an engine in-flight-shutdown and the release of high energy debris.

You may obtain further information by examining the MCAI in the AD docket.

Comments

We gave the public the opportunity to participate in developing this AD. We

received no comments on the NPRM or on the determination of the cost to the public.

Conclusion

We reviewed the available data and determined that air safety and the public interest require adopting the AD as proposed.

Differences Between This AD and the MCAI or Service Information

The MCAI requires modifying the cyclic life limit value of the balancing piston in the engine log book as specified in Turbomeca Mandatory Service Bulletin 319 72 0811, dated April 30, 2008, and updating the approved operator's maintenance program.

We are requiring removing from service ARRIUS 1A engines containing a balancing piston, P/N 0 319 20 152 0, before the balancing piston meets or exceeds the new, reduced cyclic life limit value of 16,000 cycles-since-new.

Costs of Compliance

Based on the service information, we estimate that this AD would affect about 33 products of U.S. registry. We also estimate that it would take about 0.5 work-hour per product to comply with this AD. The average labor rate is \$80 per work-hour. Required parts would cost about \$5,280 per product. Based on these figures, we estimate the cost of the AD on U.S. operators to be \$175,560.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We determined that this AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on