

TABLE 5.1—TEST LOAD SIZES—Continued

| Container volume |             | Minimum load |      | Maximum load |       | Average load |      |
|------------------|-------------|--------------|------|--------------|-------|--------------|------|
| cu. ft.          | liter       | lb           | kg   | lb           | kg    | lb           | kg   |
| ≥ <              | ≥ <         |              |      |              |       |              |      |
| 1.40–1.50        | 39.6–42.5   | 3.00         | 1.36 | 5.90         | 2.68  | 4.45         | 2.02 |
| 1.50–1.60        | 42.5–45.3   | 3.00         | 1.36 | 6.40         | 2.90  | 4.70         | 2.13 |
| 1.60–1.70        | 45.3–48.1   | 3.00         | 1.36 | 6.80         | 3.08  | 4.90         | 2.22 |
| 1.70–1.80        | 48.1–51.0   | 3.00         | 1.36 | 7.20         | 3.27  | 5.10         | 2.31 |
| 1.80–1.90        | 51.0–53.8   | 3.00         | 1.36 | 7.60         | 3.45  | 5.30         | 2.40 |
| 1.90–2.00        | 53.8–56.6   | 3.00         | 1.36 | 8.00         | 3.63  | 5.50         | 2.49 |
| 2.00–2.10        | 56.6–59.5   | 3.00         | 1.36 | 8.40         | 3.81  | 5.70         | 2.59 |
| 2.10–2.20        | 59.5–62.3   | 3.00         | 1.36 | 8.80         | 3.99  | 5.90         | 2.68 |
| 2.20–2.30        | 62.3–65.1   | 3.00         | 1.36 | 9.20         | 4.17  | 6.10         | 2.77 |
| 2.30–2.40        | 65.1–68.0   | 3.00         | 1.36 | 9.60         | 4.35  | 6.30         | 2.86 |
| 2.40–2.50        | 68.0–70.8   | 3.00         | 1.36 | 10.00        | 4.54  | 6.50         | 2.95 |
| 2.50–2.60        | 70.8–73.6   | 3.00         | 1.36 | 10.50        | 4.76  | 6.75         | 3.06 |
| 2.60–2.70        | 73.6–76.5   | 3.00         | 1.36 | 10.90        | 4.94  | 6.95         | 3.15 |
| 2.70–2.80        | 76.5–79.3   | 3.00         | 1.36 | 11.30        | 5.13  | 7.15         | 3.24 |
| 2.80–2.90        | 79.3–82.1   | 3.00         | 1.36 | 11.70        | 5.31  | 7.35         | 3.33 |
| 2.90–3.00        | 82.1–85.0   | 3.00         | 1.36 | 12.10        | 5.49  | 7.55         | 3.42 |
| 3.00–3.10        | 85.0–87.8   | 3.00         | 1.36 | 12.50        | 5.67  | 7.75         | 3.52 |
| 3.10–3.20        | 87.8–90.6   | 3.00         | 1.36 | 12.90        | 5.85  | 7.95         | 3.61 |
| 3.20–3.30        | 90.6–93.4   | 3.00         | 1.36 | 13.30        | 6.03  | 8.15         | 3.70 |
| 3.30–3.40        | 93.4–96.3   | 3.00         | 1.36 | 13.70        | 6.21  | 8.35         | 3.79 |
| 3.40–3.50        | 96.3–99.1   | 3.00         | 1.36 | 14.10        | 6.40  | 8.55         | 3.88 |
| 3.50–3.60        | 99.1–101.9  | 3.00         | 1.36 | 14.60        | 6.62  | 8.80         | 3.99 |
| 3.60–3.70        | 101.9–104.8 | 3.00         | 1.36 | 15.00        | 6.80  | 9.00         | 4.08 |
| 3.70–3.80        | 104.8–107.6 | 3.00         | 1.36 | 15.40        | 6.99  | 9.20         | 4.17 |
| 3.80–3.90        | 107.6–110.4 | 3.00         | 1.36 | 15.80        | 7.16  | 9.40         | 4.26 |
| 3.90–4.00        | 110.4–113.3 | 3.00         | 1.36 | 16.20        | 7.34  | 9.60         | 4.35 |
| 4.00–4.10        | 113.3–116.1 | 3.00         | 1.36 | 16.60        | 7.53  | 9.80         | 4.45 |
| 4.10–4.20        | 116.1–118.9 | 3.00         | 1.36 | 17.00        | 7.72  | 10.00        | 4.54 |
| 4.20–4.30        | 118.9–121.8 | 3.00         | 1.36 | 17.40        | 7.90  | 10.20        | 4.63 |
| 4.30–4.40        | 121.8–124.6 | 3.00         | 1.36 | 17.80        | 8.09  | 10.40        | 4.72 |
| 4.40–4.50        | 124.6–127.4 | 3.00         | 1.36 | 18.20        | 8.27  | 10.60        | 4.82 |
| 4.50–4.60        | 127.4–130.3 | 3.00         | 1.36 | 18.70        | 8.46  | 10.80        | 4.91 |
| 4.60–4.70        | 130.3–133.1 | 3.00         | 1.36 | 19.10        | 8.65  | 11.00        | 5.00 |
| 4.70–4.80        | 133.1–135.9 | 3.00         | 1.36 | 19.50        | 8.83  | 11.20        | 5.10 |
| 4.80–4.90        | 135.9–138.8 | 3.00         | 1.36 | 19.90        | 9.02  | 11.40        | 5.19 |
| 4.90–5.00        | 138.8–141.6 | 3.00         | 1.36 | 20.30        | 9.20  | 11.60        | 5.28 |
| 5.00–5.10        | 141.6–144.4 | 3.00         | 1.36 | 20.70        | 9.39  | 11.90        | 5.38 |
| 5.10–5.20        | 144.4–147.2 | 3.00         | 1.36 | 21.10        | 9.58  | 12.10        | 5.47 |
| 5.20–5.30        | 147.2–150.1 | 3.00         | 1.36 | 21.50        | 9.76  | 12.30        | 5.56 |
| 5.30–5.40        | 150.1–152.9 | 3.00         | 1.36 | 21.90        | 9.95  | 12.50        | 5.65 |
| 5.40–5.50        | 152.9–155.7 | 3.00         | 1.36 | 22.30        | 10.13 | 12.70        | 5.75 |
| 5.50–5.60        | 155.7–158.6 | 3.00         | 1.36 | 22.80        | 10.32 | 12.90        | 5.84 |
| 5.60–5.70        | 158.6–161.4 | 3.00         | 1.36 | 23.20        | 10.51 | 13.10        | 5.93 |
| 5.70–5.80        | 161.4–164.2 | 3.00         | 1.36 | 23.60        | 10.69 | 13.30        | 6.03 |
| 5.80–5.90        | 164.2–167.1 | 3.00         | 1.36 | 24.00        | 10.88 | 13.50        | 6.12 |
| 5.90–6.00        | 167.1–169.9 | 3.00         | 1.36 | 24.40        | 11.06 | 13.70        | 6.21 |

NOTES: (1) All test load weights are bone dry weights.

(2) Allowable tolerance on the test load weights are  $\pm 0.10$  lbs (0.05 kg).

(4) *Representations*. Whirlpool may make representations about the energy use of its clothes washer products for compliance, marketing, or other purposes only to the extent that such products have been tested in accordance with the provisions outlined above and such representations fairly disclose the results of such testing.

(5) This waiver shall remain in effect consistent with the provisions of 10 CFR 430.27(m).

(6) This waiver is issued on the condition that the statements, representations, and documentary materials provided by the petitioner are

valid. DOE may revoke or modify this waiver at any time if it determines the factual basis underlying the petition for waiver is incorrect, or the results from the alternate test procedure are unrepresentative of the basic models' true energy consumption characteristics.

Issued in Washington, DC, on November 4, 2010.

**Cathy Zoi,**

*Assistant Secretary, Energy Efficiency and Renewable Energy.*

[FR Doc. 2010-28646 Filed 11-12-10; 8:45 am]

**BILLING CODE 6450-01-P**

## DEPARTMENT OF ENERGY

### Office of Energy Efficiency and Renewable Energy

### Energy Efficiency and Renewable Energy Advisory Committee (ERAC)

**AGENCY:** Department of Energy, Office of Energy Efficiency and Renewable Energy.

**ACTION:** Notice of open meeting.

**SUMMARY:** This notice announces the first meeting of the Energy Efficiency and Renewable Energy Advisory

Committee (ERAC). The Federal Advisory Committee Act, Pub. L. 92–463, 86 Stat. 770, requires that public notice of this meeting be announced in the **Federal Register**. To attend the meeting and/or to make oral statements during the public comment period, please e-mail [erac@ee.doe.gov](mailto:erac@ee.doe.gov) at least five business days before the meeting, no later than Tuesday, November 23, 2010. In the e-mail, please indicate your name, organization (if appropriate), citizenship, and contact information. Please be aware, entry to the DOE Forrestal building will be restricted to those who have confirmed their attendance in advance. Anyone attending the meeting will be required to present a government photo identification, such as a passport, driver's license, or government identification. Due to the required security screening upon entry, individuals attending should arrive early to allow for the extra time needed.

**DATES:** Tuesday, November 30, 2010; 8:30 a.m.–5 p.m.

**ADDRESSES:** Department of Energy, Forrestal Building, 1000 Independence Avenue, SW., Washington, DC 20585—Room 1E–245. Please arrive early for building entry requirements, see the Summary and Public Participation sections for more information.

**FOR FURTHER INFORMATION CONTACT:** [erac@ee.doe.gov](mailto:erac@ee.doe.gov).

#### **SUPPLEMENTARY INFORMATION:**

*Purpose of Meeting:* To provide advice and recommendations to the Secretary of Energy on the research, development, demonstration, and deployment priorities within the field of energy efficiency and renewable energy.

*Agenda Topics:* (Subject to change; updates will be posted on <http://www.eere.energy.gov/>

[eere\\_advisory\\_committee/](http://www.eere.energy.gov/eere_advisory_committee/):

- Overview of EERE Strategies for Research, Development, Demonstration and Deployment of Energy Efficient and Renewable Energy Technologies.

- EERE initiative on building retrofits.

- EERE initiative on \$1 per watt Photovoltaic systems.

- Public Comment.

*Public Participation:* Members of the public are welcome to observe the business of the meeting of ERAC and to make oral statements during the specified period for public comment. The public comment period will take place between 4:30 p.m. through 5 p.m. during the day of the meeting (Tuesday, November 30, 2010). To attend the meeting and/or to make oral statements regarding any of the items on the agenda, e-mail [erac@ee.doe.gov](mailto:erac@ee.doe.gov) at least

five business days before the meeting, no later than Tuesday, November 23, 2010. In the e-mail, please indicate your name, organization (if appropriate), citizenship, and contact information. Please be aware, entry to the DOE Forrestal building will be restricted to those who have confirmed their attendance in advance. Anyone attending the meeting will be required to present a government photo identification, such as a passport, driver's license, or government identification. Due to the required security screening upon entry, individuals attending should arrive early to allow for the extra time needed.

Members of the public will be heard in the order in which they sign up for the Public Comment Period. Oral comments should be limited to two minutes in length. Reasonable provision will be made to include the scheduled oral statements on the agenda. The chair of the committee will make every effort to hear the views of all interested parties and to facilitate the orderly conduct of business.

Participation in the meeting is not a prerequisite for submission of written comments. ERAC invites written comments from all interested parties. If you would like to file a written statement with the committee, you may do so either by submitting a hard or electronic copy before or after the meeting. Electronic copy of written statements should be e-mailed to [erac@ee.doe.gov](mailto:erac@ee.doe.gov).

*Minutes:* The minutes of the meeting will be available for public review at [http://www.eere.energy.gov/eere\\_advisory\\_committee/](http://www.eere.energy.gov/eere_advisory_committee/).

Issued in Washington, DC, on November 8, 2010.

**Rachel Samuel,**

*Deputy Committee Management Officer.*

[FR Doc. 2010–28640 Filed 11–12–10; 8:45 am]

**BILLING CODE 6450–01–P**

## **ENVIRONMENTAL PROTECTION AGENCY**

**[EPA–HQ–OPPT–2009–0929; FRL–9226–6]**

**Agency Information Collection Activities; Submission to OMB for Review and Approval; Comment Request; Request for Contractor Access to TSCA Confidential Business Information; EPA ICR No. 1250.09, OMB Control No. 2070–0075**

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this document announces that an Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval. The ICR, which is abstracted below, describes the nature of the information collection activity and its expected burden and costs.

**DATES:** Additional comments may be submitted on or before December 15, 2010.

**ADDRESSES:** Submit your comments, referencing docket ID Number EPA–HQ–OPPT–2009–0929, (1) to EPA online using <http://www.regulations.gov> (our preferred method) or by mail to: Document Control Office (DCO), Office of Pollution Prevention and Toxics (OPPT), Environmental Protection Agency, Mail Code: 7407T, 1200 Pennsylvania Ave., NW., Washington, DC 20460, and (2) OMB at: Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725 17th Street, NW., Washington, DC 20503.

#### **FOR FURTHER INFORMATION CONTACT:**

Pamela Myrick, Acting Director, Environmental Assistance Division, Office of Pollution Prevention and Toxics, Environmental Protection Agency, Mailcode: 7408–M, 1200 Pennsylvania Ave., NW., Washington, DC 20460; telephone number: 202–554–1404; e-mail address: [TSCA-Hotline@epa.gov](mailto:TSCA-Hotline@epa.gov).

**SUPPLEMENTARY INFORMATION:** EPA has submitted the following ICR to OMB for review and approval according to the procedures prescribed in 5 CFR 1320.12. On March 24, 2010 (75 FR 14150), EPA sought comments on this renewal ICR pursuant to 5 CFR 1320.8(d). EPA received no comments during the comment period. Any additional comments related to this ICR should be submitted to EPA and OMB within 30 days of this notice.

EPA has established a public docket for this ICR under Docket ID No. EPA–HQ–OPPT–2009–0929, which is available for online viewing at <http://www.regulations.gov>, or in person inspection at the OPPT Docket in the EPA Docket Center (EPA/DC), EPA West, Room 3334, 1301 Constitution Ave., NW., Washington, DC. The EPA/DC Public Reading Room is open from 8 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is 202–566–1744, and the telephone number for the Pollution